

NOV 18 1958

577
NBS CIRCULAR 589

Tables of Dielectric Dispersion Data for Pure Liquids and Dilute Solutions

UNITED STATES DEPARTMENT OF COMMERCE

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards

Functions and Activities

The functions of the National Bureau of Standards are set forth in the Act of Congress, March 3, 1901, as amended by Congress in Public Law 619, 1950. These include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to government agencies on scientific and technical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services, and various consultation and information services. Research projects are also performed for other government agencies when the work relates to and supplements the basic program of the Bureau or when the Bureau's unique competence is required. The scope of activities is suggested by the listing of divisions and sections on the inside of the back cover.

Publications

The results of the Bureau's work take the form of either actual equipment and devices or published papers; these papers appear either in the Bureau's own series of publications or in the journals of professional and scientific societies. The Bureau itself publishes three monthly periodicals, available from the Government Printing Office: The Journal of Research, which presents complete papers reporting technical investigations; the Technical News Bulletin, which presents summary and preliminary reports on work in progress; and Basic Radio Propagation Predictions, which provides data for determining the best frequencies to use for radio communications throughout the world. There are also five series of nonperiodical publications: The Applied Mathematics Series, Circulars, Handbooks, Building Materials and Structures Reports, and Miscellaneous Publications.

Information on the Bureau's publications can be found in NBS Circular 460, Publications of the National Bureau of Standards (\$1.25) and its Supplement (\$1.50), available from the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

Tables of Dielectric Dispersion Data for Pure Liquids and Dilute Solutions

Floyd Buckley and Arthur A. Maryott



National Bureau of Standards Circular 589

Issued November 1, 1958

The Library of Congress has cataloged this publication as follows:

Buckley, Floyd.

Tables of dielectric dispersion data for pure liquids and dilute solutions [by] Floyd Buckley and Arthur A. Maryott. Washington, U. S. Dept. of Commerce, National Bureau of Standards, 1958.

iii, 95 p. diags., tables. 26 cm. ([U. S.] National Bureau of Standards. Circular 589)

Includes bibliographies.

1. Solution (Chemistry) 2. Dielectrics. 3. Dispersion. i.
Maryott, Arthur Allen, 1917- joint author. ii. Title. (Series)

QC100.U555 no. 589 58-60066

*541.37 541.342

————— Copy 2.

QD543.B927

Library of Congress

The Library of Congress has cataloged the series in which this publication appears as follows:

U. S. National Bureau of Standards.

Circular. no. 1-
Washington, U. S. Govt. Print. Off., 1903-

v. in illus. 24-27 cm.

Title varies slightly.
Some numbers issued in revised editions.
Supplements accompany some numbers.

QC100.U555

10-18353 rev 2*

Library of Congress

[r53g5]

Contents

	Page
1. Introduction	1
2. Representation of dispersion data for pure liquids.....	1
2.1. Cole-Cole representation.....	1
2.2. Cole-Davidson representation.....	3
2.3. Debye representation.....	5
2.4. Two or more relaxation times.....	5
3. Representation of dispersion data for dilute solutions.....	5
3.1. Nonaqueous solutions.....	5
3.2. Aqueous solutions.....	5
4. Pure liquids.....	6
Table 1. Dielectric dispersion parameters for pure inorganic liquids..	6
Table 2. Dielectric dispersion parameters for pure organic liquids..	7
Table 3. Dielectric dispersion data for pure inorganic liquids.....	18
Table 4. Dielectric dispersion data for pure organic liquids.....	21
Bibliography for tables 1 to 4.....	53
Graphical representations of dielectric data for pure liquids.....	56
5. Dilute solutions.....	72
Table 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions.....	73
Table 6. Dielectric dispersion parameters and numerical data for dilute aqueous solutions.....	94
Bibliography for tables 5 and 6.....	95

Tables of Dielectric Dispersion Data for Pure Liquids and Dilute Solutions

Floyd Buckley and Arthur A. Maryott

Primary dielectric dispersion data and characteristic dispersion parameters are tabulated for almost 200 substances in the liquid state and for dilute aqueous and nonaqueous solutions with more than 150 solutes. There are 6 tables and 1 section of graphs. There are 4 tables for pure liquids, 2 containing summaries of the derived dispersion parameters and 2 containing the primary data. The section on graphs supplements the tables for pure liquids and contains reproductions of pertinent data that are available only in the form of graphs.

1. Introduction

This tabulation of the data on dielectric dispersion for pure liquids and dilute solutions is part of a general program at the National Bureau of Standards for the critical evaluation and compilation of data from selected fields of physics and chemistry. The first table of the series on dielectric properties, titled Table of Dielectric Constants of Pure Liquids, appeared as NBS Circular 514, and the second table, titled Table of Dielectric Constants and Electric Dipole Moments of Substances in the Gaseous State, appeared as NBS Circular 537. The preparation of additional tables of dielectric properties is in progress.

This tabulation contains primary dispersion data and derived dispersion parameters for pure

liquids and dilute solutions. Tables 1 to 4 pertain to pure liquids and consist of three parts: (1) Characteristic dispersion parameters (Cole-Cole¹ representation) are given in tables 1 and 2 for inorganic and organic substances, respectively; (2) original data from the literature are listed in the corresponding tables 3 and 4; and (3) pertinent data available in the literature in graphical form only are reproduced in a separate section. Only those graphs are reproduced that add significantly to the general picture of dispersion represented by tables 1 to 4. Tables 5 and 6 contain the numerical data and the derived dispersion parameters for dilute aqueous and nonaqueous solutions.

2. Representation of Dispersion Data for Pure Liquids²

At ordinary temperatures the dependence of the dielectric constant, ϵ' , and the dielectric loss factor, ϵ'' , on frequency is, for a large class of compounds, adequately represented by the dispersion equations of Debye. For the compounds listed in tables 1 to 4, deviations from this behavior fall into one of the following types:

1. The plot of the complex dielectric constant $\epsilon = \epsilon' - i\epsilon''$ in the complex plane is a segment of a semicircle. The loss curve $\epsilon'' = f(\ln \lambda)$ has the characteristic Debye symmetry, but the maximum loss is reduced and the half-width of the absorption curve is increased.

2. The plot of ϵ in the complex plane is asymmetrical over the entire range of dispersion.

3. The absorption near the high-frequency limit of the dispersion range is considerably larger, and the limiting value $\epsilon'_{\lambda=0}$ is significantly smaller, than that predicted from the Debye equations.

Although it is to be expected that more extensive and accurate data will reveal a rather complex dependence of ϵ' and ϵ'' on frequency and molecular structure, data at present available for compounds exhibiting the behavior of types 1 and 2 are adequately represented by the two empirical modifications of the Debye functions introduced by Cole (see footnote 1). For substances showing the behavior of type 3 the data can best be represented by superimposing two or more independent but overlapping dispersion curves.

2.1. Cole-Cole Representation

The general dispersion equation for the complex dielectric constant is

$$\epsilon = \epsilon' - i\epsilon'' = \epsilon_0 + \frac{\epsilon_\infty - \epsilon_0}{1 + (i\omega\tau)^{1-\alpha}}$$

where

$$\epsilon_0 = \epsilon \text{ for } \lambda = 0$$

$$\epsilon_\infty = \epsilon \text{ for } \lambda = \infty$$

$$\lambda = \text{wavelength in vacuum (or air)}$$

$$\omega = 2\pi\frac{c}{\lambda} \text{ (} c = \text{velocity of light in vacuum)}$$

$$\tau = \text{characteristic relaxation time}$$

$$\lambda_c = 2\pi c\tau = \text{critical wavelength}$$

$$\alpha = \text{distribution (relaxation time) parameter.}$$

¹ K. S. Cole and R. H. Cole, *J. Chem. Phys.* **9**, 341 (1941); D. W. Davidson and R. H. Cole, *J. Chem. Phys.* **19**, 1484 (1951).

² General discussions of dielectric phenomena are found in the following books and monographs:

P. Debye, *Polar molecules*, Chemical Catalog Co., New York, 1929 (new unrevised edition, Dover Publications, New York, N. Y., 1945).

C. P. Smyth, *Dielectric behaviour and structure* (McGraw-Hill Book Co., New York, N. Y., 1955).

C. J. F. Böttcher, *Theory of electric polarization* (Elsevier Publishing Co., New York, N. Y., 1952).

H. Fröhlich, *Theory of dielectrics* (Oxford Univ. Press, London, 1949).

W. F. Brown, Jr., *Dielectrics*, *Handbuch der Physik*, vol. 17 (Springer-Verlag, Berlin, 1956).

The locus of ϵ in the complex plane is a segment of a semicircle with the parametric representation:

$$\epsilon' - \epsilon_0 = \frac{\epsilon_\infty - \epsilon_0}{2} \cdot \left\{ 1 - \frac{\sinh [(1-\alpha) \ln \omega \tau]}{\cosh [(1-\alpha) \ln \omega \tau] + \sin \alpha \frac{\pi}{2}} \right\}$$

$$\epsilon'' = \frac{\epsilon_\infty - \epsilon_0}{2} \cdot \left\{ \frac{\cos \alpha \frac{\pi}{2}}{\cosh [(1-\alpha) \ln \omega \tau] + \sin \alpha \frac{\pi}{2}} \right\}$$

The locus can be easily drawn from the following:

(a) Coordinates of the center,

$$\epsilon' = \frac{\epsilon_\infty + \epsilon_0}{2}$$

$$\epsilon'' = -\frac{\epsilon_\infty - \epsilon_0}{2} \cdot \tan \alpha \frac{\pi}{2}$$

(b) Radius of the circle,

$$R = \frac{\epsilon_\infty - \epsilon_0}{2} \cdot \sec \alpha \frac{\pi}{2}$$

Useful characteristics of the dispersion curve are:

(a) Maximum loss factor,

$$\epsilon''_{\max} = \frac{\epsilon_\infty - \epsilon_0}{2} \cdot \tan (1-\alpha) \frac{\pi}{4}$$

(b) Critical wavelength for which ϵ'' is a maximum,

$$\frac{\lambda_c}{\lambda} = \left(\frac{v}{u} \right)^{\frac{1}{1-\alpha}}$$

The geometrical significance of these dispersion parameters is shown in figure 1.

The graphs given in figures 2, 3, and 4, in conjunction with the parameters given in tables 1 and 2, permit a rapid estimation of ϵ' and ϵ'' for any wavelength.




FIGURE 1. Representation in the complex plane of $\epsilon = \epsilon_0 + (\epsilon_\infty - \epsilon_0) / [1 + (i \cdot \omega \tau)^{1-\alpha}]$.




FIGURE 2. A family of dispersion curves.

The value of the Cole-Cole distribution parameter, α , is given for intervals of 0.05. The scale of ordinates on the right is to be used in conjunction with the upper scale of abscissas.




FIGURE 3. A family of absorption curves.

The value of the Cole-Cole distribution parameter, α , is given for intervals of 0.05. The scale of ordinates on the right is to be used in conjunction with the upper scale of abscissas.

2.2. Cole-Davidson Representation

The parameters characterizing the Cole-Davidson representation (see footnote 1) are defined by

$$\epsilon = \epsilon' - i \cdot \epsilon'' = \epsilon_0 + \frac{\epsilon_\infty - \epsilon_0}{(1 + i \cdot \omega \tau)^\beta}$$

The parametric equations for the locus of ϵ in the complex plane are:

$$\epsilon' - \epsilon_0 = (\epsilon_\infty - \epsilon_0) \cdot (\cos \varphi)^\beta \cdot \cos \beta \varphi$$

$$\epsilon'' = (\epsilon_\infty - \epsilon_0) \cdot (\cos \varphi)^\beta \cdot \sin \beta \varphi$$

$$\tan \varphi \equiv \omega \tau,$$

and in polar form,

$$R = (\epsilon_\infty - \epsilon_0) \cdot \left(\cos \frac{\theta}{\beta} \right)^\beta$$

$$\theta = \tan^{-1} \frac{\epsilon''}{\epsilon' - \epsilon_\infty} = \beta \varphi.$$




FIGURE 4. Relative maximum absorption as a function of the Cole-Cole distribution parameter, α .

In this representation, if $\beta < 1$, the locus degenerates into a segment of a Debye semicircle for $\omega \rightarrow 0$, and into a segment of a straight line $\theta = \beta(\pi/2)$ for $\omega \rightarrow \infty$. A family of loci,

$$R' = \frac{\epsilon - \epsilon_0}{\epsilon_{\infty} - \epsilon_0} = \left(\cos \frac{\theta}{\beta} \right)^{\beta},$$

is shown in figure 5.

The significance of the parameter ω_c (or λ_c, τ) differs from that of the corresponding quantity in the Cole-Cole representation. In the latter case the condition that determines ω_c is that ϵ'' shall be a maximum, whereas in this representation the condition is $\theta = (\pi/4)$. The relation $\omega_c \tau = 1$ is sat-




FIGURE 5. A family of curves representing $(\epsilon'' - \epsilon_0)/(\epsilon_\infty - \epsilon_0) = 1/(1 + i \cdot \omega\tau)^\beta$.

ified in both cases. The parameter λ_c for both representations appears in tables 1 and 2.

2.3. Debye Representation

The Debye representation is the special case, $\alpha=0$, of the Cole-Cole representation, or $\beta=1$ of the Cole-Davidson representation.

2.4. Two or More Relaxation Times

Tentative assignments of the dispersion characteristics of a second dispersion region are given for a few compounds. These parameters satisfy the following relations, in which subscripts 1 and 2 denote the dispersion regions at low and high frequency, respectively. In the complex plane,

$$\epsilon = \epsilon' - i \cdot \epsilon'' = \epsilon_2 + \delta \epsilon$$

$$\delta \epsilon = \epsilon_1 - \epsilon_{10} = (\epsilon_1' - \epsilon_{10}) - i \cdot \epsilon_1'' = \frac{\epsilon_{1\infty} - \epsilon_{10}}{1 + i \cdot \omega\tau_1}$$

$$\epsilon_2 = \epsilon_2' - i \cdot \epsilon_2'' = \epsilon_{20} + \frac{\epsilon_{2\infty} - \epsilon_{20}}{1 + i \cdot \omega\tau_2}$$

so that

$$\delta \epsilon' = \epsilon_1' - \epsilon_{10} = \frac{\epsilon_{1\infty} - \epsilon_{10}}{1 + (\omega\tau_1)^2}$$

$$\delta \epsilon'' = \epsilon_1'' = \frac{\epsilon_{1\infty} - \epsilon_{10}}{1 + (\omega\tau_1)^2} \cdot \omega\tau_1$$

3. Representation of Dispersion Data for Dilute Solutions

3.1. Nonaqueous Solutions

3.11. *Cole-Cole Representation*: If the solvent has no loss then the dispersion equations in this representation are identical with those for the pure liquids, provided ϵ' and ϵ'' are replaced by the corresponding incremental dielectric constant and loss, $(\Delta\epsilon'/c)$ and $(\Delta\epsilon''/c)$. These quantities are defined by the relations

$$\epsilon_{12}' = \epsilon_1 + \left(\frac{\Delta\epsilon'}{c}\right) \cdot c$$

$$\epsilon_{12}'' = \left(\frac{\Delta\epsilon''}{c}\right) \cdot c$$

$$\tan \delta_{12} = \left(\frac{\Delta \tan \delta}{c}\right) \cdot c.$$

The subscripts 12 and 1 refer to the solution and

$$\epsilon_2' = \epsilon' - \frac{\epsilon_{1\infty} - \epsilon_{10}}{1 + (\omega\tau_1)^2} = \epsilon_{20} + \frac{\epsilon_{2\infty} - \epsilon_{20}}{1 + (\omega\tau_2)^2}$$

$$\epsilon_2'' = \epsilon'' - \frac{\epsilon_{1\infty} - \epsilon_{10}}{1 + (\tau_1)^2 \omega} \cdot \omega\tau_1 = \frac{\epsilon_{2\infty} - \epsilon_{20}}{1 + (\omega\tau_2)^2} \cdot \omega\tau_2.$$

The geometrical significance of these relations is shown in figure 6 for the special case in which the dispersion in both regions is of the Debye type.

The method of representation can be extended to allow for more than two regions of dispersion and generalized to allow for $\alpha_1 \neq 0$. The dispersion parameters for successive regions of dispersion are distinguished in tables 1 and 2 by numbers in parentheses in the column for $\epsilon_{\lambda=\infty}$.




FIGURE 6. A Cole-Cole plot for the case of two times of relaxation.

The section of the plot that corresponds to low frequencies and the greater relaxation time is not drawn.

solvent, respectively, c denotes the concentration, and δ the loss angle.

3.12. *Debye Representation*: This is the Cole-Cole representation for $\alpha=0$.

In those cases where only loss data were reported the critical wavelength was evaluated from one of the following equations:

$$\frac{\Delta \tan \delta}{c} = \frac{(\epsilon_1 + 2)^2}{\epsilon_1} \cdot \frac{4\pi N\mu^2}{27 kT} \cdot \frac{\omega\tau}{1 + (\omega\tau)^2}$$

$$\frac{\Delta\epsilon''}{c} = \left\{ \left(\frac{\Delta\epsilon}{c}\right)_\infty - \left(\frac{\Delta\epsilon}{c}\right)_0 \right\} \cdot \frac{\omega\tau}{1 + (\omega\tau)^2}.$$

3.2. Aqueous Solutions

The characteristic parameters listed in tables 5 and 6 are those of the Debye representation and have been determined for each solution.

4. Pure Liquids

Table 1. Dielectric dispersion parameters for pure inorganic liquids

Table 2. Dielectric dispersion parameters for pure organic liquids

Chemical Formulas and the Order of Listing Compounds

Formulas for the inorganic substances are written in the usual manner and are arranged in alphabetical sequence. Those for the organic substances are written with carbon first and hydrogen, if present, second. Symbols for the remaining elements then follow in alphabetical order. The order of listing the compounds is determined firstly by the number of carbon atoms, secondly by the number of hydrogen atoms, and finally by the symbols of the remaining elements taken in alphabetical order.

All compounds are listed in tables 1 and 2, and an ordinal number is assigned to each compound to facilitate finding it in other sections of the tables.

Dispersion Parameters

Treatment of data: The data for most substances are sufficiently limited in extent and lacking in confirmation to prevent an exact evaluation of the dispersion parameters. The supporting data referred to in tables 1 and 2 are very meager in many instances and consequently no attempt has been made to assign limits of accuracy to the derived quantities. The data of other authors are often inconsistent with the values given.

The parameters listed have been determined, when feasible, from Cole-Cole plots. If $\epsilon_{\lambda=0}$ is not given the corresponding quantity is n_D^2 . In some instances $\epsilon_{\lambda=0}$ is the sum of n_D^2 and a small contribution from atomic polarization. The parameters of the Cole-Davidson representation are given for a small number of compounds.

Tabulated quantities:

- $\epsilon_{\lambda=\infty}$ (or ϵ_{∞}) = the value of the complex dielectric constant $\epsilon = \epsilon' - i\epsilon''$ for $\lambda = \infty$.
- $\epsilon_{\lambda=0}$ (or ϵ_0) = the value of ϵ for $\lambda = 0$.
- n_D^2 = the square of the refractive index for the sodium-D line.
- α = the distribution parameter in the representation $\epsilon = \epsilon_0 + (\epsilon_{\infty} - \epsilon_0) / [1 + (i\lambda_c/\lambda)^{1-\alpha}]$.
- β = the distribution parameter in the representation $\epsilon = \epsilon_0 + (\epsilon_{\infty} - \epsilon_0) / (1 + i\lambda_c/\lambda)^{\beta}$.
- λ_c = the critical wavelength characteristic of the dispersion.

Notations:

ϵ_{∞} : Boldface type denotes values taken from the "Table of Dielectric Constants of Pure Liquids" by A. A. Maryott and E. R. Smith, NBS Circular 514. Other values are those given by the authors cited.

(): Parentheses denote that the value given is considerably more uncertain than the estimated error characteristic of this quantity.

[]: Brackets denote that the value is assumed.

(): Numbers in parentheses preceding the values listed for ϵ_0 denote the successive dispersion regions.

References and Bibliography: The references in tables 1 and 2 refer only to the work upon which the selected parameters depend. All references in tables 1 to 4, and the section on graphical data, are assembled in a bibliography at the end of table 4.

TABLE 1. Dielectric dispersion parameters for pure inorganic liquids

No.	Substance	<i>t</i> (°C)	$\epsilon_{\lambda=\infty}$	$\epsilon_{\lambda=0}$	n_D^2	α_{Cole}	λ_c (cm)	References		
1	D ₂ O Deuterium oxide 99.5%	5	85.8	5.5		0	3.84	48.2 Collie.		
		10	83.8	5.5		0	3.12			
		20	80.1	5.5	1.76	0	2.31			
		30	76.5	5.5		0	1.76			
		40	73.1	5.5		0	1.36			
		50	69.8	5.5		0	1.11			
		60	66.7	5.5		0	0.92 ₃			
2	H ₂ O Water	0	88.2	5.0		0	3.34	53 Hasted.		
		10	84.0	5.0		0	2.43			
		20	80.4	5.2	1.78	0	1.78			
		30	76.5	5.2		0	1.36			
		40	73.1	5.6		0	1.10			
		50	70.7	5.8		0	0.91			
		60	66.2	5.9		0	.76			
		20	80.37		1.78	0	1.76		55	
									53	Poley.
									52	Hasted.
						48, 46	Little.			
						48	Saxton.			
						39	Collie.			
						53	Abadie.			
						53	Slevogt.			
3	H ₂ SO ₄ Sulfuric acid	20	(110)	5	(2.04)	0.09	90	53 Brand.		

*Adjusted values.

TABLE 2.—Dielectric dispersion parameters for pure organic liquids

No.	Substance	t (°C)	$\epsilon_{\lambda \rightarrow \infty}$	$\epsilon_{\lambda=0}$	n_D^2	α_{Cole}	λ_c (cm)	References
C₁								
1.	CBrCl ₃ Bromotrichloromethane	0 20 40 60	2.447 2.405 2.364 2.343		2.39 2.35 2.31 2.27	0.24 .19 .15 .03	0.8 .6 .5 .4	56.3 Smyth et al.
2.	CBr ₂ Cl ₂ Dibromodichloromethane	20 40 60	2.55 2.508 2.461		2.45 2.43 2.38	0 0 0	.65 .5 .35	56.3 Smyth et al.
3.	CBr ₂ F ₂ Dibromodifluoromethane	0 20	2.824 2.713		2.12 2.07	0.13 .10	.49 .43	56.3 Smyth et al.
4.	CBr ₃ Cl Tribromochloromethane	60	2.601		2.56	0	.6	56.3 Smyth et al.
5.	CBr ₃ F Tribromofluoromethane	0 20 40 60	3.092 2.996 2.902 2.822		2.55 2.50 2.46 2.41	0 0 0 0	1.49 1.15 0.96 .85	56.3 Smyth et al.
6.	CCl ₃ F Trichlorofluoromethane	0 20	2.374 2.303		2.03 1.99	0 0	.45 .38	56.3 Smyth et al.
7.	CCl ₄ Carbon tetrachloride	20	2.238		2.13		<.85	49 Whiffen. 47 Beaney.
8.	CS ₂ Carbon disulfide	20	2.641		2.65		<.85	50 Whiffen. 47 Beaney.
9.	CHCl ₃ Chloroform	25 -45.2	4.718 6.26		2.08 2.22	[0] [0]	(1.4) (4)	43 Conner. 53 Sircar.
10.	CH ₂ O ₂ Formic acid	20	(110)	4.2	2.10	0	4.5	Table 4. 49 Burdun.
11.	CH ₃ NO Formamide	-109.94 -103.24	82.17 77.70	9.8 9.6		0 0	1.53×10 ³ 9.3×10 ²	55 Deunney.
12.	CH ₃ O Methanol	-96.7 -86.0 -76.7	73.76 67.91 63.26	9.3 8.8 8.6		0 0 0	6.2×10 ² 3.6×10 ² 2.3×10 ²	
		-10 0 10 20 30 40 50	40.37 37.98 35.75 33.64 31.65 29.73 28.03	6.3 6.1 5.9 5.7 5.5 5.2 5.0	1.77	0 0 0 0 0 0 0	20.2 16.0 12.6 10.0 8.0 6.5 5.4	52 Leane. (55 Poley).
C₂								
13.	C ₂ Cl ₄ Tetrachloroethylene	4	7.71		2.10	0.05	1.25	Table 4; Graphs.
14.	C ₂ H ₂ Cl ₄ 1,1,1-Trichloroethane	20 40	7.20 6.57		2.08 2.05	.03 .01	1.04 0.81	56.2 Smyth et al.
15.	C ₂ H ₄ BrCl 1-Bromo-1-chloroethane	20	7.20		2.07	0	1.02	55 Poley.
16.	C ₂ H ₄ Br ₂ 1,2-Dibromoethane	25 55	4.76 4.58	2.63 2.56	2.36 2.30	.076 .038	2.18 1.43	Table 4. 52 Smyth et al.
17.	C ₂ H ₄ Cl ₂ 1,2-Dichloroethane	1 25 55	11.66 10.16 8.66	2.41 2.35 2.28	2.12 2.08 2.03	.058 .046 0	1.83 1.31 0.85	52 Smyth et al.
18.	C ₂ H ₃ O ₂ Acetic acid							Table 4.

* Supercooled; mp, -97.7 (50 Timmermans).

TABLE 2.—Dielectric dispersion parameters for pure organic liquids—Continued

No.	Substance	t (° C)	ϵ_{∞}	$\epsilon_{t=0}$	n_D^2	α_{calc}	λ_c (cm)	References
19	C_2H_5Br Bromoethane.....	1 25	10.23 9.20	2.25 2.20	2.05 2.01	0.064 .054	0.99 .38	Smyth et al.
20	C_2H_5I Iodoethane.....	25	7.69		2.28	[0]	(1.4)	Conner.
21	C_2H_5O Ethanol.....	-142.6 -135.9 -124.8 -117.6 -113.8	79.0 74.2 67.3 63.9 62.6	8.0 7.6 6.5 (6.0)		0 0 0 0 0	5×10^5 1.67×10^6 3.9×10^4 2.06×10^4 1.63×10^4	Hasson; Graphs.
22	$C_2H_4O_2$ Ethylene glycol.....	-10 0 10 20 30 40 50	30.21 28.39 26.68 25.07 23.56 22.14 20.80	4.47 4.46 4.38 4.28 4.26 4.18 4.16	1.85	(0) (0) (0) (0) (0) (0) 0	(62.0) (48.6) (35.0) (27.0) (21.2) (16.7) (13.3)	Lane.
23	C_3H_6Cl 3-Chloro-1-propene.....	10 20 30 40	40.7 38.7 36.7 34.9	2.25 2.06 3.16 3.45	2.05	(0.14) (.14) (.23) (.08)	(30) (20) (15) (10)	Yamamura.
24	$C_3H_6Cl_2$ 1,3-Dichloropropane.....	25	41.3	5.48	2.01	.08	21	MIT.
25	$C_3H_6Cl_2$ 2,2-Dichloropropane.....	25	(10.2)		2.09	[0]	(1.6)	Table 4. Conner.
26	$C_3H_6Cl_2O$ 2,3-Dichloro-1-propanol.....	2 20 40	12.88 11.42 10.24		2.03 2.00 1.97	0 0 0	1.47 1.23 0.99	Smyth et al.
27	$C_3H_6N_2O_4$ 1,3-Dichloro-2-propanol.....	60	35.0		2.00	0	2.6	Graphs.
28	C_3H_6O Acetone.....	1 20 40	23.29 21.20 19.29	1.93 1.90 0.87		0.03 0 0	0.75 .63 .52	Graphs. Smyth et al.
29	C_3H_6O 2,2-Dinitropropane.....	20	21.20	2.5	1.85	[0]	.65	Abadie; Graphs. Table 4.
30	2-Propen-1-ol (Allyl alcohol).....	65 80	15.55 14.20	1.92 1.88		0 0	1.4 1.3	Smyth et al.
31	$C_3H_6O_2$ Propionic acid.....	1 25 55	8.90 8.09 7.09	2.27 2.22 2.15	2.03 2.05 2.00	0.087 .087 .083	1.53 1.09 0.89	Smyth et al.
32	$C_3H_6O_3$ 1,3,5-Trifoxane.....	1 25 55	10.52 9.46 8.14	2.24 2.19 2.12	2.06 2.02 1.97	.03 .006 0	1.26 0.99 .72	Smyth et al.
33	C_3H_7Br 1-Bromopropane.....	b-156	(2) 6.35 (3) 3.55 (1) (71.6)	3.55 2.80 5.80		0 0 0	1.5×10^8 8.6×10^5 2×10^9	Cole.
34	C_3H_7Br 2-Bromopropane.....	b-150	(2) 5.80 (3) (3.40)	(3.40) 2.86		(0.3) 0 (0.27)	7.1×10^8 1.2×10^9	
35	C_3H_7O 1-Propanol.....							

36	-----	2-Propanol	18 to 20	(1) 67.4 (2) 70.0 (3) 75.6 (4) 84.0 (5) 89.0 (6) 95.5 (7) 100.6 (8) 105.2 (9) 110.0 (10) 115.0	5.70 5.56 5.04 4.53 3.62 3.30 3.53 3.20 3.55	0 (0.27) (-3) 0 (0.27) (0.27) (0.27) (0.27)	80	2.81×10 ⁴ 1.17×10 ⁴ 4.51×10 ³ 1.7×10 ³	Davidson.	51	
37	-----	1,2-Propanediol	25	43.7 40.5 36.8 32.6 (37.2) (31.6) (27.7) (25.0)	(4.7) (5.3) (5.5) (6.0)	0 0 0 0 (0.0) (0.3) (0.3)	70	19.2×10 ⁴ 8.95×10 ⁴ 4.97×10 ⁴ 2.25×10 ⁴	Hasson.	55	
38	-----	1,3-Propanediol	20	20.8 20.1 47.1 44.5 42.7 39.5 (37.8) (31.8) (28.2) (24.4)	2.65 3.23 4.0 3.9 3.8 (2.6) (4.1) (4.2) (5.6) (6.7)	0 0 0 0 (0.1) (0) (0) (0)	55	(6.8×10 ³) (1.6×10 ³) (7.5×10 ²) (2.3×10 ²)	Girard; Graphs. Koizumi.	32 53	
39	-----	Glycerol	20	19.0 65.3 63.7 60.1 57.7 53.8 49.5 45.7	3.2 3.57 3.56 3.58 3.51 3.52 3.59 3.53	[0]	4.71×10 ³ 7.73×10 ³ 1.70×10 ³ 3.56×10 ³ 3.17×10 ³ 3.98×10 ³ 7.26×10 ⁴	Davidson.	51		
40	-----	Hexachloro-1,3-butadiene	25	76.2 74.2 70.5 67.4 63.9 60.4	4.18 4.19 4.3 4.16 4.10 4.16	d [β]	1.81×10 ¹¹ 2.35×10 ¹⁰ 3.51×10 ⁹ 4.46×10 ⁸ 2.36×10 ⁷ 2.14×10 ⁶	White; Graphs. Davidson.	32 51		
41	-----	Furan	1	2.55 3.095 2.954	(2.46)	(0)	(10)	0.41 0.33	MIT.	53	
42	-----	Thiophene	1	2.837 2.769 2.701 2.635	2.36 2.33 2.30 2.27	0.01 0.01 0.01 0.09	55.1	0.60 0.51 0.44 0.38	Smyth et al.	55.1	
43	-----	Pyrrrole	1	8.42 8.10 7.76 7.45	(2.31) (2.28) (2.25) (2.22)	0.14 0.09 0.05 0.03	55.1	1.98 1.47 1.11 0.91	Smyth et al.	55.1	
44	-----	1,4-Dichlorobutane	1	9.64 8.90 7.98	2.35 2.30 2.25	0.091 0.082 0	52	2.45 2.11 1.16	Smyth et al.	52	
45	-----	1,2-Dichloroisobutane	55								

Table 4.

b Supercooled; mp, -126.1° C (50 Timmermans).
 c Supercooled; mp, -89.5° C (50 Timmermans).
 d $t = \epsilon \rho + (\epsilon_{\infty} - \epsilon) / (1 + \omega \tau)^2$.

TABLE 2.—Dielectric dispersion parameters for pure organic liquids—Continued

No.	Substance	t (° C)	ϵ_{∞}	$\epsilon_{\infty}-\epsilon_0$	ϵ_0	τ_0	τ_D^2	α_{colle}	λ_c (cm)	References
C ₄ —Continued										
46	C ₄ H ₈ O Tetrahydrofuran *	1 20 40	8.90 8.20 7.60				2.00 1.98 1.95	0.03 .07 .09	0.73 .54 .42	55.1 Smyth et al. Table 4. Table 4.
47	2-Butanone									
48	C ₄ H ₈ O ₂ Butyric acid	3 20 40 60	6.40 6.04 5.63 5.22		2.48 2.48 2.48 2.48		1.88	.09 .06 .04 0	.90 .82 .68 .58	52.8 Smyth et al. Table 4.
49	Ethyl acetate									
50	C ₄ H ₉ Br 1-Bromobutane	1 25 55	7.57 6.93 6.24		2.26 2.22 2.16		2.11 2.07 2.02	.11 _s .09 _s .07 _s	2.11 1.64 1.20	Smyth et al.
51	1-Bromo-2-methyl-propane	1 25 55	7.82 7.18 6.32		2.26 2.21 2.14		2.11 2.08 2.00	.03 _s .03 ₂ 0	1.96 1.56 1.18	Smyth et al.
52	2-Bromobutane	1 25 55	9.43 8.64 7.65		2.25 2.20 2.14		2.10 2.06 2.01	0 0 0	1.72 1.34 1.03	Smyth et al.
53	2-Bromo-2-methyl-propane	1 25 55	11.56 10.30 8.75		2.19 2.17 2.11		2.07 2.03 1.98	0.04 ₆ .03 ₂ 0	1.55 1.17 0.89	Smyth et al.
54	C ₄ H ₉ Cl 1-Chlorobutane	25	7.24				1.96	[0]	(1.5)	43 Conner.
55	1-Chloro-2-methyl-propane									Table 4.
56	2-Chloro-2-methyl-propane	4 20 40	10.72 9.87 8.90				1.94 1.92 1.89	0 0 0	1.06 0.90 .82	52.2 Smyth et al.
57	C ₄ H ₉ I 1-Iodobutane	25	6.12				1.92	0	.80	55 Poley.
58	C ₄ H ₉ N Pyrrolidine	1 20 40 60	9.29 8.30 7.36 6.60				2.24 (2.101) 2.05 2.03	[0] 0.18 .15 .11 .07	(3.5) 4.0 2.45 1.50 1.10	43 Conner. 55.1 Smyth et al.
59	C ₄ H ₁₀ O 1-Butanol	t -138.4 t -131.9 t -127.2 t -117.4 t -99.9 -82.3 -64.3 -45.8 -25.6 -3.7 -25 0.7 (19) 25	(1) 59.8 (2) 54.7 (3) 49.6 (1) 52.6 (2) 44.4 (1) 49.1 (2) 44.4 41.7 35.3 32.4 28.5 25.1 21.0 23.8 20.6 17.9 17.1		4.8 3.8 3.2 3.2 3.2 3.2 3.2 3.1 3.1 3.8 3.7 3.6 3.5 3.2 3.8 3.1 3.15 2.95			0 (0.22) 0 (0.22) 0 (0.22) 0 (0.22) 0 (0.22) 0 4.28×10 ⁸ 1.04×10 ⁹ 2.64×10 ⁹ 1.11×10 ⁹ 3.40×10 ⁹ 1.22×10 ⁹ 2.58×10 ⁹	1.19×10 ⁹ 4.3×10 ⁹ 1.81×10 ⁹ 5.2×10 ⁹ 5.48×10 ⁹ 5.83×10 ⁹ 1.53×10 ⁹ 3.22×10 ⁹ 4.28×10 ⁹ 1.04×10 ⁹ 2.64×10 ⁹ 1.11×10 ⁹ 3.40×10 ⁹ 1.22×10 ⁹ 2.58×10 ⁹	55 Dannhauser.
							1.95	0.03	100	54 Reinsch. 39 Slevogt. 53 MIT.

TABLE 2.—Dielectric dispersion parameters for pure organic liquids—Continued

No.	Substance	t (° C)	$\epsilon_1 - \infty$	$\epsilon_1 - 0$	n_D^t	α_{Cole}	λ_e (cm)	References
C ₆ —Continued								
75	C ₆ H ₅ Cl	1 25 55	6.15 5.63 5.09	2.40 2.35 2.29	2.36 2.32 2.26	0.10 ₀ .04 ₄ .01 ₈	2.77 1.94 1.37	52 Smyth et al.
76	C ₆ H ₅ ClO	22	5.69	2.56		0	2.22	55 Polcy.
77	C ₆ H ₅ F	21	5.44	2.33	2.15	0	1.05	Table 4, 55 Polcy.
78	C ₆ H ₅ I	21	4.64	2.76	2.62	0	5.13	55 Polcy.
79	C ₆ H ₅ N ₂ O ₂	20	35.74	4.07		0	8.6	55 Polcy.
80	C ₆ H ₆	20	35.74		2.40	[0]	(9)	43 Girard; Graphs. Table 4; Graphs.
81	C ₆ H ₆ O	20	6.89		2.52	[0]	(3.7)	Table 4, 49 Fisher.
82	C ₆ H ₇ N	1 20 40 60	(13.1) (12.2) (11.3) (10.5)		2.30 2.27 2.24 2.21	0.08 .05 .03 0	3.2 2.51 1.98 1.53	55.1 Smyth et al.
83	γ -Picoline	1 20 40 60	17.01 16.00 14.99 13.99	2.21 2.18 2.15 2.13		0.11 .11 .11 .10	2.71 1.96 1.55 1.23	56.1 Smyth et al.
84	C ₆ H ₁₀ O	21				0	2.6	56 Dieringer.
85	C ₆ H ₁₁ Br	1 25 55	8.54 7.92 7.18	2.43 2.38 2.33	2.27 2.23 2.18	0.17 .10 ₈ .07 ₃	5.90 3.67 2.45	52 Smyth et al.
86	C ₆ H ₁₁ Cl	21	8.02		2.23	0	4.5	56 Dieringer.
87	C ₆ H ₁₁ N ₂ O ₂	21				0	2.7	56 Dieringer.
88	C ₆ H ₁₂	21				0	4.4	56 Dieringer.
89	C ₆ H ₁₂ O	25 45	(1) 16.8 (2) 4.3 (1) 15.3 (2) 4.1	4.3 3.5 4.1 3.4	2.15	0 0 0 0	468 30 143 12.5	Table 4; Graphs. 56 Arnoult.
90	C ₆ H ₁₂ O ₃	25 20 40 60	16.8 14.70 12.25 10.30	3.2 2.27 2.25 2.23	1.97	0 0.05 .07 .10	460 20 12.6 8.2	53 Reimisch. 56.4 Smyth et al.
91	C ₆ H ₁₃ Br	1 25 55	6.30 5.82 5.30	2.25 2.21 2.17	2.13 2.08 2.04	.15 ₉ .17 ₂ .14 ₈	4.38 2.96 2.00	52 Smyth et al.
92	C ₆ H ₁₄	20	1.890		1.89		<1.4	47 Bleaney.
93	C ₆ H ₁₄ O	-40 -25 0.7 20	19.7 17.7 15.0 (1) 12.9 (2) 3.2	3.6 3.3 3.0 3.3 3.4	0 0 0 2.00 0	0 0 0 0 0	5.12×10 ³ 2.5×10 ³ 5.55×10 ² 197 4	54 Reimisch. 52 Bruma.

TABLE 2.—Dielectric dispersion parameters for pure organic liquids—Continued

No.	Substance	t (° C)	ϵ_{∞}	ϵ_0	n_D	α_{Cole}	λ_s (cm)	References
C ₈ —Continued								
118	Ethyl benzene.....							Table 4.
119	C ₈ H ₁₁ N 2,4,6-Trimethyl-pyridine (γ -Collidine).....	20 40 60	8.00 7.46 6.94	2.50 2.40 2.34	2.24	0.08 .09 .10	7.6 6.2 4.4	56.4 Smyth et al.
120	Octanoic acid (Caprylic acid).....							Table 4.
121	C ₈ H ₁₇ Br 1-Bromooctane.....	1 25 55	5.32 5.00 4.60	2.25 2.21 2.17	2.14 2.11 2.07	.24 _s .22 _s .22 _s	6.78 4.09 2.58	52 Smyth et al.
122	C ₈ H ₁₇ Cl 1-Chlorooctane.....	1 25 55	5.47 5.05 4.55	2.20 2.15 2.10	2.08 2.04 2.00	.22 _s .20 _s .18 _s	5.12 3.22 1.94	52 Smyth et al.
123	C ₈ H ₁₇ I 1-Iodoctane.....	1 25 55	4.90 4.62 4.27	2.37 2.33 2.28	2.24 2.21 2.16	.20 _s .19 _s .19 _s	12.10 7.24 4.22	52 Smyth et al.
124	C ₈ H ₁₇ DO 1-Octanol-D-1.....	-15.5 0 25 49				0 0 0	2.50×10 ⁸ 1.07×10 ⁸ (100)	52 Corval; Graphs.
125	C ₈ H ₁₈ O 1-Octanol.....	-15.5 0.7 25 49	13.40 12.00 9.8 7.80	3.10 2.10 3.10 3.10	2.04	0.05 0 0	2.07×10 ⁸ 9.5×10 ⁸ 2.56×10 ⁸ 78.9	53 Dalbert; Graphs.
126	2-Octanol.....	20	(1) 10.35 (2) 3.05	3.05 2.35	2.03	0 0	330 53	55 Lebrun
127	Butyl ether.....							
128	C ₉ H ₇ N Quinoline.....	-36 -20 0 25 49	16.50 13.70 10.50 7.85 5.93	2.80 2.80 2.80 2.80 2.80	2.04	0.07 _s .06 _s .06 _s 0	3.85×10 ⁴ 7.73×10 ⁸ 1.20×10 ⁸ 222	53 Dalbert; Graphs.
129	Isoquinoline.....	25 40 60	10.43 9.88 9.22	2.62	2.65 2.63 2.61 2.58	0.11 .09 .07 .07	14.5 8.4 5.63 3.72	Table 4; Graphs.
130	C ₉ H ₁₀ Br 1-Bromononane.....	1 20 40 60	9.70 9.03 8.40 7.81	2.62	2.15 2.11 2.07	.24 _s .24 _s .22 _s	9.10 5.36 2.97	55.1 Smyth et al.
131	C ₉ H ₂₀ O 1-Nonanol.....	20	(1) 9.05 (2) 3.05	3.05	2.05	0 0	375 8.6	55 Lebrun; Graphs.
132	C ₁₀ H ₇ Br 1-Bromonaphthalene.....	20.5 25 55	4.9 4.83 4.57	2.75	2.74 2.69	0.16 _s .10 _s	12 16.20 8.02	51 Meekbach. 52 Smyth et al.
133	C ₁₀ H ₇ Cl 1-Chloronaphthalene.....	1 25 55	5.30 5.04 4.72	2.76 2.71 2.65	2.71 2.66 2.60	.18 _s .08 _s .06 _s	20.50 9.24 5.23	52 Smyth et al.
134	C ₁₀ H ₁₂ O ₂ Eugenol.....	20	9.31		2.37	[0]	(57)	52 Fischer.
135	C ₁₀ H ₁₄ 1-Methyl-4-Isopropylbenzene (<i>p</i> -cymene).....	20	2.243		2.22	[0]	(1.8)	46 Whiffen.

TABLE 2.—Dielectric dispersion parameters for pure organic liquids—Continued

No.	Substance	t (° C)	$\epsilon_1 - \epsilon_2$	$\epsilon_1 - \infty$	$\epsilon_1 - \infty$	n_D^2	α_{collo}	λ_0 (cm)	References
158.	C ₁₅ H ₃₀ O 8-Pentadecanone.....	50 65 80	6.4 6.2 5.64	2.3 2.3 2.3	2.05	0.11 .11 .10	6.2 4.7 4.7	55.6 Smyth et al. Table 4.	
159.	C ₁₅ H ₃₀ O ₂ Methyl myristate.....							Table 4.	
160.	C ₁₆ H ₃₂ O ₂ Hexadecanoic acid (Palmitic).....							Table 4.	
161.	C ₁₆ H ₃₃ Br 1-Bromohexadecane.....	25 55	3.68 3.46	2.21 2.17	2.13 2.10	.287 .248	13.10 5.78	52 Smyth et al. Table 4.	
162.	C ₁₆ H ₃₃ Cl 1-Chlorohexadecane.....							Table 4; Graphs.	
163.	C ₁₆ H ₃₃ O 1-Hexadecanol.....								
164.	C ₁₇ H ₃₄ O 9-Heptadecanone.....	55 70 85	5.5 5.2 4.9	2.3 2.3 2.3	2.05	.09 .08 .07	6.0 4.6 3.6	56.6 Smyth et al. Table 4; Graphs.	
165.	C ₁₇ H ₃₄ O ₂ Methyl palmitate.....							Table 4; Graphs.	
166.	C ₁₈ H ₃₂ O ₂ Linoleic acid.....							Table 4.	
167.	C ₁₈ H ₃₄ O ₂ Oleic acid.....							Table 4.	
168.	C ₁₈ H ₃₄ O ₄ Dibutyl sebacate.....							Table 4.	
169.	C ₁₈ H ₃₆ O ₂ Ethyl palmitate.....							Table 4; Graphs.	
170.	C ₁₈ H ₃₆ O ₂ Cetyl acetate.....	55 55 75	3.19 3.09 2.99	2.24 2.23 2.25	2.06	.29 .26 .24	2.5 2.1 1.7	52.8 Smyth et al. Table 4.	
171.	C ₁₈ H ₃₈ O 1-Octadecanol.....							Table 4.	
172.	C ₂₀ H ₄₀ O Phytol.....							Table 4; Graphs.	
173.	C ₂₀ H ₄₀ O ₂ Octadecyl acetate.....	35 55 75	3.07 2.98 2.89	2.23 2.23 2.23	2.05	.29 .24 .19	2.8 2.2 1.8	52.8 Smyth et al. Table 4; Graphs.	
174.	C ₂₀ H ₄₂ O Di-dihydrocitronellyl ether.....							Table 4; Graphs.	
175.	C ₂₀ H ₄₂ O ₂ Decyl ether.....	20 40	2.644 2.555		2.08	(.7) (.7)	(6.5) (4.4)	55.6 Smyth et al.	
176.	C ₂₁ H ₄₂ O ₄ Monostearin.....	80 80	4.84 4.74	2.58 2.53	2.07	.22 .24	8.3 6.9	52.8 Smyth et al.	
177.	C ₂₂ H ₄₄ O ₂ Ethyl abietate.....							Table 4.	
178.	C ₂₂ H ₄₂ O ₂ Pnytyl acetate.....							Table 4; Graphs.	
179.	C ₂₈ H ₅₀ O ₄ Dioctyl sebaeate.....							Table 4.	

180.....	$C_{28}H_{56}O_2$	Decyl stearate.....	C_{28}	40 60 80	2.81 2.73 2.65	2.16 2.15 2.15	2.04	.34 .26 .14	5.8 4.5 3.5	52.8 Smyth et al.
181.....	$C_{30}H_{60}O_4$	Ethylene dimyristate.....	C_{30}	70	2.98	2.19	2.05	.21	2.5	52.8 Smyth et al.
182.....	$C_{30}H_{60}O_2$	Tetradecyl palmitate.....	C_{32}	50	2.66	2.17	2.05	.24	4.5	52.8 Smyth et al.
183.....	$C_{32}H_{64}O_2$	Tetradecyl stearate.....	C_{32}	50 82	2.67 2.57	2.15 2.16		.14 .36	(4) (2.3)	52.8 Smyth et al.
184.....	$C_{34}H_{68}O_4$	Ethylene dipalmitate.....	C_{34}	75	2.89	2.23		.22	3.0	52.8 Smyth et al.
185.....	$C_{34}H_{68}O_2$	Cetyl stearate.....	C_{38}	60 80	2.61 2.54	2.13 2.13	2.06	.28 .13	3.8 2.7	52.8 Smyth et al.
186.....	$C_{38}H_{76}O_4$	Ethylene distearate.....	C_{38}	80	2.79	2.26		.22	3.4	52.8 Smyth et al.
187.....	$C_{39}H_{78}O_2$	Distearin.....	C_{51}	80 90	3.25 3.22	2.30 2.36	2.07	.31 .30	6.6 4.7	52.8 Smyth et al.
188.....	$C_{51}H_{102}O_4$	Tripalmitin.....	C_{57}							Table 4.
189.....	$C_{57}H_{108}O_6$	Triolein.....								Table 4.
190.....	$C_{57}H_{108}O_4$	Tristearin.....		80 90	2.74 2.73 ₅	2.18 2.18	2.07	.47 .47	7.8 7.8	52.8 Smyth et al.

Table 3. Dielectric dispersion data for pure inorganic liquids

Table 4. Dielectric dispersion data for pure organic liquids

Tabulated Quantities: In general, the real and imaginary parts of the complex dielectric constant $\epsilon = \epsilon' - i \cdot \epsilon''$ are listed. For a few compounds the data are given, in part, as the real and imaginary parts of the complex refractive index $n^* = n - i \cdot \kappa$. The relation between ϵ and n^* is $\epsilon = n^{*2}$.

TABLE 3. Dielectric dispersion data for pure inorganic liquids

No.	Substance		t (°C)	λ (cm)	ϵ'	ϵ''	References		
1	D ₂ O	Deuterium oxide (99.5%)	5	∞	85.87		48 Collie.		
				10.0		1.52(κ) ^a			
				3.213	38.44	38.7			
						1.27	15.48	25.3	
			10	∞	83.89				
				10.0		1.27(κ)			
				3.213	45.34	38.5			
						1.27	18.39	28.2	
			20	∞	80.08				
				10.0		0.94(κ)			
				3.213	55.42	35.2			
						1.27	23.85	32.1	
			30	∞	76.47				
				10.0		0.71(κ)			
				3.213	60.26	29.5			
						1.27	31.77	33.8	
			40	∞	73.04				
				10.0		0.54(κ)			
				3.213	61.52	23.5			
						1.27	38.44	34.0	
			50	∞	69.78				
10.0		0.43(κ)							
3.213	62.17	19.6							
60	∞	66.68							
	10.0		0.34(κ)						
	3.213	62.93	16.6						
			25 to 40	467			49 Fischer.		
			(20)	23.6 to 451			40 Divikovsky.		
2	H ₂ O	Water	0	∞	88.15		53 Halsted.		
				9.22	80.0	26.5			
				3.282	46.0	41.0			
						1.267	14.5	27.5	
			10	∞	84.15				
				9.22	79.3	19.4			
				3.282	56.0	37.0			
						1.267	22.0	33.0	
			20	∞	80.36				
				9.22	77.8	13.9			
				3.282	63.0	31.5			
						1.267	31.0	35.0	
			30	∞	76.77				
				9.22	75.8	10.2			
				3.282	65.8	26.0			
						1.267	38.7	35.5	
			40	∞	73.35				
				9.22	73.0	8.4			
				3.282	66.3	20.5			
						1.267	43.5	34.0	
			50	∞	70.10				
9.22	69.7	6.5							
3.282	65.5	16.5							
			1.267	48.0	31.0				
60	∞	67.00							
	9.22	66.0	5.0						
	3.282	63.5	13.5						
			1.267	50.5	26.5				
			1.5						
			∞	87.54			53 MIT.		
			3×10^3	87.0	0.17				
			300	87.0	.61				
			100	86.5	2.77				
			10	80.5	25.0				
			3	38.0	39.1				

^a κ = absorption coefficient.

TABLE 3. Dielectric dispersion data for pure inorganic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
5			∞	86.13		
			100	85.2	2.3	
			10	80.2	22.1	
			3	41.	39.0	
15			∞	82.23		
			100	81.0	1.7	
			10	78.8	16.2	
			3	49.	34.3	
25			∞	78.54		
			3×10^3	78.2	0.36	
			300	78.	.39	
			100	77.5	1.24	
			10	76.7	12.0	
35			∞	75.04		
			100	74.0	0.93	
			10	74.0	9.4	
			3	58.	25.5	
45			∞	71.70		
			100	71.0	0.75	
			10	70.7	7.5	
			3	59.	23.6	
55			∞	68.53		
			100	68.	0.63	
			10	67.5	6.0	
			3	60.	21.6	
65			∞	65.51		
			100	64.5	0.54	
			10	64.0	4.9	
			3	59.0	18.9	
75			∞	62.62		
			100	61.	0.47	
			10	60.5	4.0	
			3	57.	16.0	
85			∞	59.85		
			300	58.	0.17	
			100	57.	.42	
			10	56.5	3.1	
			3	54.	14.0	
95			∞	57.19		
			100	52.	0.36	
			10	52.	2.4	
0			10.0	79.66	24.7	48 Collie.
			3.21	44.82	41.6	
			1.27	16.22	28.3	
10			10.0	78.07	17.5	
			3.21	53.85	37.6	
			1.27	22.33	32.3	
20			10.0	77.42	13.1	
			3.21	61.41	31.8	
			1.27	30.88	35.8	
30			10.0	76.78	9.8	
			3.21	63.31	25.5	
			1.27	38.43	36.0	
40			10.0	72.56	7.54	
			3.21	65.58	21.2	
			1.27	43.24	33.6	
50			10.0	68.44	5.80	
			3.21	63.13	17.1	
			1.27	48.26	30.6	
60			10.0	65.37	4.55	
			3.21	63.09	13.8	
			1.27	49.79	27.3	
75			10.0	60.49	3.30	
			3.21	60.70	10.5	
			1.27	51.71	22.3	
0			1.58	19.1	30.4	46 Saxton.
			1.24	14.5	25.6	
5			1.58	25.3	34.7	
			1.24	19.1	30.3	
10			1.58	31.9	37.0	
			1.24	24.4	33.5	
15			1.58	38.2	37.6	
			1.24	29.8	35.5	
20			1.58	44.1	37.2	
			1.24	35.0	36.2	

TABLE 3. Dielectric dispersion data for pure inorganic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
		25	1.58 1.24	48.8 39.9	35.8 36.0	
		30	1.58 1.24	52.7 44.2	33.5 35.2	
		35	1.58 1.24	55.6 48.0	31.0 33.6	
		40	1.58 1.24	57.8 51.3	28.1 31.5	
(20)			501	80.8	0.28	49 Burdun.
			436	80.2	-----	
			308	80.4	.45	
			216	80.4	.63	
			101	80.3	1.27	
			89.8	80.0	1.44	
			64.5	79.5	1.95	
			41.0	79.0	2.8	
			23.6	78.7	5.3	
			8.4	74.0	14.3	
			5.1	67.0	22.0	
			3.2	56.7	34.0	
			1.6	40.0	39.0	
		18.6	246	80.8	0.6	39 Slevogt.
		18.9	58.3	80.8	2.8	
		18.1	16.2	80.7	10.2	
		19.5	10.44	78.6	12.1	
		21	11.12 10.57 10.00 9.75 9.16	78.5 78.1 78.0 77.6 77.0	12.2 13.0 13.5 14.0 14.8	53 Little.
		19	9.35 6.10 3.58 2.8	78.0 73.2 61.8 55.3	12.1 18.1 26.5 33.9	39 Báz.
			(n) ^b	(κ) ^a		
		-8	1.24 0.62	-----	2.55 1.77	52 Lane.
		0	3.21 1.24 0.62	----- 4.75	2.89 2.77 2.04	
		10	3.21 1.24 0.62	----- 5.45	2.44 2.90 2.37	
		20	3.21 1.24 0.62	----- 6.15	2.00 2.86 2.59	
		30	3.21 1.24 0.62	----- 6.70	1.60 2.67 2.70	
		40	3.21 1.24 0.62	----- 7.10	1.29 2.41 2.70	
		50	3.21 1.24 0.62	----- 7.30	1.08 2.13 2.63	
				(n) ^b		
		17	10.4 4.6 2.5 1.5 0.66 .24 .10 .05 .014	9.0 8.77 8.41 7.84 6.02 3.63 2.62 2.22 2.15		47 Lindeman.
				(n) ^b		
		18	56.7 53.0 50.0 46.0 33.4 31.0 29.0 13.45	8.92 8.97 8.96 8.96 8.92 8.92 8.95 8.80		36 Ardenne.
		20	3.99 3.55 3.20 1.25 0.802	70.1 67.7 61.8 31.5 21.34	24.6 27.1 32.0 35.5 29.6	55 Poley.
(20?)			83.6	80.2	2.5	55.1 Yamamura.

^a κ = absorption coefficient, ^b n = refractive index.

TABLE 3. Dielectric dispersion data for pure inorganic liquids—Continued

No.	Substance	<i>t</i> (°C)	λ (cm)	ϵ'	ϵ''	References		
3.....	H ₂ SO ₄ Sulfuric acid.....	0	10.00	79.7	24.7	46 Collie.		
		5		80.0	20.7			
		10		78.1	17.4			
		15		77.6	15.0			
		20		77.4	13.1			
		25		77.2	11.1			
		30		76.8	9.8			
		35		75.5	8.5			
		40		72.6	7.5			
		50		68.4	5.7			
		60	64.7	4.5				
		70	61.9	3.6				
		80	59.4	3.1				
		90	57.0	2.6				
		100	54.4	2.2				
		0	9.72	80.0	24.8	43 Conner.		
		14		79.0	17.4			
		25		77.1	13.9			
		50		69.5	8.39			
		75		63.5	5.30			
		80		62.3	4.92			
		90		57.7	3.95			
		100		55.3	3.40			
		0		1.24	14.89		26.3	52 Lane.
		10			21.29		31.6	
		20	29.64		35.2			
		30	37.76		35.8			
		40	44.60		34.2			
		50	48.75		31.1			
		0	1.24	14.89	26.3	55.1 Srivastava.		
		10		21.29	31.6			
		20		29.64	35.2			
		30		37.76	35.8			
		40		44.60	34.2			
		50		48.75	31.1			
		24; 30		0.86	53 Hertel.			
		(20)		3.16	53 LeMontagner.			
		5 to 45		7.4	52 Yamamura.			
		1 to 50		16.7	51.1 51.2 Yasumi.			
		11.1	0.87	50 Kiely.				
		(20)	3 to 10	46 Abadie.				
		20	16.7	44 Benoit.				
		20.5; 25.5	320 to 1002	41 Khodakov.				
		24	23.6; 450	40.1 Divilkovsky.				
		(20)	1.65; 3.7	39 Kebbel.				
		18	4	37 Elle.				
		21 to 28	8.5 to 23.8	37 Goldsmith.				
		(15); 30; 50	12.6 to 19	33 Seeberger.				
		17	23 to 73	29 Frankenberger.				
		17	220 to 300	29 Novosilzew.				
		14 to 20	268	27 Deubner.				
		(18)	36 to 321	27 Heim.				
		22	4.8 to 20.5	27 Knerr.				
		0	∞	(110)	53 Brand.			
			303.0	98	32			
			198.0	95	35			
			156.7	77	40			
			101.4	62.5	45.6			
			26.74	28	42			
			10.20	10	19			

TABLE 4. Dielectric dispersion data for pure organic liquids

No.	Substance	<i>t</i> (°C)	λ (cm)	ϵ'	ϵ''	References
1.....	C ₁ CBrCl ₂ Bromotrichloromethane.....	0	∞	2.447	0.014	56.3 Smyth et al.
			3.22	2.441		
			1.24	2.426		
		20	∞	2.405	.012	
			3.22	2.403		
			1.24	2.389		
		40	∞	2.364	.020	
			3.22	2.361		
			1.24	2.351		
		60	∞	2.343	.0082	
			3.22	2.319		
			1.24	2.313		
2.....	C ₁ CBr ₂ Cl ₂ Dibromodichloromethane.....	25	∞	2.542	<.003	56.3 Smyth et al.
			10.0	2.541		
			3.22	2.540		
		40	1.24	2.524	.0136	
			∞	2.508		
			10.0	2.511		
		60	3.22	2.511	.011	
			1.24	2.494		
			∞	2.461		
			3.22	2.470	.006	
		1.24	2.455	.020		

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References			
C ₁ —Continued									
3-----	CBr ₂ F ₂ Dibromodifluoromethane-----	0	∞	2.824		56.3 Smyth et al.			
			3.22	2.769	0.116				
			1.24	2.670	.088				
4-----	CBr ₂ Cl Trihromochloromethane-----	20	∞	2.713		56.3 Smyth et al.			
			3.22	2.676	.225				
			1.24	2.592	.193				
5-----	CBr ₂ F Trihromodifluoromethane-----	60	∞	2.601		56.3 Smyth et al.			
			3.22	2.600	.009				
			1.24	2.593	.018				
6-----	CCl ₃ F Trichlorofluoromethane-----	0	∞	3.092		56.3 Smyth et al.			
			10.0	3.080	.038				
			3.22	3.001	.213				
		20	1.24	2.776	.262				
			∞	2.996					
			10.0	2.996	.030				
		40	3.22	2.994	.168				
			1.24	2.778	.241				
			∞	2.902					
		60	10.0	2.913	.022				
			3.22	2.884	.135				
			1.24	2.735	.215				
		7-----	CCl ₄ Carbon tetrachloride-----	0	∞		2.822		56.3 Smyth et al.
					3.22		2.804	.106	
					1.24		2.698	.194	
				20	∞		2.803		
					3.22		2.297	.035	
					1.24		2.270	.081	
8-----	CS ₂ Carbon disulfide-----			0	∞	2.276		52.2 Smyth et al.	
					10.00	2.278			
					1.277	2.278			
				20	∞	2.239			
					10.00	2.240			
					1.277	2.240			
				40	∞	2.203			
					10.00	2.204			
					1.277	2.203			
				60	∞	2.167			
					10.00	2.166			
					1.277	2.165			
		20	3.2	2.238 ₆	.00069				
			1.35	2.239 ₀	.00175				
			0.85 to 3.33	(*)	(*)				
		9-----	CHCl ₃ Chloroform-----	20	10 to ∞				50 Whiffen. 53 MIT. 55 Takahashi. 55.2 Srivastava.
					20	3.39			
					(20?)	3.27			
10-----	CH ₂ O ₂ Formic acid-----			0	∞	2.691		50.2 Smyth et al.	
					10.00	2.692			
					1.277	2.695			
				10	∞	2.666			
					10.00	2.667			
					1.277	2.669			
				20	∞	2.641			
					10.00	2.642			
					1.277	2.643			
				30	∞	2.615			
					10.00	2.617			
					1.277	2.617			
				20	3.2	2.647 ₆	.00064		
					1.35	2.647 ₇	.00191		
					0.85 to 3.33	(*)	(*)		
		9-----	CHCl ₃ Chloroform-----	25	9.72	4.81	.37 ₉		43 Conner. 53 Fischer. 53 Sirkar. 53.2 Ghosh.
					(?)	4.90	.0088		
					3.33				
10-----	CH ₂ O ₂ Formic acid-----	-60 to 35	3.18			51 Sen.			
			10; 34	60 to 100					

*Graphs.

TABLE 4.—Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	<i>t</i> (°C)	λ (cm)	ϵ'	ϵ''	References
C ₁ —Continued						
11	CH ₃ NO Formamide	(20)	501 436 308 216 101 89.8 64.5 41.0 23.6 8.4 5.1 3.2 1.6	110.5 107.6 108.0 109.0 110.0 108.5 108.0 107.0 93.6 77.7 58.0 37.2 13.5	2.4 — 4.9 5.8 8.0 10.8 15.8 21.0 40.8 44.4 56.0 43.0 34.0	49 Burdun.
12	CH ₃ O Methanol	−10	∞ 3.21 1.24 0.62	40.37 7.20 6.75 6.05	5.66 3.76 2.88	52 Lane.
		0	∞ 3.21 1.24 0.62	37.98 7.41 6.78 6.03	6.52 4.06 2.88	
		10	∞ 3.21 1.24 0.62	35.75 7.78 6.81 6.05	7.36 4.36 2.98	
		20	∞ 3.21 1.24 0.62	33.64 8.33 6.88 6.02	8.16 4.74 3.14	
		30	∞ 3.21 1.24 0.62	31.65 9.07 6.93 6.03	8.92 5.14 3.30	
		40	∞ 3.21 1.24 0.62	29.29 9.94 6.97 6.04	9.66 5.58 3.47	
		50	∞ 3.21 1.24 0.62	28.03 11.08 7.08 6.10	10.28 6.00 3.64	
		20	3.99 3.51 3.20 1.25 0.802	9.72 8.68 7.78 5.98 5.68	10.20 9.14 7.69 4.48 3.23	55 Poley.
		25	3.20 1.25	8.18 6.04	8.00 4.13	
		−60	5×10 ³ 950 58	48 51 13	7 10	* 28, 27 Mizushima.
		−40	5×10 ³ 950 308 58	43 45 43 20	2 10 11	
		−20	5×10 ³ 950 308 58	39 40 40 26	1 4 10	
		0	5×10 ³ 950 308 58	35 37 37 29	1 2 7	
		−143 to 118	10 ⁴ to ∞	(**)(*)	(**)(*)	55 Denney.
		25	∞ 300 100 10 3	32.63 31.0 30.9 23.9 8.9	1.2 2.5 15.3 7.2	53 MIT.
		18.4	243 58.3 16.3 10.44	34.6 34.3 22.6 17.0	1.55 5.15 15.4 17.4	39 Slevogt.
		19.5				
		19.0	9.0 6.20 3.80 2.80	15.8 7.57 4.44 3.50	11.0 7.90 5.52 4.24	39 Báz.

* Graphs. ** Table 2. * Data also at 20° and 40° C.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References		
C ₁ —Continued								
13.....	CH ₃ O Methanol (continued)-----	18	56.0	b (n^2)		36 v. Ardenne.		
			53.2	31.4				
			51.5	32.4				
			51.1	32.3				
			49.3	31.8				
			49.0	31.6				
			34.9	29.9				
			34.2	30.0				
			34.0	29.5				
			13.45	22.7				
			20	436			0.790	49 Fischer.
			25				.648	
			30				.545	
			40				.345	
			(20)	83.6	32.2		3.5	55 Yamamura.
			5	3.08	7.25		5.71	53 Koizumi.
		20		8.35	7.20			
		35		9.69	9.37			
		50		10.87	9.48			
		9	1.38	6.79	4.24	55 Okabayashi.		
30	1.24			55.1 Srivastava. 52 Yamamura. 52 Yasumi. 50 Klages. 39 Divilkovsky. 39 Filipov. 39 Keibel. 39 Malbaum. 37 Schmelzer. 37 Zouckermann. 32 Malsch.				
(15 to 35)	7.4							
25	3.24							
40	1.08×10 ³							
(16 to 18)	18 to 24							
(20)	440							
(20)	1.65							
20	147 to 520							
24	2.8×10 ³							
(20)	340 to 1190							
(20)	(2.8 to 7.6)×10 ³							
C ₂								
13.....	C ₂ Cl ₄ Tetrachloroethylene-----	20	0.8 to 3.3	(*)	(*)	50 Whiffen.		
14.....	C ₂ H ₃ Cl ₃ 1,1,1-Trichlorethane-----	4	∞	7.71		56.2 Smyth et al.		
			3.22	6.981	1.95			
			1.24	4.891	2.70			
		20	∞	7.20				
			10.00	7.242	0.49			
			3.22	6.720	1.52			
		40	1.24	5.007	2.49			
			∞	6.57				
			10.0	6.605	0.37			
		20	3.22	6.309	1.16			
			1.24	5.165	2.15			
			3.20	6.64	1.59	55 Poley.		
1.25	5.20	2.42						
25	0.802	4.02	2.44					
	9.72	7.02	0.64	43 Conner.				
	25	25	25	25	52.5 Smyth et al.			
15.....	C ₂ H ₄ Br ₂ Dibromoethane-----	25	∞	4.76		52.1 52.7 52.4		
			10.0	4.62	.46			
			3.22	4.02	.95			
		40	1.27	3.28	.80			
			∞	4.67				
			10.0	4.61	.37			
		55	3.22	4.17	.89			
			1.27	3.37	.86			
			∞	4.58				
		25 to 70	10.0	4.58	.31			
			3.22	4.23	.77			
			1.27	3.47	.89			
3.18			53.2 Ghosh.					
16.....	C ₂ H ₄ BrCl 1-Bromo-2-chloroethane-----	-20 to -40	3.18			55 Ghosh.		
17.....	C ₂ H ₄ Cl ₂ 1,2-Dichloroethane-----	1	∞	11.66		52.5 Smyth et al. 52.1 52.7 52.4		
			10.0	11.12	1.60			
			3.22	8.91	3.97			
		25	1.27	5.64	3.93			
			∞	10.16				
			10.0	9.98	1.00			
		40	3.22	9.01	2.79			
			1.27	6.14	3.70			
			∞	9.37				
		55	10.0	9.27	0.75			
			3.22	8.62	2.18			
			1.27	6.49	3.35			
-25 to 60	∞	8.66						
	10.0	8.63	0.57					
	3.22	8.24	1.77					
1.27	6.67	2.96						
3.3			53 Sircar.					
3.18			53.2 Ghosh.					

*Graphs. ^b n -refractive index.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance		t (°C)	λ (cm)	ϵ'	ϵ''	References
C₂—Continued							
18.....	C ₂ H ₄ O ₂	Acetic acid.....	20	∞ 9	6.15 4.72	0.95	52.2 Bruma.
19.....	C ₂ H ₅ Br	Bromoethane.....	1	∞ 10.0 3.22 1.27	10.23 10.20 9.50 7.09	.80 2.14 3.46	52.5 Smyth et al. 52.1 52.7 52.4
			25	∞ 10.0 3.22 1.27	9.20 9.24 8.87 7.29	0.60 1.54 2.70	
			25	3			48 Crouch.
20.....	C ₂ H ₅ I	Iodoethane.....	25	∞ 9.72	7.69 7.76	0.76	43 Conner.
21.....	C ₂ H ₆ O	Ethanol.....	-10	∞ 3.21 1.24 0.62	30.2 4.55 4.11 3.43	1.51 1.23 0.97	52 Lane.
			0	∞ 3.21 1.24 0.62	28.39 4.56 4.14 3.43	1.69 1.32 1.01	
			10	∞ 3.21 1.24 0.62	26.68 4.56 4.21 3.45	1.92 1.41 1.05	
			20	∞ 3.21 1.24 0.62	25.07 4.54 4.23 3.45	2.23 1.55 1.04	
			30	∞ 3.21 1.24 0.62	23.56 4.61 4.24 3.47	2.68 1.72 1.17	
			40	∞ 3.21 1.24 0.62	22.14 4.80 4.27 3.46	3.22 1.99 1.25	
			50	∞ 3.21 1.24 0.62	20.80 5.10 4.39 3.48	3.88 2.28 1.37	
			-60	∞ 5×10^3 950 308 59	41 39 24 9 3.1	4 21 9 2	* 28, 27 Mizushima.
			-40	∞ 5×10^3 950 308 59	35.7 32. 33. 17.5 4.0	3 9 15 4	
			-20	∞ 950 308 59	31.2 31 26 6.0	3 13 6	
			-143 to -113	6×10^3 to ∞	(**)(*)	(**)(*)	55 Hassion.
			21	3.99 3.55 3.20 1.25 0.802	4.84 4.75 4.59 4.13 3.89	2.91 2.77 2.50 1.42 1.30	55 Poley.
			25	∞ 300 100 10 3	24.30 23.7 22.3 6.5 1.7	1.47 6.0 1.63 0.12	53 MIT.
			18.4 19.1 20 19.8	243 58.3 16.3 10.59	26.0 20.4 9.35 5.9	3.29 9.95 11.5 7.3	39 Slevogt.
			20	10.0 6.0 3.8 2.8	4.67 2.98 2.54 1.78	5.64 3.48 2.64 1.70	39 Báz.

*Graphs. **Table 2.
• Data also at 0°, 20°, 40°, and 60° C.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₂ —Continued						
21	C ₂ H ₅ O Ethanol—Continued	18	55.5 52.6 51.7 48.6 32.1 13.4	[n_D^2] ^b 22.4 22.2 21.2 20.8 17.0 8.4		36 v. Ardenne.
		20	518		1.237	49 Fischer.
		25			0.995	
		30			.826	
		40			.587	
		50			.411	
		0	182	27.7	9.1	33 Szymanowski.
		10		26.5	6.9	
		20		25.2	4.5	
		30		23.9	2.6	
		40		22.6	1.7	
		50		21.3	1.2	
		20	159	24.8	5.0	39 Sosinski.
		(20?)	83.6	23.0	8.3	55 Yamamura.
		18.5	16.66	7.56	7.2	44 Benoit.
		(20?)	12.60	5.5	7.8	48 Bolton.
		20	9.95		0.966 (n_k) ^b	50 Honerjäger.
		25	3.24	4.08	2.58	52 Yasumi.
		5	3.08	4.37	1.93	53 Koizumi.
		20		4.38	2.19	
		35		4.46	2.70	
		50		4.71	3.79	
		8	1.38	4.25	1.42	55 Okabayashi.
		24	0.86	3.6	1.65	53 Hertel.
		30	1.24			55.1 Srivastava.
		5 to 35	7.4			52 Yamamura.
		40	1.08×10 ³			50 Klages.
		?	30 to 105			44 Khmel'kova.
		16 to 18	18 to 24			39 Divilkovsky.
		(19 to 20)	440			39 Filipov.
		20	3×10 ³			39 Panchenkov.
		18.7	4			37 Elle.
		20 to 40	5×10 ³			37 Haekel.
		21	2.1×10 ³			37 Schmelzer.
		(20)	(2 to 12)×10 ²			37 Zoutkermann.
		(20)	(2.8 to 7.6)×10 ³			32 Malsch.
22	C ₂ H ₄ O ₂ Ethylene glycol	25	∞ 300 100 10 3	41.3 41 39 12 7		53 MIT.
					1.85	
					6.2	
					12.0	
					5.5	
		10	∞ 14.16 7.86	40.7 12.65 7.06		53 Yamamura.
					12.48	
					9.79	
		20	∞ 14.16 7.86	38.7 15.85 10.33		
					11.25	
					11.14	
		30	∞ 14.16 7.86	36.7 20.56 12.59		
					10.85	
					10.7	
		40	∞ 14.16 7.86	34.9 23.52 15.35		
					12.62	
					13.9	
		-20	5×10 ³ 718 308	46.5 36.7 29.4		28 Mizushima.
					2	
					16	
					17	
		0	5×10 ³ 718 308	44.3 44.3 42.0		
					1	
					4	
					6	
		20	5×10 ³ 718 308	44.3 41.3 41.3		
					1	
					2	
					2	
		40	5×10 ³ 718 308	37.7 37.7 37.7		
					1	
					2	
					1	
		25	(1 to 2)×10 ³			39 Schmale.
23	C ₃ H ₅ Cl 3-Chloropropene	-100 to 40	3.18			54.2 Ghosh.
24	C ₃ H ₆ Cl ₂ 1,3-Dichloropropane (trimethylene chloride).	25	9.72	10.2	1.34	43 Conner.

^b n =refractive index. κ =absorption coefficient.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References			
C ₃ —Continued									
25	2,2-Dichloropropane	2	∞	12.58		56.2 Smyth et al.			
			3.22	10.77	4.05				
			1.24	6.427	5.3				
		20	∞	11.42					
			3.22	10.12	3.10				
			1.24	6.766	4.7				
		40	∞	10.24					
			3.22	9.54	2.27				
			1.24	6.993	4.1				
26	C ₃ H ₆ Cl ₂ O 2,3-Dichloro-1-propanol	(20)	(45 to 600)	(*)	(*)	32 Girard.			
27	1,3-Dichloro-2-propanol	(20)	(45 to 600)	(*)	(*)	32 Girard.			
28	C ₃ H ₆ N ₂ O ₄ 2,2-Dinitropropane	60	∞	35.0		56.2 Smyth et al.			
			10.0	33.6	8.0				
			3.22	22.4	15.7 \pm 2				
		60	3.22	23.3	16.3				
			29	C ₃ H ₆ O Acetone	25		∞	20.7	53 Powles.
			490		0.0334		53 Fischer.		
29	C ₃ H ₆ O Acetone	20	∞	21.2		44 Benoit.			
			16.66	21.0	.88				
		(20?)	3.16	18.5	3.1	53 LeMontagner.			
		20	(3 to 12)	(*)	(*)	46 Abadie.			
			5 to 65 (20)	(60 to 120)		51 Sen.			
		5 to 63 (25)	18		50 Imanov.				
		25	57 to 100		49 Sirkar.				
		(20)	(1 to 2) $\times 10^3$		39 Schmale.				
			(2.8 to 7.6) $\times 10^3$		32 Malsch.				
		1	C ₃ H ₆ O Acetone	1	∞	23.29		56.1 Smyth et al.	
					10.4	22.95	1.73		
					3.22	21.69	4.39		
				20	1.24	18.18	8.92		
∞	21.20								
10.4	21.07				1.32				
40	3.22			20.51	3.55				
	1.24			17.75	7.78				
	∞			19.29					
30	2-Propen-1-ol-(Allyl alcohol)			-50	10.4	19.29	1.02		
					3.22	18.58	2.63		
					1.24	16.72	6.15		
		-30	5 $\times 10^3$	28.5	1				
			781	20.3	13				
			308	10.6	5				
		-10	5 $\times 10^3$	27.3	<1				
			781	25.3	8				
			308	20.3	7				
		10	5 $\times 10^3$	25.2	<1				
			781	25.2	3				
			308	25.2	3				
30	5 $\times 10^3$	22.5	<1						
	781	22.5	<2						
	308	22.5	<1						
31	C ₃ H ₆ O ₂ Propionic acid	65 to 110	5 $\times 10^3$	19.4	<1				
			781	19.4	<2				
			308	19.4	<1				
32	C ₃ H ₆ O ₃ 1,3,5-Trioxane	65	∞	15.55		56.5 Smyth et al.			
			10.4	15.75	2.16				
			3.22	13.11	5.27				
		80	1.24	8.51	6.80				
			∞	14.20					
			10.4	15.04	1.62				
		33	C ₃ H ₇ Br 1-Bromopropane	1	3.22		12.29	4.36	
					1.24		8.00	5.97	
					∞		8.90		
25	10.0			8.57	0.93				
	3.22			7.39	2.53				
	1.27			5.07	2.86				
40	∞			8.09					
	10.0			7.97	0.66				
	3.22			7.18	1.94				
55	1.27	5.46	2.53						
	∞	7.59							
	10.0	7.48	0.53						
33	C ₃ H ₇ Br 1-Bromopropane	1	3.22	7.00	1.63				
			1.27	5.52	2.36				
			∞	7.09					
		25	10.0	7.06	0.44				
			3.22	6.79	1.33				
			1.27	5.52	2.18				

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₃ —Continued						
34-----	2-Bromopropane-----	1	∞ 10.0 3.22 1.27	10.52 9.88 9.26 6.45	1.02 2.82 4.08	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	9.46 9.33 8.80 6.77	0.69 2.05 3.53	
		40	∞ 10.0 3.22 1.27	8.89 8.86 8.42 6.81	0.55 1.66 3.08	
		55	∞ 10.0 3.22 1.27	8.14 8.30 8.02 6.78	0.46 1.41 2.70	
35-----	C ₃ H ₈ O 1-Propanol-----	156 to -120 -144 to -45	6×10^3 to 1.5×10^9 6×10^3 to 1.5×10^9	(**) (*) (**) (*)	(**) (*) (**) (*)	52 Cole, 51 Davidson.
		25	∞ 300 100 10 3	20.1 19.0 16.0 3.7 2.3	3.8 6.7 2.5 0.21	53 MIT.
		20	∞ 324 199 85 62 28.0 17.1 11.1 6.42 3.45 2.94	20.8 19.3 17.4 11.2 9.2 5.35 4.5 4.06 3.93 3.62 3.46		47 Girard.
		18 to 20	598 330 200 188 113 97 86 75 61.7 55 45 42.7 28.1 28.1 17.7 17.5	19.0 18.7 17.1 16.8 14.8 13.5 12.15 11.2 10.05 9.01 7.2 7.4 7.2 4.7 4.1 3.4	1.7 3.7 5.1 5.5 7.7 7.7 7.5 8.1 8.1 8.1 7.3 7.4 5.5 5.2 3.8 3.3	37 Abadie.
		-60	5×10^3 950 380 57.8	24.4 7 5 3	14 7 2 1	28, 27 Mizushima.
		-40	5×10^3 950 380 57.8	30 15 6.5 3.1	4 13 4 1	
		-20	5×10^3 950 380 57.8	27.5 24 11 3.1	3 8 9 2	
		0	5×10^3 950 308 57.8	24 25 17.5 3.9	3 3 9 3	
		19 18.3 18.8 18.5 20	1130 243 58.3 16.3 10.44	21.1 20.3 9.3 5.7 4.5	----- 4.83 9.4 4.65 3.81	39 Slevogt.
		20	77.67 70.91 60.19	14.8 13.7 12.2	8.3 8.9 9.1	56 Fischer.
		20 (20)	3 to 500 40 to 600	(*) (*)	(*) (*)	42 Abadie. 32 Girard. 36 Keutner.
		15 to 35	360 to 660			
		0 10 20 30 40 50	182	12.6 15.4 17.4 17.4 16.8 16.2	10.6 10.1 7.5 4.5 3.0 1.8	33 Szymanowski.

*Graphs. **Table 2.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₃ —Continued						
35	C ₃ H ₈ O 1-Propanol—Continued	22.7	70.82	14.9	8.1	39 Slätis.
		18	16.66	4.70	3.5	44 Benoit.
		5	3.08	3.42	1.06	53 Koizumi.
		20		3.45	1.30	
		35		3.50	1.72	
		50		3.61	2.36	
		(20?)	30 to 105			44 Khmel'kova.
		16 to 18	18 to 24			39 Divilkovsky.
		23.3	440			39 Fillipov.
		20	159			39 Sosinski.
		-60 to 60	500			37.2 Cavallaro.
		20 to 40	5×10 ³			37 Hackel.
		19 to 21	2.1×10 ³			37 Schmelzer.
		25	170 to 10 ⁵			37 Schreck.
		(20)	(2.8 to 7.6)×10 ³			32 Malsch.
36	2-Propanol	-100 to -73	6×10 ³ to ∞	(**)(*)	(**)(*)	55 Hassion.
		-60	5×10 ³	15.5	14	427 Mizushima.
			950	6	6	
			308	4	1	
		-40	5×10 ³	28	8	
			950	13	13	
			308	4.5	2	
		-20	5×10 ³	28	<3	
			950	24	9	
			308	7.5	6	
		0	5×10 ³	24	<3	
			950	24	3	
			308	16	9	
		20	5×10 ³	20.5	<3	
			950	21	1	
			308	19	4	
		(20)	45 to 600	(*)	(*)	32 Girard.
		25	3.24	3.06	1.18	52 Yasumi.
37	C ₃ H ₈ O ₂ 1,2-Propanediol	10	∞	(35)		55.2 Yamamura.
			22.78	5.4	5.2	
			15.46	4.2	2.0	
			7.61	4.85	3.08	
		20	∞	(33)		
			49.16	27.72	8.4	
			22.82	6.9	7.4	
			15.18	5.2	4.3	
			7.63	5.32	4.23	
		30	∞	(31)		
			50.02	27.11	6.4	
			22.80	9.3	10.7	
			15.00	7.2	6.0	
			7.62	4.84	4.72	
		40	∞	(29)		
			49.14	25.95	8.4	
			22.83	11.9	10.2	
			15.00	8.7	4.8	
			7.64	6.50	5.0	
		-89 to -45	6×10 ³ to ∞	(**)(*)	(**)(*)	51 Davidson.
		-90 to -30	3×10 ⁵ to 3×10 ⁷	(*)	(*)	32 White.
38	1,3-Propanediol	-95 to -40	3×10 ⁵ to 3×10 ⁷	(*)	(*)	32 White.
39	C ₃ H ₈ O ₃ Glycerol	-80 to -40	10 ³ to 3×10 ⁷			54 Schulze.
		-75 to -40	6×10 ³ to ∞	(**)(*)	(**)(*)	51 Davidson.
		0	6×10 ⁴	48.20	0.99	53 Harris.
			3×10 ⁴	48.10	2.14	
			2×10 ⁴	47.86	3.5	
		-10	5×10 ³	23	17	28 Mizushima.
			950	12	7	
			308	7	3	
			57.8	3	1	
		10	5×10 ³	44	6	
			950	34	14	
			308	14	10	
			57.8	4	2	
		30	5×10 ³	40.5	<3	
			950	42	5	
			308	38	17	
			57.8	9	7	
		50	950	37	<3	
			308	40	7	
			57.8	18.7	11	

*Graphs. **Table 2. ^d Data also at 40° and 60° C. ^e Data also at -50° C.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance		t (°C)	λ (cm)	ϵ'	ϵ''	References
	C ₃ —Continued						
39	C ₃ H ₈ O ₃	Glycerol—Continued	18	62.0 55.6 49.5 48.9 34.0 13.45	(n^2) 28.6 27.1 23.1 23.4 16.4 10.3		36 v. Ardenne.
			—30 to 20	(8 to 37.5) × 10 ²			53 Litovitz.
			31	57 to 84			49 Sirkar.
			25	(3 to 9) × 10 ³			36 Hiegemann.
			25	(1 to 2) × 10 ³			36 Schmaks.
			—75 to 19	170 to 10 ³			36 Schreck.
			24 to 40	410			35 Divilkovsky.
			15 to 70	12 to 14			33 Seeberger.
			—61 to 64	610			26 Mizushima.
	C ₄						
40	C ₄ Cl ₆	Hexachloro-1,3-butadiene	25	∞ 100 10 3	2.55 2.55 2.51 2.47	0.014 .090 .032	53 MIT.
41	C ₄ H ₄ O	Furan	1	∞ 3.22 1.24	3.095 3.088 3.009	.129 .318	55.1 Smyth et al.
			20	∞ 3.22 1.24	2.954 2.958 2.920	.092 .245	
42	C ₄ H ₄ S	Thiophene	1	∞ 10.7 3.22 1.24	2.837 2.823 2.816 2.370	.011 .082 .176	55.1 Smyth et al.
			20	∞ 10.7 3.22 1.24	2.769 2.764 2.752 2.697	.013 .064 .154	
			40	∞ 10.7 3.22 1.24	2.701 2.700 2.697 2.650	.006 .051 .124	
			60	∞ 10.7 3.22 1.24	2.635 2.634 2.603 2.582	.007 .038 .090	
43	C ₄ H ₅ N	Pyrrole	1	∞ 10.7 3.22 1.24	8.42 8.370 6.575 4.482	1.11 2.33 2.22	55.1 Smyth et al.
			25	∞ 10.7 3.22 1.24	8.10 8.046 7.003 4.829	0.87 2.00 2.40	
			40	∞ 10.7 3.22 1.24	7.76 7.670 7.055 5.251	0.64 1.59 2.53	
			60	∞ 10.7 3.22 1.24	7.45 7.362 6.978 5.569	0.47 1.24 2.35	
44	C ₄ H ₈ Cl ₂	1,4-Dichlorobutane	1	∞ 10.0 3.22 1.27	9.64 9.40 6.56 4.42	1.84 3.42 2.48	52.5 Smyth et al. 52.1 52.7 52.4
			25	∞ 10.0 3.22 1.27	8.90 9.06 7.09 4.79	1.21 2.86 2.73	
			40	∞ 10.0 3.22 1.27	8.44 8.70 7.30 5.08	0.90 2.45 2.80	
			55	∞ 10.0 1.27	7.98 7.28 5.36	2.00 2.80	

† 95% Glycerol, 5% water.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References	
49-----	C ₄ —Continued Ethyl acetate—Continued	30	∞	5.94		56 Krishna.	
			75.0	6.00	0.04		
			60.0	5.98	.06		
			50.0	5.96	.10		
			42.9	5.93	.11		
			37.5	5.91	.11		
			33.3	5.90	.11		
			-60	37.5	4.24		.22
			-50		4.54		.40
			-40		5.10		.82
			-30		6.78		.59
			-20		7.09		.38
			-10		6.88		.25
			0		6.60		.19
			10		6.36		.16
			20		6.12		.13
30		5.91	.11				
50-----	C ₄ H ₉ Br 1-Bromobutane-----	1	∞	7.57		52.5 Smyth et al. 52.1 52.7 52.4	
			10.0	7.18	1.15		
			3.22	5.53	2.26		
			1.27	4.02	2.00		
			25	∞	6.93		
			10.0	6.74	0.79		
			3.22	5.70	1.87		
			1.27	4.10	1.97		
			40	∞	6.57		
			10.0	6.44	0.63		
			3.22	5.61	1.60		
			1.27	4.20	1.84		
55	∞	6.24					
10.0	6.20	0.51					
3.22	5.47	1.38					
1.27	4.29	1.77					
51-----	1-Bromo-2-methyl propane-----	1	∞	7.82		48 Crouch. 52.5 Smyth et al. 52.1 52.7 52.4	
			10.0	7.38	1.07		
			3.22	6.04	2.47		
			1.27	4.00	2.40		
			25	∞	7.18		
			10.0	6.90	0.74		
			3.22	6.01	1.92		
			1.27	4.31	2.32		
			40	∞	6.74		
			10.0	6.60	0.59		
			3.22	5.91	1.61		
			1.27	4.33	2.18		
55	∞	6.32					
10.0	6.24	0.46					
3.22	5.78	1.35					
1.27	4.40	2.08					
52-----	2-Bromobutane-----	1	9.72			43 Conner. 52.5 Smyth et al. 52.1 52.7 52.4	
			∞	9.43			
			10.0	9.52	1.46		
			3.22	7.59	3.36		
			1.27	4.83	3.39		
			25	∞	8.64		
			10.0	8.75	0.98		
			3.22	7.63	2.53		
			1.27	5.27	3.28		
			40	∞	8.15		
			10.0	8.30	0.78		
			3.22	7.45	2.07		
1.27	5.39	3.03					
55	∞	7.65					
10.0	7.90	0.62					
3.22	7.21	1.76					
1.27	5.49	2.75					
53-----	2-Bromo-2-methyl propane-----	1	9.72			43 Conner. 52.5 Smyth et al. 52.7 52.4	
			∞	11.56			
			3.22	9.66	3.57		
			1.27	5.92	4.29		
			25	∞	10.30		
			3.22	9.04	2.55		
			1.27	6.52	3.95		
			40	∞	9.52		
			3.22	8.75	2.09		
			1.27	6.76	3.52		
			55	∞	8.75		
			3.22	8.21	1.64		
1.27	6.60	3.14					

TABLE 4.—Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C₄—Continued						
54.....	C ₄ H ₉ Cl 1-Chlorobutane.....	25	∞ 9.72	7.24 6.97	 0.745	43 Conner.
55.....	1-Chloro-2-methyl propane.....	-189.7 -174.6 -172.2 -171.8 -171.1 -170.6 -169.2 -168.0 -166.4 -165.7 -164.9 (-162.6 (-138.2) -108.5 13.9	6×10 ⁷	2.38 3.67 5.50 6.02 7.53 8.76 13.25 15.56 16.47 16.30 16.19 16.00 13.66 11.28 6.63	.02 1.49 4.48 5.20 6.81 7.54 8.06 5.03 1.89 1.04 0.66 .14 .018 .018 .054	42 Turkevitch.
	(glass) mp					
		-189.7 -185.0 -174.0 -171.6 -170.3 -168.6 -167.7 -166.1 -165.6 -164.7 -163.2 -162.3 -160.0 -138.2 -108.5 13.9	6×10 ⁵	2.37 2.41 3.34 4.28 5.39 8.00 10.55 14.37 15.24 15.89 16.09 16.04 15.89 13.71 11.29 6.54	.024 .029 .53 1.45 2.52 4.25 4.99 3.81 2.94 1.78 0.80 .330 .165 .004 .011 .018	
	(glass)					
		-189.7 -173.4 -169.8 -167.0 -165.3 -164.0 -161.7 -159.2 -155.6 -138.2 -108.5 13.9	6×10 ⁵	2.35 2.94 3.63 5.40 7.73 10.67 14.84 15.73 15.50 13.73 11.25 6.49	.02 .28 .99 2.70 4.25 4.3 3.07 1.06 0.193 .007 .013 .011	
56.....	2-Chloro-2-methyl propane.....	4	∞ 10.1 3.22 1.25	10.72 11.02 10.11 7.04	 .90 ₃ 2.6 4.68	52.2 Smyth et al.
		20	∞ 10.1 3.22 1.25	9.87 10.06 9.48 7.17	 0.70 ₁ 2.0 4.12	
		40	∞ 10.1 3.22 1.25	8.90 9.01 8.82 7.25	 0.53 ₆ 1.5 3.41	
		20	∞ 3.20 1.25 .802	9.88 9.34 7.50 6.07	 2.31 3.64 3.97	55 Poley.
57.....	C ₄ H ₉ I 1-Iodobutane.....	25	∞ 9.72	6.12 6.01	 1.35	43 Conner.
58.....	C ₄ H ₉ N Pyrrolidine.....	1	∞ 3.22 1.24	9.29 5.095 3.777	 2.57 1.94	55.1 Smyth et al.
		20	∞ 33.3 10.7 3.22 1.24	8.30 8.257 7.57 5.781 4.131	(0.57) 1.40 2.42 2.15	
		40	∞ 33.3 10.7 3.22 1.24	7.36 7.282 7.24 6.118 4.425	(0.26) 1.71 1.91 2.04	
		60	∞ 33.3 10.7 3.22 1.24	6.60 6.627 6.57 6.020 4.511	(0.16) .51 1.35 1.86	

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₄ —Continued						
59.....	C ₄ H ₁₀ O 1-Butanol.....	-139 to -3	1.5×10 ⁴ to ∞	(**) (*)	(**) (*)	55 Dannhauser. 54 Dannhauser.
		25	∞ 3×10 ⁴ 3×10 ³ 300 100 10	17.1 17.4 17.4 14.8 11.5 3.5	0.17 .42 4.0 6.3 1.7	53 MIT.
		19	∞	17.9		39 Slevogt.
		18, 3	243	16.0	6.0 ₃	
		18, 8	58, 3	6.1	5.5 ₆	
		18, 8	16, 3	3.9	2.5 ₂	
		19, 5	10, 44	3.34	1.8 ₂	
		20	77, 63 60, 12	8, 0 6, 3	6, 7 5, 4	56 Fischer.
		(20)	45 to 600	(*)	(*)	32 Girard.
		20	9	3.74	1.10	52, 2 Bruma.
		25	3, 24	3.08	1.08	52 Yasumi.
		5	3, 08	3, 05	0, 67	53 Koizumi.
		20		3, 10	.81	
		35		3, 19	1, 17	
		50		3, 29	1, 35	
		25	3, 00	3, 04	0, 64	48 Crouch.
		18	1, 38	2, 93	.57	55 Okabayashi.
		15 to 35	360 to 660			36 Keutner.
		23, 9	446			39 Fillipov.
		20	147 to 520			39 Maibaum.
		20	159			39 Sosinski.
		18	(2.6 to 22)×10 ²			37 Cavallaro.
		20 to 40	10 ⁴			37 Hackel.
		21	5, 6×10 ³			37 Schmelzer.
		(20)	(1.85 to 1.22)×10 ²			37 Zouckermann.
		17, 9	(1.7 to 10)×10 ⁴			36 Schreck.
60.....	2-Butanol.....	-121 to -4	1.5×10 ⁴ to ∞	(**)(*)	(**)(*)	55 Dannhauser.
		20	16, 66	3, 94	2, 1	44 Benoit.
		(19?)	1.7×10 ⁴ to 2.7×10 ⁶			36 Schreck.
61.....	2-Methyl-1-propanol.....	-137 to 0	1.5×10 ⁴ to ∞	(**)(*)	(**)(*)	55 Dannhauser.
		-50	5×10 ³ 950 308 57, 8	10 4 3 2, 8	12 2 1 0, 4	28, 27 Mizushima.
		-30	5×10 ³ 950 308 57, 8	23, 5 7 4 2, 8	8 10 1 0, 6	
		-10	5×10 ³ 950 308 57, 8	23, 5 17 7 3	3 19 7 2	
		10	5×10 ³ 950 308 57, 8	21 20 13 3, 5	3 3 7 3	
		30	950 308 57, 8	17 16, 5 6, 7	1 3 4	
		50	950 308 57, 8	15 15 10, 5	1 1 4	
		20	10 to 10 ³	(*)	(*)	46 Häfelin.
		(20)	70 to 600	(*)	(*)	32 Girard.
		0	182	5, 4		33 Szymanowski.
		10		8, 6	8, 45	
		20		11, 9	8, 40	
		30		13, 6	5, 56	
		40		13, 7	3, 54	
		50		13, 25	2, 14	
		25	3, 24	2, 94	1, 01	52 Yasumi.

*Graphs. **Table 2.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t ($^{\circ}\text{C}$)	λ (cm)	ϵ'	ϵ''	References	
C₄—Continued							
61	2-Methyl-1-propanol—Continued	5	3.08	2.89	0.51	53 Koizumi.	
		20		2.97	.73		
		35		3.08	1.00		
		50		3.24	1.25		
		23		1.38	2.86		0.54
	(20)	(1.7 to 2.7) $\times 10^4$			36 Schreck.		
	25		180		34 Malsch.		
62	2-Methyl-2-propanol	30	∞	10.9		56.5 Smyth et al.	
			10.0	3.55	1.56		
			3.22	2.966	0.670		
			1.25	2.77	.38		
		50	∞	8.49			
			10.0	4.77			
			3.22	3.327	1.12		
			1.25	2.96	0.65		
		70	∞	6.89			
			10.0	5.67	1.79		
			3.22	3.923	1.54		
			1.25	3.20	0.93		
		*25	7.43	3.09	.66		52 Yamamura.
		35	7.45	3.29	1.48		
		45	7.44	3.04	1.93		
25	3.24	2.80	0.85	52 Yasumi.			
26	3.08	2.87	.70	53 Koizumi.			
35		3.00	.86				
50		3.24	1.24				
26	1.38	2.82	0.45	55 Okabayashi.			
63	C ₄ H ₁₀ O Ethyl ether	4	∞	4.70		56.6 Smyth et al.	
			10.0	4.68	0.151		
			3.22	4.609	.429		
			1.25	4.30	1.03		
		25	∞	4.24			
			10.0	4.239	0.110		
			3.22	4.184	.280		
			1.25	4.01	.705		
		20	∞	4.335			32 Malsch.
		(20?)	7.6 $\times 10^3$		(0)		
			4.8 $\times 10^3$		(0)		
	2.8 $\times 10^3$		0.00168				
19.7	1.06 $\times 10^3$.00451	37 Schmelzer.			
17.2	(10)	4.44	.0835	50 Imanov.			
	-10 to 28	(60 to 81)		49 Sen.			
C₅							
64	C ₅ H ₅ N Pyridine	1	∞	14.65		55.1 Smyth et al.	
			3.22	11.49	4.79		
			1.24	6.740	5.46		
		20	∞	13.55			
			10.7	13.25	1.42		
			3.22	11.62	3.74		
			1.24	7.386	5.24		
		40	∞	12.45			
			10.7	12.32	1.00		
			3.22	11.32	3.53		
			1.24	7.969	5.10		
60	∞	11.44					
	10.7	11.36	0.78				
	3.22	10.63	2.22				
	1.24	8.333	4.31				
65	C ₅ H ₁₀ O 3-Pentanone	0 to 82	(60 to 120)			51.1 Sen.	
66	C ₅ H ₁₁ Br 1-Bromopentane	1	∞	6.88		52.5 Smyth et al.	
			10.0	6.15	1.10		
			3.22	4.30	1.72		
			1.27	3.30	1.39		
		25	∞	6.31			
			10.0	5.95	0.79		
			3.22	4.53	1.60		
			1.27	3.47	1.45		
		40	∞	6.00			
			10.0	5.77	0.63		
			3.22	4.57	1.49		
	1.27	3.47	1.39				

* mp, 25.5 $^{\circ}$ C Timmermans (50).

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	<i>t</i> (°C)	λ (cm)	ϵ'	ϵ''	References
C₅—Continued						
66	C ₅ H ₁₁ Br 1-Bromopentane—Continued	55	∞ 10.0 3.22 1.27	5.70 5.58 4.55 3.59	0.51 1.34 1.43	
		75	10.0	5.27	0.38	
67	1-Bromo-3-methyl butane	25	∞ 9.72	5.93 5.84	1.05	43 Conner.
		-150 to 20	3.33×10 ³	(*)	(*)	46, 1 Schallamach.
68	C ₅ H ₁₁ Cl 1-Chloro-3-methyl butane	25	∞ 9.72	5.94 6.07	0.73	43 Conner.
69	2-Chloro-2-methyl butane	25	∞ 9.72	(9.1) 6.95	.66	43 Conner.
70	C ₅ H ₁₂ O 1-Pentanol	-60	5×10 ³ 950 308 57.8	5.5 4 3 2.6	5 1 0.4 .2	28, 27 Mizushima.
		-40	5×10 ³ 950 308 57.8	13 5 3 2.6	11 2 1 0.3	
		-20	5×10 ³ 950 308 57.8	19 10 4 2.6	3 6 2 1	
		0	5×10 ³ 950 308 57.8	17.5 17 7.5 2.7	3 5 6 1	
		20	950 308 57.8	16 13 2.8	1 5 2	
		40	950 308 57.8	13 13.5 5.7	1 2 3	
		60	950 308 57.8	11 12 9.3	1 1 3	
		0	182	3.9	4.58	33 Szymanowski.
		10		6.1	6.11	
		20		8.4	6.84	
		30		10.7	5.46	
		40		11.55	3.60	
		50		11.6	2.13	
		20	16.66	4.03	1.68	44 Benoit.
		(20)	45 to 600	(*)	(*)	32 Girard.
		5	3.08	2.75	0.49	53 Koizumi.
		20		2.83	.64	
		35		2.94	.91	
		50		3.05	1.13	
		15 to 35	360 to 660			36 Keutner.
		16 to 22	320 to 1002			41 Khodakov.
		20	147 to 520			39 Maibaum.
		20	159			39 Sosinski.
71	3-Methyl-1-butanol	-100 to 0.7	750 to ∞	(**)	(**)	54 Reinisch.
72	2-Methyl-2-butanol	(20?)	30 to 105			44 Khmel'kova.
C₆						
73	C ₆ H ₄ Cl ₂ <i>o</i> -Dichlorobenzene	25.5	18 to 152			49 Fischer.
74	C ₆ H ₅ Br Bromobenzene	1	∞ 10.0 3.22 1.27	5.74 5.17 3.62 2.95	1.12 1.36 0.82	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	5.39 5.08 3.92 3.08	.76 1.34 0.94	
		40	∞ 10.0 3.22 1.27	5.18 5.02 4.06 3.08	.61 1.26 0.94	

*Graphs. **Table 2.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₆ —Continued						
74.....	C ₆ H ₅ Br Bromobenzene—Continued.....	55	∞ 10.0 3.22 1.27	4.96 4.86 4.16 3.18	0.48 1.12 1.05	
		75	10.0	4.71	0.38	
		20	3.99 3.55 3.20 1.25 0.802	4.32 4.16 4.06 3.00 2.82	1.36 1.42 1.40 0.98 .71	55 Poley.
		0	32 to 100			53 Ghosh.
		25	3			48 Crouch.
		20	16.7			44 Benoit.
75.....	C ₆ H ₅ Cl Chlorobenzene.....	1	∞ 10.0 3.22 1.27	6.15 5.73	.88	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	5.63 5.50 4.64 3.44	0.64 1.41 1.35	
		40	∞ 10.0 3.22 1.27	5.31 5.26 4.66 3.55	0.50 1.21 1.39	
		55	∞ 10.0 3.22 1.27	5.09 5.06 4.63 3.63	0.39 1.01 1.33	
		22	∞ 3.99 3.55 3.20 1.25 0.802	5.67 4.93 4.79 4.59 3.37 2.96	1.32 1.42 1.49 1.39 1.06	55 Poley.
		20	78.01 70.64 60.45	5.66 5.69 5.72	0.108 .152 .158	56 Fischer.
		25	450	5.61	0.0149 _s	53 Fischer.
		25	3	4.83	1.64	48 Crouch.
		25	32 to 100			53 Ghosh.
		-30 to 0	57 to 120			50 Sen.
		20 to 50	536			49 Fischer.
		25	(1 to 2) × 10 ³			39 Schmale.
		(20)	(2.8 to 7.6) × 10 ³			32 Malsch.
76.....	C ₆ H ₅ ClO <i>p</i> -Chlorophenol.....		3.18			56 Ghosh.
77.....	C ₆ H ₅ F Fluorobenzene.....	21	∞ 3.99 3.20 1.25 0.802	5.44 ^b 5.22 5.09 4.15 3.43	0.71 .95 1.54 1.48	55 Poley.
78.....	C ₆ H ₅ I Iodobenzene.....	21	∞ 3.99 3.20 1.25 0.802	4.64 3.44 3.31 2.88 2.80	0.92 .875 .47 .36	55 Poley.
79.....	C ₆ H ₅ NO ₂ Nitrobenzene.....	25	∞ 46.2 37.5 30.0 27.3 14.3 10.0	34.82 32.5 32.1 31.8 30.7 25.7 20.6	4.5 5.6 7.44 9.0 11.1 12.65	56 Clark.
		15	10.0	19.8	14.1	
		20		21.4	12.9	
		25		20.6	12.7	
		30		22.6	12.0	
		40		21.4	11.6	
		50		23.9	11.2	
		20	∞ 3.99 3.55 3.20 1.25 0.802	35.73 10.15 8.53 7.45 4.73 4.05	12.36 10.91 9.51 4.58 3.26	55 Poley.
		25	∞ 3 × 10 ³ 10	34.82 34.4 31.1	0.31 5.2	53 MIT.

^b Laboratory of Physical Chemistry University Leiden, unpublished
449583—58—6

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₆ —Continued						
79	C ₆ H ₅ NO ₂ Nitrobenzene—Continued	20	78.09 70.58 60.86	35.9 36.2 35.1	5.3 5.3 5.9	56 Fischer.
		17	3 to 200	(*)	(*)	46, 43 Girard.
		18	∞ 72 54.0 32.3 13.45	(n^2) ^b 36.4 34.0 33.5 31.5 26.5		36 v. Ardenne.
		20	441		0.553	49 Fischer.
		25			.491	
		30			.437	
		40			.339	
		50			.262	
		20	182	34.2	1.96	33 Szymanowski.
		30		32.3	1.40	
		40		30.8	1.07	
		50		29.6	0.82	
		60		26.58	.71	
		(17)	3.16	8.1	6.4	53 LeMontagner.
		25 to 42	532			53 Fischer.
		14	58 to 76			50 Choudhury.
		10 to 60	10			50 Heston.
		26.7	57 to 120			50 Sen.
		20.5	320 to 1002			41 Khodakov.
		16	3×10^3			39 Panchenkov.
		25	(1 to 2) $\times 10^3$			39 Schmale.
80	C ₆ H ₆ Benzene	20	∞ 3.33	2.2836 2.2841	[tan δ] i 0.0005 .0004 i .0009 .0009	55 Hartshorn.
		20	3.2	i 2.2850 2.2835 2.2780	i .00057 .00050 .00035	47 Bleaney.
			1.35	i 2.2853 2.2828 2.2778	i .0017 .0012 .00087	
		20	1.27			50 Heston.
		1 to 60	1 to 10	2.284	.0011	
		20	0.85 to 3.33	(*)	(*)	50 Whiffen.
		(20)	3 to 17			46 Abadie.
		20	3.39			55 Takahashi.
		(20?)	3.27			55, 2 Srivastava.
81	C ₆ H ₅ O Phenol	40 to 120	3.18			55 Ghosh.
82	C ₆ H ₇ N Aniline	20	∞	6.89		49 Fisher.
		20	603		0.0276 _s	
		25			.0243 _s	
		30			.0213 _s	
		40			.0166 _s	
		50			.0127 _s	
		25	460		.0500	53 Fischer.
		42			.0343	
		14	58 to 77			50 Choudhury.
83	γ -Picoline	1	∞ 33.3	(13.1) 12.86	1.00	55, 1 Smyth et al.
		20	∞ 33.3 10.7 3.22 1.24	(12.2) 12.06 11.59 8.165 4.355	0.71 2.16 4.14 3.72	
		40	∞ 33.3 10.7 3.22 1.24	(11.3) 11.30 10.93 8.726 4.715	0.55 1.67 3.68 4.05	
		60	∞ 33.3 10.7 3.22 1.24	(10.5) 10.57 10.29 8.893 5.432	0.40 1.21 3.04 4.36	

*Graphs. ^b n = refractive index. ⁱ Different samples.

TABLE 4.—Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	<i>t</i> (°C)	λ (cm)	ϵ'	ϵ''	References				
C ₆ —Continued										
84.....	C ₆ H ₁₀ O..... Cyclohexanone.....	1	∞	17.01		56.1 Smyth et al.				
			3.22	10.76	6.39					
			1.24	5.55	5.06					
		20	∞	16.00						
			3.22	11.67	5.72					
			1.24	6.84	5.28					
		40	∞	14.99						
			10.4	14.1	2.1					
			3.22	11.92	4.65					
		60	1.24	7.33	5.26					
			∞	13.99						
			10.4	13.4	2.0					
21	3.22	11.81	3.65							
	1.24	7.94	5.16							
	14 to 67									
85.....	C ₆ H ₁₁ Br Bromocyclohexane.....	1	∞	8.54		52.5 Smyth et al. 52.1				
			10.0	7.57	2.24					
		25	∞	7.92						
			10.0	7.42	1.70					
		40	∞	7.55						
			10.0	7.24	1.42					
		55	∞	7.18						
			10.0	7.02	1.16					
		75	10.0	6.68	0.91					
			14 to 67							
		86.....	C ₆ H ₁₁ Cl Chlorocyclohexane.....	21	14 to 67			56 Dieringer.		
		87.....	C ₆ H ₁₁ N ₂ O Nitrocyclohexane.....	21	14 to 67			56 Dieringer.		
88.....	C ₆ H ₁₂ Cyclohexane.....	20	∞	2.0250	[tan δ]	55 Hartshorn.				
			3.33		0.0002					
			1.20		.0002					
		20	3.2	2.0244	.00005					
			1.35	2.0248	.00019					
		20	0.85 to 3.33	(*)	(*)		50 Whiffen.			
89.....	C ₆ H ₁₂ O Cyclohexanol.....	25	6×10^4	16.8	0.15	56 Arnoult.				
			3×10^4	16.8	.18					
			1.5×10^3	16.8	.45					
			8.5×10^2	16.8	.70					
			5.0×10^2	16.7	1.08					
			3.0×10^2	16.1	1.75					
			1.88×10^3	15.94	2.61					
			909	14.50	4.8					
			625	12.2	6.2					
			417	10.0	6.4					
			313	8.0	6.1					
			185	5.73	4.12					
			113	4.65	2.55					
			60.4	4.42	2.20					
			42.9	4.10	1.67					
			21.6	3.77	0.96					
			9.09	3.31	.63					
			3.20	3.04	.38					
			45	3×10^4	15.3		.09			
				5.0×10^3	15.3		.40			
				3.0×10^3	15.3		.86			
				1.88×10^3	15.3		.97			
				909	15.3		1.94			
				625	15.0		2.2			
				417	14.8		2.85			
				313	13.0		4.8			
				185	10.55		5.5			
				113	8.7		5.2			
				60.4	5.97		4.35			
				42.9	5.0		2.92			
				21.6	4.16		1.75			
				9.09	3.57		1.01			
				3.20	3.26		0.54			
				-25 to 49	3×10^2 to 3×10^4		(**)(*)	(**)(*)	53 Reinisch.	
				60 to 140	3.18				55 Ghosh.	
				90.....	C ₆ H ₁₂ O ₃ Paraldehyde.....		20	∞	14.70	
			10.4					5.14	4.78	
			3.22					2.87	2.08	
			1.24					2.43	1.00	

*Graphs. **Table 2.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₆ —Continued						
90.....	C ₆ H ₁₂ O ₃ Paraldehyde—Continued.....	40	∞ 10.4 3.22 1.24	12.25 6.54 3.21 2.42	4.24 2.26 1.09	
		60	∞ 10.4 3.22 1.24	10.30 7.26 3.74 2.53	3.36 2.56 1.15	
91.....	C ₆ H ₁₂ Br 1-Bromohexane.....	1	∞ 10.0 3.22 1.27	6.30 ----- 3.75 2.96	----- 1.37 1.07	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	5.82 5.20 4.03 3.11	0.91 1.38 1.15	
		40	∞ 10.0 3.22 1.27	15.56 5.17 4.14 3.18	0.75 1.34 1.17	
		55	∞ 10.0 3.22 1.27	5.30 5.14 4.15 3.26	0.61 1.21 1.17	
92.....	C ₆ H ₁₄ 1-Hexane.....	20	∞ 3.2 1.35	1.890 1.902 1.902	[tan δ] 0.00034 .00076	47 Bleaney.
93.....	C ₆ H ₁₄ O 1-Hexanol.....	-40 to 0.7 -50 to 60 20 -50 to 25 -50 to 50 15 to 35	750 to ∞ 9 9.0 3.22 1.25 360 to 660	(**)(*) (*) 3.17 (**) (*) (*) (*)	(**)(*) (*) 0.70 (**) (*) (*) (*)	54 Reinisch. 54 Brot. 52.2 Bruma. 53 Brot. 55 Brot. 36 Keutner.
94.....	C ₆ H ₁₄ O ₂ 2-Methyl-2-4-pentanediol.....	-70 to -20	3×10 ⁵ to 3×10 ⁷	(*)	(*)	32 White.
95.....	C ₆ H ₁₄ O ₆ Sorbitol.....	80	40 to 3×10 ³			34 Girard.
96.....	C ₆ H ₁₈ OSi ₂ Hexamethyl disiloxane.....	-60 -40 -20 2 20 40	∞ 3.22 1.24 ∞ 3.22 1.24 ∞ 3.22 1.24 ∞ 10.22 3.22 1.24 ∞ 10.22 6.17 3.22 1.24 ∞ 10.22 3.22 1.24	2.422 2.404 2.368 2.353 2.343 2.324 2.290 2.285 2.279 2.227 2.221 2.224 2.220 2.179 2.178 2.180 2.179 2.178 2.130 2.130 2.130 2.132	0.0200 .0430 (.0152) (.0274) .0111 .0205 .0006 .0075 .0154 .0004 .0014 .0050 .0123 .0003 .0031 .0091	55.2 Smyth et al.
C ₇						
97.....	C ₇ H ₅ N Benzonitrile.....	21 20 25 30 40 50	∞ 3.99 3.20 1.25 0.802 ∞ 514	25.57 9.39 7.17 4.64 3.99 25.63	9.65 7.98 4.29 3.07 0.2348 .2060 .1855 .1465 .1201	55 Poley. 49 Fischer.
98.....	C ₇ H ₇ Cl Benzyl chloride.....	-20 to 120	3 to 100			54 Ghosh.

*Graphs. **Table 2.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References		
C ₇ —Continued								
108....	C ₇ H ₁₄ O 2-Heptanone—Continued.....	20	∞	11.98				
			10.4	11.22	2.2			
			3.22	8.74	4.15			
					1.24	5.03	4.12	
		40	∞	11.02				
			10.4	10.44	(0.90)			
			3.22	8.93	3.40			
					1.24	5.67	4.07	
		60	∞	10.18				
			10.4	9.84	0.91			
			3.22	9.00	2.56			
					1.24	6.3	3.82	
109....	4-Heptanone.....	1	∞	13.82				
			10.4	(11.43)	(3.62)			
			3.22	7.91	5.10			
					1.24	4.31	3.9	56.1 Smyth et al.
		20	∞	12.67				
			10.4	12.00	2.2			
			3.22	8.58	4.61			
					1.24	4.83	4.3	
		40	∞	11.61				
			10.4	11.06	1.6			
			3.22	9.25	3.67			
					1.24	5.54	4.07	
60	∞	10.71						
	10.4	(9.82)	(0.92)					
	3.22	9.00	2.91					
			1.24	6.05	3.75			
		30 to 85	(60 to 120)			51.1 Sen.		
110....	5-Methyl-3-hexanone.....	30 to 95	(60 to 120)			51.1 Sen.		
111....	C ₇ H ₁₄ O ₂ Isoamyl acetate.....	20	∞	4.72				
			10.0	4.61	0.42			
			3.22	4.10	.87			
					1.25	3.35	1.04	
		50	∞	4.34				
			10.0	4.33	0.27			
3.22	4.82		.64					
			1.25	3.41	.88			
112....	C ₇ H ₁₅ Br 1-Bromoheptane.....	1	∞	5.74				
			10.0	4.57	1.06			
			3.22	3.37	1.17			
					1.27	2.78	0.77	52.5 Smyth et al.
		25	∞	5.33				
			10.0	4.53	.86			
			3.22	3.56	1.11			
					1.27	2.89	0.87	
		40	∞	5.11				
			10.0	4.50	.75			
			3.22	3.68	1.08			
					1.27	2.99	0.91	
55	∞	4.90						
	10.0	4.47	.67					
	3.22	3.71	1.01					
			1.27	3.03	0.95			
75	∞	(7.26)						
	10.0	4.42	.51					
113....	C ₇ H ₁₆ 1-Heptane.....	20	∞	1.924	[tan δ]			
			3.2	1.9220	0.00037			
			1.35	1.9223	.00076			
		20	1.27	1.920	.00060	50 Heston.		
114....	C ₇ H ₁₆ O 1-Heptanol.....	0	3.8×10^4	14.0	.31			
			2.7×10^4	14.0	.34			
			7.5×10^3	13.90	.87			
			3.8×10^3	13.55	2.16			
			2.1×10^3	12.65	3.33			
			1.43×10^3	11.54	4.35			
			1.07×10^3	10.5				
			860	9.43				
			749	8.77	5.17			
			374.5	5.26	4.00			
			249.7	4.50	3.07			
			187.3	3.78	2.43			
			122.0	3.52	1.80			
			59.1	3.36	1.13			
			44.08	3.26	1.04			
			21.66	2.94	0.55			
			9.51	2.85	.40			
3.19	2.46	.211	55.1 Lebrun.					

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C₇—Continued						
114....	C ₇ H ₁₆ O 1-Heptanol—Continued.....	20	3×10 ⁴ 2.38×10 ³ 1.5×10 ³ 810 650 553 431 313 231.7 188 153 104 78.7 60.15 43.8 21.6 17.23 9.46 3.17	11.70 11.6 11.45 10.9 10.43 10.0 9.2 7.86 7.05 6.09 5.25 4.19 3.85 3.49 3.44 3.12 3.09 2.99 2.62	0.94 1.64 2.70 3.10 3.48 4. 4.86 4.22 4.13 3.71 2.94 2.53 1.94 1.70 1.09 0.88 .66 .36	55 Lebrun.
		-34 to 50	7.5×10 ² to 3.8×10 ³	(*)	(*)	51 Oppenheim.
		20	9.	2.98	0.55	52.2 Bruma.
		-35 to 60	9.0	(*)	(*)	54 Brot.
		-35 to 25	3.22	(*)	(*)	53 Brot.
		-50 to 50	1.25	(*)	(*)	55 Brot.
C₈						
115....	C ₈ H ₈ O Acetophenone.....	20	∞ 10.4 3.22 1.24	18.66 (12.8) 5.62 3.63	(6.1) 3.5 2.2	56.1 Smyth et al.
		40	∞ 10.4 3.22 1.24	17.77 13.0 6.67 4.11	5.0 4.2 2.8	
		60	∞ 10.4 3.22 1.24	16.88 13.0 7.66 4.35	5.9 4.4 3.3	
		25 to 42	490			53.2 Fischer.
116....	C ₈ H ₁₀ <i>o</i> -Xylene.....	-25 -20 0 20 40 60 80 100 120 140	1.27		[tan δ] 0.052 .054 .057 .058 .057 .059 .049 .044 .040 .035	46 Whiffen.
		-20 to 0	30 to 120			53.1 Ghosh.
117....	<i>m</i> -Xylenc.....	-30	30 to 120			53.1 Ghosh.
118....	Ethyl benzene.....	-95 to 27	60 to 120			50 Sen.
119....	C ₈ H ₁₁ N 2,4,6-Trimethyl pyridine (γ -Colli- dine).	20	∞ 10.4 3.22 1.24	8.00 6.15 3.37 2.71	2.07 1.67 0.77	56.5 Smyth et al.
		40	∞ 10.4 3.22 1.24	7.46 6.06 3.75 2.75	1.71 1.80 0.95	
		60	∞ 10.4 3.22 1.24	6.94 5.95 4.09 2.85	1.40 1.90 1.03	
120....	C ₈ H ₁₆ O ₂ Octanoic acid (Caprylic acid).....	20	∞ 9.	2.45 2.44	0.05	52.2 Bruma.
121....	C ₈ H ₁₇ Br 1-Bromooctanc.....	1	∞ 10.0 3.22 1.27	5.32 4.10 3.10 2.74	.97 .93 0.57	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	5.00 4.14 3.28 2.79	.84 .90 .69	
		40	∞ 10.0 3.22 1.27	4.80 4.17 3.41 2.810	.75 .90 .73	

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C₈—Continued						
121---	C ₈ H ₁₇ Br 1-Bromooctane-----	55	∞ 10.0 3.22 1.27	4.60 4.18 3.48 2.92	.67 .87 .75	
122---	C ₈ H ₁₇ Cl 1-Chlorooctane-----	1	∞ 10.0 3.22 1.27	5.47 4.35 3.22 2.76	.90 1.09 0.74	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	5.05 4.43 3.50 2.89	.68 1.04 0.86	
		40	∞ 10.0 3.22 1.27	4.80 4.40 3.61 2.95	.59 .96 .87	
		55	∞ 10.0	4.55 4.32	.52	
			3.22 1.27	3.63 3.01	.86 .88	
		75	10.0	4.22	.41	
		24.5	8 to 150			42 Klages.
123---	C ₈ H ₁₇ I 1-Iodooctane-----	1	∞ 3.22 1.27	4.90 2.78 2.54	.64 .35	52.5 Smyth et al. 52.7 52.4
		25	∞ 3.22 1.27	4.62 2.97 2.59	.72 .44	
		40	∞ 3.22 1.27	4.44 3.03 2.62	.72 .49	
		55	∞ 3.22 1.27	4.27 3.07 2.65	.70 .52	
124---	C ₈ H ₁₇ DO 1-Octanol-D-1-----	-15 to 50	750 1.8×10 ⁸	(*)	(*)	52 Corval.
125---	C ₈ H ₁₈ O 1-Octanol-----	0	3.8×10 ⁴ 2.7×10 ⁴ 7.5×10 ³ 3.8×10 ³ 2.1×10 ³ 1.43×10 ³ 1.07×10 ³ 860 749 374.5 249.7 187.3 122.0 59.1 44.08 21.66 9.51 3.19	12.2 12.1 12.10 11.6 10.70 9.34 8.33 7.31 6.12 4.41 3.69 3.54 3.27 3.07 2.99 2.78 2.64 2.40	.27 .38 .89 2.10 3.25 4.01 4.30 4.24 2.96 2.14 1.90 1.26 0.83 .72 .434 .34 .167	55.1 Lebrun.
		20	3×10 ⁴ 2.38×10 ³ 1.50×10 ³ 810 650 553 431 313 231.7 188 153 104 78.7 60.15 43.8 21.6 17.23 9.46 3.17	10.35 10.25 10.05 9.41 8.90 8.26 7.6 6.45 5.61 5.13 4.49 3.77 3.54 3.30 3.14 2.99 2.85 2.87 2.52	.94 1.44 2.64 2.97 3.24 3.6 3.70 3.64 3.28 2.80 2.24 1.89 1.40 1.27 0.76 .68 .52 .28	55.2 Lebrun.
		2.5	12.5 9.04	2.683 2.644	.382 .324	56.5 Smyth et al.
		6	1.25	2.38	.135	
		25	12.5 9.04 3.22 1.25	2.841 2.736 2.584 2.56	.603 .513 .323 .22	

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C₈—Continued						
125	C ₈ H ₁₈ O 1-Octanol—Continued	50	12.5 9.04 3.22 1.25	3.172 2.976 2.662 2.65	1.02 0.855 .496 .56	
		87	1.25	2.76	.56	
		20	9.	2.84	.43	52.2 Bruma.
		-15 to 49	750 to 3.7×10 ³	(*)	(*)	53 Dalbert.
		20	3 to 2×10 ³	(*)	(*)	42 Girard.
		-20 to 60	9.0	(*)	(*)	54 Brot.
		-50 to 50	1.25	(*)	(*)	55 Brot.
		-6 to 20	3×10 ⁴ to ∞			52 Hamon.
		40	1.08×10 ³			50 Klages.
		(?)	30 to 105			44 Khmel'kova.
		25	9.72			43 Conner.
		-14 to 24	6×10 ⁵ to 6×10 ⁷			36 Smyth.
126	2-Octanol	-36 to 49		(*)	(*)	53 Dalbert.
		-60 to 60	2.6×10 ³			37 Cavallaro.
		25	9.72			43 Conner.
127	Butyl ether	-130 to 20	1.5×10 ³	(*)	(*)	46 Schallamach.
C₉						
128	C ₉ H ₇ N Quinoline	1	∞ 33.3 3.22 1.24	9.70 9.325 3.532 3.227	2.19 1.42 0.75	55.1 Smyth et al.
		20	∞ 33.3 3.22 1.24	9.03 8.896 3.904 3.226	1.27 1.93 1.04	
		40	∞ 33.3 3.22 1.24	8.40 8.473 4.398 3.276	0.86 2.27 1.29	
		60	∞ 33.3 3.22 1.24	7.81 8.082 4.898 3.441	0.64 2.32 1.63	
129	Isoquinoline	25	∞ 33.3 3.22 1.24	10.43 9.834 3.821 3.242	2.16 1.85 1.00	55.1 Smyth et al.
		40	∞ 33.3 3.22 1.24	9.88 9.714 4.038 3.267	1.65 2.20 1.20	
		60	∞ 33.3 3.22 1.24	9.22 9.307 4.563 3.339	1.10 2.53 1.55	
130	C ₉ H ₁₉ Br 1-Bromononane	1	∞ 10.0 3.22 1.27	5.01 3.77 2.84 2.57	0.92 .76 .46	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	4.74 3.86 3.05 2.66	.81 .82 .57	
		40	∞ 10.0 3.22 1.27	4.57 3.91 3.17 2.73	.73 .83 .63	
		55	∞ 10.0 3.22 1.27	4.40 3.93 3.16 2.77	.65 .76 .66	
131	C ₉ H ₂₀ O 1-Nonanol	0	3.8×10 ⁴ 2.7×10 ⁴ 7.5×10 ³ 3.8×10 ³ 2.1×10 ³ 1.43×10 ³ 1.07×10 ³ 860 749 374.5 249.7 187.3 122.0 59.1 44.08 21.66 9.51 3.19	11. 11. 10.85 10.10 8.75 7.40 6.60 5.70 5.55 3.84 3.57 3.23 3.14 3.04 2.92 2.70 2.60 2.36	.30 .42 .96 2.25 3.25 3.63 3.70 3.37 3.36 2.21 1.65 1.27 0.96 .75 .61 .37 .23 .14	55.1 Lebrun.

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	<i>t</i> (°C)	λ (cm)	ϵ'	ϵ''	References
C ₉ —Continued						
131	C ₉ H ₂₀ O 1-Nonanol—Continued	20	3×10 ⁴ 2.38×10 ³ 1.50×10 ³ 810 650 553 431 313 231.7 188 153 104 78.7 60.15 43.8 21.6 17.23 9.46 3.17	9.05 8.85 8.68 8.04 7.53 7.04 6.22 5.55 4.89 4.37 3.96 3.55 3.38 3.17 3.12 2.90 2.81 2.72 2.47	0.94 1.47 2.30 2.67 2.86 2.95 3.02 2.90 2.54 2.15 1.86 1.48 1.13 0.99 .60 .56 .46 .25	55 Lebrun.
		-5 to 60	9.0	(*)	(*)	54 Brot.
		-5 to 20	3.22	(*)	(*)	53 Brot.
		-50 to 50	1.25	(*)	(*)	55 Brot.
C ₁₀						
132	C ₁₀ H ₇ Br 1-Bromonaphthalene	1	3.22	2.99	0.36	52.7 Smyth et al.
		25	∞ 10.0 3.22 1.27	4.83 3.76 3.02 2.89	.81 .51 .21	52.5 52.1 52.7 52.4
		40	∞ 10.0 3.22 1.27	4.70 3.90 3.07 2.87	.77 .59 .25	
		55	∞ 10.0 3.22 1.27	4.57 4.00 3.12 2.87	.71 .66 .31	
		75	10.0	4.04	.56	
		20	78.05 70.48 60.18	4.78 4.76 4.70	4.27 4.46 4.76	56 Fischer.
				[<i>n</i>] ^b		51 Meckbach.
		20.5	54.88 52.92 5.90 5.74	2.177 2.178 1.825 1.827		
		20.5	1.3 to 80	(*)	(*)	
		20	529		0.0835	49 Fischer.
		25			.0738	
		30			.0661	
		40			.0521	
		50			.0423	
133	C ₁₀ H ₇ Cl 1-Chloronaphthalene	1	∞ 10.0 3.22 1.27	5.30 3.97 3.16 2.83	1.06 0.49 .19	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.0 3.22 1.27	5.04 4.16 3.08 2.80	.86 .63 .28	
		40	∞ 10.0 3.22 1.27	4.88 4.22 3.13 2.80	.75 .70 .33	
		55	∞ 10.0 3.22 1.27	4.72 4.29 3.24 2.83	.64 .76 .37	
		75	10.0	4.35	.52	
		20	77.63 70.52 60.22	4.87 4.86 4.85	2.92 2.93 3.62	56 Fischer.
134	C ₁₀ H ₁₂ O ₂ Eugenol	20	78.23 70.61 60.90	6.7 6.3 6.0	3.2 3.1 3.5	56 Fischer.
135	C ₁₀ H ₁₄ 1-Methyl-4-isopropyl benzene (<i>p</i> -cymene)	-70 -50 -30 -10 10 30 50 70 100 150	1.27		[$(\tan \delta)/c$] ^j 0.0049 .0067 .0080 .0087 .0090 .0089 .0085 .0081 .0073 .0061	46 Whiffen.

*Graphs. ^b *n*=refractive index. ^j[($\tan \delta$)/*c*]=specific loss tangent; *c*=moles/100 ml.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance		t (°C)	λ (cm)	ϵ'	ϵ''	References		
C ₁₀ —Continued									
136	C ₁₀ H ₁₆ O	Citral	-150 to 20	3.33×10 ³	(*)	(*)	46.1 Schallamach.		
137	C ₁₀ H ₁₆ O ₂	Geranic acid	-140 to 20	9.23×10 ³	(*)	(*)	46.1 Schallamach.		
138	C ₁₀ H ₁₈	<i>trans</i> -Decahydronaphthalene	20	0.85 to 3.33	(*)	(*)	50 Whiffen.		
139	C ₁₀ H ₁₈ O	Geraniol	-150 to 50	3.33×10 ³	(*)	(*)	46.1 Schallamach.		
140	C ₁₀ H ₂₁ Br	1-Bromodecane	1	∞	4.75		52.5 Smyth et al.		
				10.0	3.42	0.72			
				3.22	2.71	.63			
						1.27	2.50	.32	52.7
									52.4
			25	∞	4.44				
				10.0	3.52	.57			
				3.22	2.88	.71			
						1.27	2.59	.42	
			40	∞	4.28				
				10.0	3.54	.50			
				3.22	2.97	.71			
						1.27	2.59	.47	
			55	∞	4.12				
				10.0	3.54	.45			
				3.22	3.05	.69			
						1.27	2.63	.51	
			75	∞	4.12				
10.0	3.53	.38							
141	C ₁₀ H ₂₁ Cl	1-Chlorodecane	24.5	8 to 150			42 Klages.		
142	C ₁₀ H ₂₂ O	1-Decanol	20	3×10 ⁴	7.75		55.2 Lebrun.		
				2.38×10 ³	7.6	.72			
				1.50×10 ³	7.56	.97			
				810	7.15	1.74			
				650	6.76	1.86			
				553	6.5	2.08			
				431	6.06	2.16			
				313	5.41	2.32			
				231.7	4.89	2.22			
				188	4.42	2.09			
				153	4.05	1.84			
				104	3.68	1.55			
				78.7	3.50	1.36			
				60.15	3.32	1.14			
				43.8	3.24	0.95			
				21.6	2.97	.67			
				17.23	2.86	.57			
				9.46	2.72	.45			
				3.17	2.49	.26			
				25	3×10 ⁵	7.80			55.1 Lebrun.
					3×10 ⁴	7.80			
					5×10 ³	7.78		.25	
					3.0×10 ³	7.72		.44	
					1.43×10 ³	7.60		.94	
					910	7.33		1.35	
					630	7.00		1.86	
					313	5.08		2.32	
					185	4.27		2.05	
					104.2	3.49		1.43	
					60	3.25		1.18	
					9.1	2.76		0.44	
				3.20	2.48	.20			
				2.5	10.0	2.54		.231	56.4 Smyth et al.
1.25	2.353	.105							
20	10.0	2.68	.34						
	3.22	2.48	.29						
	1.25	2.365	.134						
40	10.0	2.92	.527						
	3.22	2.574	.356						
	1.25	2.41	.20						
60	10.0	3.21	.747						
	3.22	2.672	.481						
	1.25	2.47	.29						
82	1.25	2.58	.41						
	9.0	2.78	.40						
20	3 to 2.2×10 ⁵	(*)	(*)	52.2 Bruma.					
	9.0	(*)	(*)						
	1.25	(*)	(*)						
143	C ₁₁ H ₂₄ O	1-Undecanol	25	3×10 ³	6.45		55.1 Lebrun.		
				3×10 ⁴	6.45				
				5×10 ³	6.41	0.19			
				3.0×10 ³	6.40	.31			
				1.43×10 ³	6.33	.65			

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C ₁₁ —Continued						
143	C ₁₁ H ₂₄ O 1-Undecanol—Continued		910 630 313 185 104.2 60. 9.1 3.20	6.16 6.04 4.81 4.01 3.46 3.32 2.79 2.46	0.98 1.20 1.62 1.51 1.16 1.02 0.42 .20	
C ₁₂						
144	C ₁₂ F ₂₀ O Perfluorodihexyl ether	25	∞ 100 10 3	1.87 1.86 1.86 1.85	.0055 .0122 .092	53 MIT.
145	C ₁₂ F ₂₇ N Heptacosafuorotributyl amine	25	∞ 300 100 10 3	1.85 ₅ 1.85 1.85 1.85 1.85	.0011 .0025 .0028 .0020	53 MIT.
146	C ₁₂ H ₉ Cl 3-Chlorobiphenyl	24.5	8 to 150			42 Klages.
147	C ₁₂ H ₁₀ O 2-Acetonaphthone	60	∞ 10.4 3.22 1.24	13.03 4.73 3.65 3.43	2.49 1.16 0.60	56, 1 Smyth et al.
		70	∞ 10.4 3.22 1.24	12.49 5.24 3.65 3.42	2.83 1.36 0.68	
		80	∞ 10.4 3.22 1.24	12.15 5.63 3.83 3.47	3.29 1.57 0.78	
		90	∞ 3.22 1.24	12.01 3.88 3.47	1.71 0.87	
148	Phenyl ether	40	∞ 10.4 3.22 1.24	3.61 3.56 3.43 3.17	.123 .295 .397	56.1 Smyth et al.
		60	∞ 10.4 3.22 1.24	3.47 3.46 3.39 3.18	.085 .222 .360	
		80	∞ 10.4 3.22 1.24	3.35 3.35 3.31 3.19	.061 .162 .312	
		10 to 50	3			50 Dodd.
149	C ₁₂ H ₂₀ O ₂ Geranyl acetate	-70 to 20	112			46.2 Schallamach.
150	C ₁₂ H ₂₄ O ₂ Dodecanoic acid (Lauric)	(?)	1 to 50	(*)	(*)	54 Buchanan.
151	C ₁₂ H ₂₅ Br 1-Bromododecane	1	∞ 10.60 8.75 3.22 1.27	4.31 3.60 3.00 2.52 2.40	0.65 .64 .42 .23	52.5 Smyth et al. 52.1
		25	∞ 12.74 10.60 8.75 3.22 1.27	4.07 3.08 3.27 3.20 2.64 2.43	.53 .57 .58 .51 .31	
		40	∞ 12.74 10.60 8.75 3.22 1.27	3.93 3.10 3.32 3.26 2.69 2.45	.45 .52 .55 .54 .36	
		55	∞ 12.74 10.60 8.75 3.22 1.27	3.80 3.11 3.32 3.29 2.75 2.49	.40 .45 .50 .54 .40	
		75	12.74 10.0 8.75	3.26 3.27 3.28	.25 .39 .40	

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References
C₁₂—Continued						
152....	C ₁₂ H ₂₅ Cl 1-Chlorododecane.....	1	∞ 1.27	4.45 2.45	0.32	52.5 Smyth et al. 52.4
		25	∞ 1.27	4.17 2.50	.41	
		40	∞ 1.27	3.99 2.55	.45	
		55	∞ 1.27	3.85 2.58	.49	
		-10 to 20	1.08×10 ³			50 Klages.
153....	C ₁₂ H ₂₆ O 1-Dodecanol.....	25	3×10 ⁵ 3×10 ⁴ 5×10 ³ 3.0×10 ³ 1.43×10 ³ 910 630 313 185 104.2 60. 9.1 3.20	6.37 6.35 6.30 6.35 6.16 5.95 5.72 4.19 3.46 3.16 3.00 2.68 2.44	.23 .35 .79 1.12 1.32 1.59 1.35 0.99 .71 .34 .167	55.1 Lebrun.
		25	∞ 10.0 3.22 1.25	6.5 2.575 2.446 2.347	.300 .192 .121	56.4 Smyth et al.
		55	∞ 10.0 3.22 1.25	4.56 2.844 2.585 2.427	.525 .327 .201	
		85	∞ 10.0 3.22 1.25	4.00 3.323 2.80 2.539	.644 .44 .312	
		20 to 60	9.0 3.22	(*)	(*)	54 Brot.
		-50 to 50	1.25	(*)	(*)	55 Brot.
		25 to 50	3.12×10 ³			50 Klages.
		40	1.08×10 ³			
C₁₃						
154....	C ₁₃ H ₁₀ O Benzophenone.....	50	∞ 3.22 1.25	11.4 3.72 3.23	1.60 1.25	* 56.6 Smyth et al.
		70	∞ 3.22 1.25	11.3 4.10 3.30	2.23 1.26	
		85	∞ 3.22 1.25	10.12 4.45 3.41	2.55 1.38	
		60	∞ 10.4 3.22 1.24	10.91 6.21 3.82 3.37	3.92 1.91 0.95	† 56.1 Smyth et al.
		70	∞ 10.4 3.22 1.24	10.54 6.96 3.91 3.38	3.86 2.10 1.10	
		80	∞ 10.4 3.22 1.24	10.23 7.51 4.24 3.38	3.56 2.33 1.22	
		90	∞ 3.22 1.24	9.99 4.44 3.39	2.52 1.33	
155....	C ₁₃ H ₂₆ O ₂ Methyl laurate.....	20	9.	3.44	0.18	52.2 Bruma.
C₁₄						
156....	C ₁₄ H ₂₈ Br 1-Bromotetradecane.....	1	∞ 10.0 3.22 1.27	4.04 2.52 2.37	0.37 .19	52.5 Smyth et al. 52.1 52.7 52.4
		25	∞ 10.60 3.22 1.27	3.84 3.08 2.64 2.40	.53 .47 .26	

*Graphs. †mp=48.2 (mp 48.1, Timmermans (50)). ‡mp=47.4.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t (°C)	λ (cm)	ϵ'	ϵ''	References		
C₁₄—Continued								
156	C ₁₄ H ₂₈ Br 1-Bromotetradecane—Continued	40	∞	3.73				
			10.60	3.10	.45			
			3.22	2.69	.49			
					1.27	2.40	.30	
		55	∞	3.61				
			10.60	3.11	.40			
			3.22	2.75	.50			
					1.27	2.42	.33	
		75	10.60	3.26	.29			
157	C ₁₄ H ₃₀ O 1-Tetradecanol	40	∞	4.66		56.4 Smyth et al.		
			10.0	2.632	.320			
			3.22	2.45	.18			
					1.25	2.381	.132	
		60	1.25	2.43	.16			
		80	∞	3.69				
			10.0	3.01	.44			
					1.25	2.515	.26	
C₁₅								
158	C ₁₅ H ₃₀ O 8-Pentadecanone	45	∞	-----	-----	56.6 Smyth et al.		
			10.0	-----	-----			
			3.22	-----	-----			
					1.25	2.74	.833	
		50	∞	-----	-----			
			10.0	5.137	1.60			
			3.22	3.43	1.4			
					1.25	-----	-----	
		65	∞	-----	-----			
			10.0	5.240	1.30			
			3.22	3.62	1.46			
					1.25	-----	-----	
		80	∞	-----	-----			
			10.0	5.116	1.05			
			3.22	3.76	1.41			
			1.25	-----	-----			
82	∞	-----	-----					
	10.0	-----	-----					
	3.22	-----	-----					
			1.25	2.81	1.02			
159	C ₁₅ H ₃₀ O ₂ Methyl myristate	20	9.	3.24	0.16	52.2 Bruma.		
C₁₆								
160	C ₁₆ H ₃₂ O ₂ Hexadecanoic acid (Palmitic)	19 to 75	254			47 Aref'ev.		
			8 to 50	(*)	(*)	54 Buchanan.		
161	C ₁₆ H ₃₃ Br 1-Bromohexadecane	25	∞	3.68		52.5 Smyth et al.		
			10.0	2.96	0.38			
			3.22	2.52	.37			
					1.27	2.35	.21	52.1 52.7 52.4
		40	∞	3.57				
			10.0	3.00	.34			
			3.22	2.57	.40			
					1.27	2.38	.25	
		55	∞	3.46				
10.0	3.02		.30					
3.22	2.62		.41					
			1.27	2.39	.28			
75	10.0	3.04	.25					
162	C ₁₆ H ₃₃ Cl 1-Chlorohexadecane	24.5	8 to 150			42 Kla ges.		
163	C ₁₆ H ₃₄ O 1-Hexadecanol	55	∞	3.77		56.4 Smyth et al.		
			10.0	2.689	.338			
			3.22	2.482	.234			
					1.25	2.37	.163	
		70	∞	3.50				
			10.0	2.837	.390			
			3.22	2.573	.287			
					1.25	2.41	.209	
		82	1.25	2.44	.241			
		50 to 70	1.08×10 ³	(*)	(*)			
		C₁₇						
		164	C ₁₇ H ₃₄ O 9-Heptadecanone	55	∞	5.43		56.6 Smyth et al.
					10.0	4.49	1.34	
3.22	3.19				1.11			
						1.25	2.60	

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	<i>t</i> (°C)	λ (cm)	ϵ'	ϵ''	References
C₁₇—Continued						
164	C ₁₇ H ₃₄ O 9-Heptadecanone—Continued	70	∞ 10.0 3.22 1.25	5.13 4.56 3.32	1.13 1.15	
		80	∞ 10.0 3.22 1.25	4.93 4.58 3.44 2.74	0.903 1.12 0.79	
165	C ₁₇ H ₃₄ O ₂ Methyl palmitate	31 to 65	3.2 to 30	(*)	(*)	54 Buchanan.
C₁₈						
166	C ₁₈ H ₃₂ O ₂ Linoleic acid	-85 to 120 -10 to 40	344 64			45 Stepanenko. 53 Bogdanov.
167	C ₁₈ H ₃₄ O ₂ Oleic acid	-110 to 100	344			45 Stepanenko.
168	C ₁₈ H ₃₄ O ₄ Dibutyl sebacate	25	∞ 3×10^4 3×10^3 100 10	4.59 4.58 4.56 4.55 3.80	0.0014 .0073 .174 .81	53 MIT.
169	C ₁₈ H ₃₆ O ₂ Ethyl palmitate	26 to 75	3.2 to 30	(*)	(*)	54 Buchanan.
170	Cetyl acetate	35	∞ 10.0 3.22 1.25	3.19 2.97 2.76 2.56	0.22 .27 .27	52.8 Smyth et al.
		55	∞ 10.0 3.22 1.25	3.09 2.94 2.76 2.56	.20 .25 .27	
		75	∞ 10.0 3.22 1.25	2.99 2.89 2.75 2.56	.15 .22 .27	
171	C ₁₈ H ₃₈ O 1-Octadecanol	60	∞ 10.0 1.25	3.34 2.661 2.356	.293 .152	56.3 Smyth et al.
		85	∞ 10.0 1.25	3.124 2.853 2.448	.285 .214	
C₂₀						
172	C ₂₀ H ₄₀ O Phytol	-150 to 50	3.33×10^3	(*)	(*)	46.2 Schallamach.
173	C ₂₀ H ₄₀ O ₂ Octadecyl acetate	35	∞ 10.0 3.22 1.25	3.07 2.92 2.68 2.51	0.21 .22 .25	52.8 Smyth et al.
		55	∞ 10.0 1.25	2.98 2.85 2.52	.17 .25	
		75	∞ 10.0 1.25	2.89 2.80 2.52	.14 .14	
174	C ₂₀ H ₄₂ O Di-dihydrocitronellyl ether	-130 to 20	1.50×10^5	(*)	(*)	46.1 Schallamach.
175	C ₂₀ H ₄₂ O ₂ Decyl ether	20	∞ 10.0 3.22 1.25	2.644 2.357 2.238 2.193	0.144 .103 .13	56.6 Smyth et al.
		40	∞ 10.0 3.22 1.25	2.565 2.392 2.247 2.181	.146 .114 .13	
		60	∞ 10.0 3.22 1.25	2.489 2.256 2.169	.116 .13	
C₂₁						
176	C ₂₁ H ₄₂ O ₄ Monostearin	80	∞ 10.0 3.22 1.25	4.84 3.75 3.13 2.87	.81 .64 .45	52.8 Smyth et al.
		90	∞ 10.0 3.22 1.25	4.74 3.87 3.22 2.87	.73 .68 .48	
C₂₂						
177	C ₂₂ H ₃₂ O ₂ Ethyl abietate	-70 to 20	3×10^5 to 3×10^7			40 Morgan.
178	C ₂₂ H ₄₂ O ₂ Phytlyl acetate	-190 to 50	1.12×10^2 to 1.09×10^5	(*)	(*)	46.2 Schallamach.

*Graphs.

TABLE 4. Dielectric dispersion data for pure organic liquids—Continued

No.	Substance	t ($^{\circ}\text{C}$)	λ (cm)	ϵ'	ϵ''	References
	C₂₅					
179....	C ₂₅ H ₅₀ O ₄ Diocetyl sebacate.....	26	∞ 3 \times 10 ⁴ 3 \times 10 ³ 100 10	4.05 4.01 4.00 3.77 2.75	0.0028 .022 .39 .36	53 MIT.
	C₂₈					
180....	C ₂₈ H ₅₆ O ₂ Decyl stearate.....	40	∞ 10.0 3.22 1.25	2.81 2.58 2.40 2.29	.181 .168 .135	52.8 Smyth et al.
		60	∞ 10.0 3.22 1.25	2.73 2.58 2.41 2.29	.164 .178 .140	
		80	∞ 10.0 1.25	2.65 2.56 2.26	.143 .140	
	C₃₀					
181....	C ₃₀ H ₅₈ O ₄ Ethylene dimyristate.....	70	∞ 10.0 3.22 1.25	2.98 2.87 2.64 2.44	.23 .28 .26	52.8 Smyth et al.
		80	∞ 10.0 3.22	2.98 2.87 2.66	.22 .20	
182....	C ₃₀ H ₆₀ O ₂ Tetradecyl palmitate.....	50	∞ 10.0 1.25	2.66 2.52 2.30	.176 .156	52.8 Smyth et al.
		82	∞ 10.0 1.25	2.72 2.54 2.28	.152 .16	
	C₃₂					
183....	C ₃₂ H ₆₄ O ₂ Tetradecyl stearate.....	50	∞ 1.25	2.67 2.28	.126	52.8 Smyth et al.
		82	∞ 1.25	2.57 2.28	.145	
	C₃₄					
184....	C ₃₄ H ₆₈ O ₄ Ethylene dipalmitate.....	75	∞ 10.0 3.22 1.25	2.89 2.77 2.58 2.41	.20 .22 .21	52.8 Smyth et al.
185....	C ₃₄ H ₆₈ O ₂ Cetyl stearate.....	60	∞ 10.0 3.22 1.25	2.61 2.46 2.35 2.28	.130 .141 .126	52.8 Smyth et al.
		80	∞ 10.0 3.22 1.25	2.54 2.47 2.36 2.26	.118 .138 .140	
	C₃₈					
186....	C ₃₈ H ₇₄ O ₄ Ethylene distearate.....	80	∞ 10.0 3.22 1.25	2.79 2.69 2.53 2.39	.18 .19 .15	52.8 Smyth et al.
	C₃₉					
187....	C ₃₉ H ₇₆ O ₅ Distearin.....	80	∞ 10.0 3.22 1.25	3.25 2.88 2.65 2.48	.305 .272 .204	52.8 Smyth et al.
		90	∞ 10.0 3.22 1.25	3.22 2.92 2.67 2.49	.272 .282 .226	
	C₅₁					
188....	C ₅₁ H ₉₈ O ₆ Tripalmitin.....	-45 to 120	63.8			52 Bogdanov.
	C₅₇					
189....	C ₅₇ H ₁₀₄ O ₆ Triolein.....	-50 to 93	344			45 Stepanenko.
190....	C ₅₇ H ₁₁₀ O ₆ Tristearin.....	80	∞ 10.0 3.22 1.25	2.74 2.49 2.39 2.31	.124 .124 .089	52.8 Smyth et al.
		90	∞ 10.0 3.22 1.25	2.735 2.49 2.39 2.31	.124 .122 .088	
		-40 to 83	344			45 Stepanenko.

Bibliography for Tables 1 to 4

- | | 1926 | 1939 |
|--|-------------|--|
| 26 Mizushima, S., <i>Bul. Chem. Soc. Japan</i> 1 , 83. | | 39 Báz, G., <i>Physik. Z.</i> 40 , 394. |
| | 1927 | 39 Divilkovsky, M., <i>Compt. rend. acad. sci. URSS</i> 24 , 433. |
| 27 Deubner, A., <i>Ann. Physik</i> 84 , 429. | | 39 Fillipov, M. I., <i>J. Phys. (USSR)</i> 1 , 479. |
| 27 Frankenberger, E., <i>Ann. Physik</i> 82 , 394. | | 39 Fischer, E. and Klages, G., <i>Physik. Z.</i> 40 , 721. |
| 27 Heim, W., <i>Jahrb. drahtl. Telegr.</i> 30 , 183. | | 39 Higasi, K. and Kubo, M., <i>Sci. Papers Inst. Phys. Chem. Research (Tokyo)</i> 36 , 286. |
| 27 Mizushima, S., <i>Sci. Papers Inst. Phys. Chem. Research (Tokyo)</i> 5 , 201. | | 39 Kebbel, W., <i>Hochfreq. Tech. u. Elektroakustik</i> 53 , 81. |
| 27 Scheremetzinskja, S., <i>Russ. fiz.-Khim. obsh. Zhu.</i> 59 , 499. | | 39 Maibaum, B., <i>J. Expt. Theoret. Phys. (USSR)</i> 9 , 1270. |
| | 1928 | 39 Panchenkov, G. M. and Daytyou, O. K., <i>J. Phys. Chem. (USSR)</i> 13 , 651. |
| 28.1 Mizushima, S., <i>Sci. Papers Inst. Phys. Chem. Research (Tokyo)</i> 9 , 209. | | 39 Schmale, K., <i>Ann. Physik</i> 35 , 671. |
| 28.2 Mizushima, S. and Aso, T., <i>J. Chem. Soc. Japan</i> 49 , 153. | | 39 Slätis, H., <i>Ann. Physik</i> 36 , 397. |
| | 1929 | 39 Slevogt, K. E., <i>Ann. Physik</i> 36 , 141. |
| | | 39 Sosinski, S., <i>Acta Physicochimica (USSR)</i> 11 , 767. |
| | 1932 | 1940 |
| 29 Frankenberger, E., <i>Ann. Physik</i> 1 , 948. | | 40.1 Divilkovsky, M. and Mash, D., <i>J. Expt. Theoret. Phys. (USSR)</i> 10 , 903. |
| 29 Mizushima, S., <i>Proc. Imp. Acad. (Tokyo)</i> 5 , 15. | | 40.2 Divilkovsky, M. and Mash, D., <i>J. Phys. (USSR)</i> 2 , 385. |
| 29 Novosilzew, N., <i>Ann. Physik</i> 2 , 515. | | 40.3 Divilkovsky, M. and Mash, D., <i>Compt. rend. acad. sci. URSS</i> 27 , 801. |
| | 1933 | 40 Morgan, S. O. and Yager, W. A., <i>Ind. Eng. Chem.</i> 32 , 1519. |
| 32 Girard, P. and Abadie, P., <i>Compt. rend.</i> 195 , 119. | | 1941 |
| 32 Malsch, J., <i>Ann. Physik</i> 12 , 865. | | 41 Khodakov, A. L., <i>J. Expt. Theoret. Phys. (USSR)</i> 11 , 467. |
| 32 White, A. H. and Morgan, S. O., <i>Physics</i> 2 , 313. | | 1942 |
| | 1934 | 42 Klages, G., <i>Physik. Z.</i> 43 , 151. |
| 33 Seeberger, M., <i>Ann. Physik</i> 16 , 77. | | 42 Girard, P. and Abadie, P., <i>Compt. rend.</i> 215 , 84. |
| 33 Szymanowski, W. T., <i>J. Chem. Phys.</i> 1 , 809. | | 42 Turkevich, A. and Smyth, C. P., <i>J. Am. Chem. Soc.</i> 64 , 737. |
| | 1935 | 1943 |
| 34 Girard, P., <i>Trans. Faraday Soc.</i> 30 , 763. | | 43 Conner, W. P., and Smyth, C. P., <i>J. Am. Chem. Soc.</i> 65 , 382. |
| 34 Hiegemann, J., <i>Physik. Z.</i> 35 , 91. | | 43 Girard, P. and Abadie, P., <i>Compt. rend.</i> 216 , 44. |
| 34 Malsch, J., <i>Ann. Physik</i> 20 , 33. | | 43 Kubo, M., <i>Bul. Chem. Soc. Japan</i> 18 , 358. |
| | 1936 | 1944 |
| 35 Divilkovsky, M. and Fillipov, M., <i>Physik. Z. Sowjetunion</i> 8 , 311. | | 44 Benoit, J., <i>J. Phys.</i> 5 , 225. |
| | 1937 | 44 Khmel'kova, O. A. and El'psin, I. A., <i>Uchenye Zapiski, Moskov. Ordena Linina. Gosudarst. Univ. M. V. Lomonosova, Fizika</i> 74 , 99. |
| 36 von Ardenne, M., Groos, M. O., and Otterbein, G., <i>Physik. Z.</i> 37 , 533. | | 1945 |
| 36 Hiegemann, J., <i>Ann. Physik</i> 25 , 337. | | 45 Stepanenko, N. and Novikova, T., <i>Acta Physicochimica URSS</i> 20 , 653. |
| 36 McNeight, S. A. and Smyth, C. P., <i>J. Am. Chem. Soc.</i> 58 , 1718. | | 45.1 Girard, P. and Abadie, P., <i>Bul. Soc. chim. France</i> 12 , 207. |
| 36 Schmaks, W., <i>Ann. Physik</i> 27 , 285. | | 45.2 Girard, P. and Abadie, P., <i>J. chim. phys.</i> 42 , 73. |
| 36 Schreck, C., <i>Ann. Physik</i> 27 , 261. | | 1946 |
| 36 Smyth, C. P. and McNeight, S. A., <i>J. Am. Chem. Soc.</i> 58 , 1723. | | 46 Abadie, P., <i>Trans. Faraday Soc. [A]</i> 42 , 143. |
| | 1938 | 46 Collie, C. H., Ritson, D. M., and Hasted, J. B., <i>Trans. Faraday Soc. [A]</i> 42 , 129. |
| 37 Abadie, P., <i>L'Onde Elect.</i> 16 , 247. | | 46 Girard, P. and Abadie, P., <i>Trans. Faraday Soc. [A]</i> 42 , 40. |
| 37.1 Cavallaro, L., <i>Atti. accad. Lincei, Classe sci. fis., mat. e nat.</i> 25 , 509. | | 46 Häfelin, J., <i>Arch. sci. phys. nat.</i> 28 , 19. |
| 37.2 Cavallaro, L., <i>Atti accad. Lincei, Classe sci. fis., mat. e nat.</i> 25 , 626. | | 46 Saxton, J. A. and Lane, J. A., <i>Meteorological Factors in Radio-wave Propagation (London)</i> p. 278, 292 (Physical Society Report Apr. 8, 1946). |
| 37 Elle, D., <i>Ann. Physik</i> 30 , 354. | | 46.1 Schallamach, A., <i>Trans. Faraday Soc. [A]</i> 42 , 180. |
| 37 Goldsmith, T. T., <i>Phys. Rev.</i> 51 , 245. | | 46.2 Schallamach, A., <i>Trans. Faraday Soc.</i> 42 , 495. |
| 37 Hackel, W., <i>Physik. Z.</i> 38 , 195. | | 46 Whiffen, D. W. and Thompson, H. W., <i>Trans. Faraday Soc. [A]</i> 42 , 122. |
| 37 Knerr, H. W., <i>Phys. Rev.</i> 52 , 1054. | | |
| 37 Schmelzer, Ch., <i>Ann. Physik</i> 28 , 35. | | |
| 37 Zouckermann, R. and Freymann, R., <i>J. phys. radium</i> 8 , 103. | | |

- 47 Aref'ev, M. C., Agranat, B. A., and Kennan, A. P., Zhur. Fiz. Khim. **21**, 703.
 47 Bleaney, B., Loubser, J. H. N., and Penrose, R. P., Proc. Phys. Soc. (London) **59**, 185.
 47 Girard, P. and Abadie, P., J. chim. phys. **44**, 313.
 47 Lindeman, K. L., Acta Acad. Aboensis, Math. et Phys. **15**, No. 9.

1948

- 48 Bolton, H. C., Proc. Phys. Soc. (London) **61**, 294.
 48.1 Collie, C. H., Hasted, J. B., and Ritson, D. M., Proc. Phys. Soc. (London) **60**, 71.
 48.2 Collie, C. H., Hasted, J. B., and Ritson, D. M., Proc. Phys. Soc. (London) **60**, 145.
 48 Crouch, G. E., J. Chem. Phys. **16**, 364.
 48 Hennelly, E. J., Heston, W. H., Jr., and Smyth, C. P., J. Am. Chem. Soc. **70**, 4102.
 48 Heston, W. H., Jr., Hennelly, E. J., and Smyth, C. P., J. Am. Chem. Soc. **70**, 4093.
 48 Laquer, H. L. and Smyth, C. P., J. Am. Chem. Soc. **70**, 4097.

1949

- 49 Burdun, G. D. and Kantor, P. B., Doklady Akad. Nauk. SSSR **67**, 985.
 49 Fischer, E., Z. Physik **127**, 49.
 49 LeBot, J. and Le Montagner, S., Compt. rend. **228**, 829.
 49 Sen, S. N., Indian J. Phys. **23**, 495.
 49 Sirkar, S. C. and Sen, S. N., Nature **164**, 1048.

1950

- 50 Choudhury, A., Indian J. Phys. **24**, 507.
 50 Davidson, D. W. and Cole, R. H., J. Chem. Phys. **18**, 1417.
 50 Dodd, C. and Roberts, G. N., Proc. Phys. Soc. (London) [B] **63**, 814.
 50 Heston, W. H., Jr., and Smyth, C. P., J. Am. Chem. Soc. **72**, 99.
 50 Hanerjäger, R. and Meckbach, W., Z. Phys. **127**, 357.
 50 Imanov, L. M., Vestnik Moskov. Univ. **5**, No. 5, Ser. Fiz.-Mat. i Estest. Nauk No. 3, p. 31.
 50 Kiely, D. G., Proc. Phys. Soc. (London) [B] **63**, 46.
 50 Klages, G. and Kremmling, G., Z. Naturforsch. [A] **5**, 675.
 50 Sen, S. N., Indian J. Phys. **24**, 163.
 50 Timmermanns, J., Physico-Chemical Constants of Pure Organic Compounds, Elsevier Publishing Co., New York, N. Y.
 50 Whiffen, D. W., Trans. Faraday Soc. **46**, 124.

1951

- 51 Crowe, R. W. and Smyth, C. P., J. Am. Chem. Soc. **73**, 5406.
 51 Davidson, D. W. and Cole, R. H., J. Chem. Phys. **19**, 1484.
 51 Ichikawa, T., Yamamura, H., and Negita, H., J. Sci. Hiroshima Univ. **15**, 73.
 51 Oppenheim, C., J. chim. phys. **48**, 377.
 51.1 Sen, S. N., Indian J. Phys. **25**, 25.
 51.2 Sen, S. N., Indian J. Phys. **25**, 187.
 51.3 Sen, S. N., Indian J. Phys. **25**, 237.
 51.1 Yasumi, M., Nukazawa, K., and Mizushima, S., Bul. Chem. Soc. Japan **24**, 60.
 51.2 Yasumi, M., Okabayashi, H., Shirai, M., and Mizushima, S., J. Chem. Phys. **19**, 978.

- 52 Brand, J. C. D., James, J. C., and Rutherford, A., J. Chem. Phys. **20**, 530.
 52 Bruma, M. M., Dalbert, R., Reinisch, L., and Magat, M., Compt. rend. 2d Reunion Annuelle Commission de Thermodynamique de l'Union "Changements de Phases" p. 373, Soc. Chim. Phys. (Paris, June 1952).
 52 Bruma, M. M., Dissertation, Univ. Paris.
 52 Corval, M. and Reinisch, L., Compt. rend. **234**, 724.
 52 Cole, R. H. and Davidson, D. W., J. Chem. Phys. **20**, 1389.
 52 Fischer, E. and Dieringer, F., Comm. Faculte Sci. Univ. Ankara [A] **4**, 41.
 52 Hamon, B. V. and Meakins, R. J., Australian J. Sci. Research [A] **5**, 671.
 52 Kastha, G. S., Indian J. Phys. **26**, 103.
 52 Lane, J. A. and Saxton, J. A., Proc. Roy. Soc. (London) [A] **213**, 400.
 52 Meckbach, W., Z. Physik **131**, 331.
 52 Saxton, J. A., Proc. Roy. Soc. (London) [A] **213**, 473.
 52 Smyth et al.:
 52.1 Branin, F. H. and Smyth, C. P., J. Chem. Phys. **20**, 1121.
 52.2 Curtis, A. J., McGeer, P. L., Rathmann, G. B., and Smyth, C. P., J. Am. Chem. Soc. **74**, 644.
 52.3 Hennelly, E. J., Heston, W. H., Jr., and Smyth, C. P., J. Am. Chem. Soc. **70**, 4102 (1948).
 52.4 Heston, W. H., Jr., Hennelly, E. J., and Smyth, C. P., J. Am. Chem. Soc. **70**, 4093 (1948).
 52.5 Heston, W. H., Jr., Hennelly, E. J., and Smyth, C. P., J. Am. Chem. Soc. **72**, 2071 (1950).
 52.6 Heston, W. H., Jr., and Smyth, C. P., J. Am. Chem. Soc. **72**, 99 (1950).
 52.7 Laquer, H. L. and Smyth, C. P., J. Am. Chem. Soc. **70**, 4097 (1948).
 52.8 McGeer, P. L., Curtis, A. J., Rathmann, G. B., and Smyth, C. P., J. Am. Chem. Soc. **74**, 3541.
 52 Yamamura, H., J. Sci. Hiroshima Univ. **10**, 353.
 52 Yasumi, M. and Shirai, M., Bul. Chem. Soc. Japan **25**, 132.

1953



- 53 Bogdanov, L. I. and Stepanenko, N. N., Zhur. Fiz. Khim. **27**, 1481.
 53 Brand, J. C. D., James, J. C., and Rutherford, A., J. Chem. Soc. **1953**, 2447.
 53 Brown, F., J. Am. Chem. Soc. **75**, 6041.
 53 Brot, C., Magat, M. and Reinisch, L., Kolloid-Z. **134**, 101.
 53 Dalbert, R., J. chim. phys. **50**, 329.
 53.1 Fischer, E. Z. Naturforsch. [A] **8**, 168.
 53.2 Fischer, E. and Fessler, R., Z. Naturforsch. [A] **8**, 177.
 53.1 Ghosh, D. K., Indian J. Phys. **27**, 285.
 53.2 Ghosh, D. K., Indian J. Phys. **27**, 511.
 53 Harris, F. E., Haycock, F. W., and Alder, B. J., J. Chem. Phys. **21**, 1943.
 53 Hasson, F. X. and Cole, R. H., Nature **172**, 212.
 53 Hasted, J. B. and El Sabeih, S. H. M., Trans. Faraday Soc. **49**, 1003.
 53 Hertel, P., Jr., Stratton, A. W., and Tolbert, C. W., J. Appl. Phys. **24**, 956.
 53 Koisumi, N., J. Chem. Phys. **21**, 1898.
 53 LeMontagner, S., and LeBot, J., Compt. rend. **236**, 593.
 53 Litovitz, T. A., and Sette, D., J. Chem. Phys. **21**, 17.
 53 Little, V. I., Proc. Phys. Soc. (London) [B] **66**, 175.
 53 MIT, Tables of Dielectric Materials, vol. III, Tech. Rept. No. X (June 1948), vol. IV, Tech. Rept. No. 57 (January 1953), Laboratory Insulation Research, Massachusetts Institute of Technology.

- 53 Powles, J. G., Williams, D. E., and Smyth, C. P., *J. Chem. Phys.* **21**, 136.
- 53 Reinisch, L., *Compt. rend.* **237**, 564.
- 53 Sirkar, S. C. and Ghosh, D. K., *J. Chem. Phys.* **21**, 1614.
- 53 Yamamura, H., Negita, H., and Kikuchi, Y., *J. Sci. Hiroshima Univ. [A]* **17**, 263.
- 1954**
- 54 Brot, C., *Compt. rend.* **239**, 160.
- 54 Buchanan, T. J., *J. Chem. Phys.* **22**, 578.
- 54 Dannhauser, W., Dissertation, Brown University.
- 54 Denny, D. J., Dissertation, Brown University.
- 54.1 Ghosh, D. K., *Indian J. Phys.* **28**, 191.
- 54.2 Ghosh, D. K., *Indian J. Phys.* **28**, 485.
- 54 Reinisch, L., *J. chim. phys.* **51**, 113.
- 54 Schulz, A. K., *Z. Naturforsch. [A]* **9**, 944.
- 54 Swensen, R. W. and Cole, R. H., *J. Chem. Phys.* **22**, 284.
- 1955**
- 55 Brot, C., *Compt. rend.* **240**, 1989.
- 55 Dannhauser, W. and Cole, R. H., *J. Chem. Phys.* **23**, 1762.
- 55 Denney, D. J. and Cole, R. H., *J. Chem. Phys.* **23**, 1767.
- 55 Hassion, F. X. and Cole, R. H., *J. Chem. Phys.* **23**, 1756.
- 55 Smyth et al.:
- 55.1 Holland, R. S. and Smyth, C. P., *J. Phys. Chem.* **59**, 1088.
- 55.2 Holland, R. S. and Smyth, C. P., *J. Am. Chem. Soc.* **77**, 268.
- 55.1 Lebrun, A., *Cahiers phys.* No. 60, p. 11.
- 55.2 Lebrun, A., *Ann. phys.* **10**, 16.
- 55 Okabayashi, H., *Bul. Chem. Soc. Japan* **28**, 312.
- 55 Poley, J. P., *Appl. Sci. Research [B]* **4**, 337.
- 55.1 Srivastava, S. S. and Puri, D. D., *J. Sci. Ind. Research (India) [B]* **14**, 413.
- 55.2 Srivastava, S. S., Rangan, C. S., and Sahi, M. M., *J. Sci. Ind. Research (India) [B]* **14**, 315.
- 55 Takahashi, I., Seno, H., and Takeyama, M., *Bul. Inst. Chem. Research (Kyoto)* **33**, 63.
- 55.1 Yamamura, H., Kawano, T., and Murakami, I., *J. Sci. Hiroshima Univ. (Japan) [A]* **19**, 161.
- 55.2 Yamamura, H., Fujita, K., and Fukuda, H., *J. Sci. Hiroshima Univ. (Japan) [A]* **19**, 173.
- 1956**
- 56 Arnoult, R., Lebrun, A., and Bouillet, C., *Arch. Sci. phys. et nat. (spec.)* **9**, 44.
- 56 Clark, G. L., *J. Chem. Phys.* **25**, 125.
- 56 Dieringer, F., *Z. Physik* **145**, 184.
- 56 Ghosh, D. K., *Indian J. Phys.* **29**, 581.
- 56 Krishna, K. V. G., *Current Sci.* **25**, 49.
- 56 Smyth et al.:
- 56.1 Calderwood, J. H. and Smyth, C. P., *J. Am. Chem. Soc.* **78**, 1295.
- 56.2 Holland, R. S., Roberts, G. N., and Smyth, C. P., *J. Am. Chem. Soc.* **78**, 20.
- 56.3 Miller, R. C. and Smyth, C. P., *J. Chem. Phys.* **24**, 814.
- 56.4 Miller, R. C. and Smyth, C. P., *J. Phys. Chem.* **60**, 1354.
- 56.5 Rathmann, G. B., Curtis, A. J., McGeer, P. L., and Smyth, C. P., *J. Am. Chem. Soc.* **78**, 2035.
- 56.6 Rathmann, G. B., Curtis, A. J., McGeer, P. L., and Smyth, C. P., *J. Chem. Phys.* **25**, 412.

Graphical Representations of Dielectric Data for Pure Liquids

The graphs are placed in the order of the ordinal numbers assigned in tables 1 to 4.

The graphs are reproductions from the literature, but have been relabeled to conform to a consistent nomenclature.





No. 8. CS2, Carbon disulfide. Cf. No. 7.

No. 13. C2Cl4, Tetrachloroethylene. Cf. No. 7.



No. 21. C2H6O, Ethanol.


Hassion (55).

Hassion (53).




C2H6O, Ethanol (1% H2O). Hassion (53).






No. 35. C_3H_8O , 1-Propanol.


Girard (42).




Davidson (51).




Davidson (51).




Cole (52).







No. 36. C_3H_8O , 2-Propanol. Hassion (55).




White (32).



Davidson (51).











No. 38. $C_3H_8O_2$, 1,3-Propanediol. White (32).




No. 39. $C_3H_8O_3$, Glycerol. Davidson (51).














Häfelin (46)



No. 67. $C_3H_{11}Br$, 1-Bromo-3-methyl butane. Schallmach (46.0).











No. 88. C_6H_{12} , Cyclohexane. Cf. No. 80.


No. 89. $C_6H_{12}O$, Cyclohexanol. Reinisch (53).




No. 93. $C_6H_{14}O$, 1-Hexanol. Reinisch (54).




Brot (54).





Brot (55).




Brot (53).





No. 94. C₆H₁₄O₂, 2-Methyl-2,4-pentanediol. White (32).







No. 114. $C_7H_{16}O$, 1-Heptanol. Oppenheim (51). Cf. No. 67.





No. 124. $C_8H_{17}DO$, 1-Octanol-D-1. Corval (52).




Girard (42). Cf. No. 70.






Dalbert (53). Cf. No. 67.





Dalbert (53).







No. 127. $C_8H_{18}O$, Butyl ether. Schallamach (46.1).




No. 131. $C_9H_{20}O$, 1-Nonanol. Cf. No. 93.



No. 136. $C_{10}H_{16}O$, Citral. Schallmach (46.1).





No. 137. $C_{10}H_{16}O_2$, Geranic acid. Schallmach (46.1).



No. 138. $C_{10}H_{18}$, *trans*-Decalhydronaphthalene. Cf. No. 80.



No. 139. $C_{10}H_{18}O$, Geraniol. Schallmach (46.2).






No. 165. $C_{17}H_{34}O_2$, Methyl palmitate. Buchanan (54).

No. 150. $C_{12}H_{24}O_2$, Dodecanoic acid (Lauric). Buchanan (54).




No. 169. $C_{18}H_{36}O_2$, Ethyl palmitate. Buchanan (54).

No. 153. $C_{12}H_{26}O$, 1-Dodecanol. Cf. No. 93.




No. 163. $C_{16}H_{34}O$, 1-Hexadecanol. Klages (50).



No. 172. $C_{20}H_{40}O$, Phytol. Cf. No. 139.

No. 174. $C_{20}H_{42}O$, Di-dihydrocitronellyl ether. Cf. No. 127.

No. 178. $C_{22}H_{42}O_2$, Phytyl acetate. Schallamach (46.2).



5. Dilute Solutions

Table 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions

Table 6. Dielectric dispersion parameters and numerical data for dilute aqueous solutions

Chemical Formulas and Order of Listing of Compounds

The listing of solutes follows the scheme described for tables 1 to 4. The same scheme is adopted for the solvents under a given compound.

Dispersion Parameters for Nonaqueous Solutions

Treatment of data: The data for most solutions are either so limited or varied that a critical evaluation of the dispersion parameters is impractical. The values listed in tables 5 and 6 are in most instances those reported by the authors. They have been determined in the great majority of cases from Cole-Cole plots.

Tabulated quantities:

$(\Delta\epsilon/c)_\infty$ = the value of the incremental dielectric constant for $\lambda = \infty$.

$(\Delta\epsilon/c)_0$ = the value of the incremental dielectric constant for $\lambda = 0$.

$\Delta\epsilon'/c$ = the incremental dielectric constant defined by the relation $\epsilon'_{12} = \epsilon'_1 + (\Delta\epsilon'/c) \cdot c$, where c is the concentration, and the subscripts 12 and 1 refer to the solution and solvent, respectively.

$\Delta\epsilon''/c$ = the incremental dielectric loss defined by the relation $\epsilon''_{12} = (\Delta\epsilon''/c) \cdot c$.

$\Delta \tan \delta/c$ = the incremental loss tangent defined by the relation $\tan \delta_{12} = (\Delta \tan \delta/c) \cdot c$.

α = the distribution parameter of the Cole-Cole representation.

λ_c = the critical wavelength characteristic of the dispersion.

Notations:

$(\Delta\epsilon'/c)(\)$, $(\Delta\epsilon''/c)(\)$: The symbols m, x, and w in the parentheses following the data listed for $\Delta\epsilon'/c$ and $\Delta\epsilon''/c$ denote the concentration units, molarity, mole fraction, and weight fraction, respectively.

[]: Brackets denote that the value is assumed.

Dispersion Parameters for Aqueous Solutions

The quantities tabulated are the Debye parameters for the individual solutions.

References and Bibliography

All references are collected in a bibliography at the end of the tables.

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions

Solution	t ($^{\circ}\text{C}$)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Cole}	λ_c (cm)	References
CHCl_3										
C_1										
Chloroform										
Solvent: Carbon tetrachloride	23	430						0	0.94	49.1 Fischer, 50.2 Whiffen.
	20	3.65 1.65 1.41 0.885 .625					0.0137(m) .080 .082 .084 .081			
Carbon disulfide	20	3.34 1.41 0.885 .625					.0100(m) .025 .080 .084	0	.51	50.2 Whiffen.
Benzene	23	430								
	20	3.65 1.65 1.41 0.885 .625					.023(m) .084 .082 .080 .0226(m) .0256	0	1.34	49.1 Fischer, 50.2 Whiffen.
Cyclohexane	19	1.22 0.80					.0326(m) .0239 .083 .084	0	1.45	48 Powles, 46 Jackson.
	19	3.09 3.06 1.23					.0085(m) .0289 .0836			
	20	3.348 1.41 0.885 .625					.0118 .029 .083 .084	0	0.60	50.2 Whiffen.
1-Heptane	-70 -60 -50 -40 -30 -20 -10 0 10 20 40 60 80	1.27					.041(m) .042 .042 .041 .038 .038 .033 .033 .028 .028 .023 .023 .020 .017	0	2.17 1.70 1.51 1.26 1.00 0.88 .83 .72 .68 .64 .58 .51 .45	46.2 Whiffen.
CH_2O										
Formic acid										
Solvent: 1,4-Dioxane	(20?)	25.6						[0]	3.2	48 Potopenko.
CH_3Br										
Bromomethane										
Solvent: Carbon tetrachloride	20	9.65					.082(w)	[0]	0.34	54 LeFevre.
CH_2Cl										
Chloromethane										
Solvent: Carbon tetrachloride	22	9.65					.192(w)	[0]	.34	54 LeFevre.
CH_3I										
Iodomethane										
Solvent: Carbon tetrachloride	22	9.65					.059(w)	[0]	.47	54 LeFevre.

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Calc}	λ_c (cm)	References	
C ₁ —Continued Nitromethane <i>Solvents:</i> Carbon tetrachloride.	22	9.65					0.84(w)	[0]	0.58	54	
	10	0.866					.207	[0]	1.14	56	
	20						.216				
	30						.219				
	40						.214				
Benzene.	19	3.26 1.27					.091(m) .196	[0]	0.74	46.1	
	18.5	3.25 1.25					.102(m) .197	0	.82	46	
	10	0.866					.231(m)	[0]	.80	56	
	20						.228				
	30						.211				
CH ₄ O Methanol <i>Solvent:</i> Benzene.	23	430								49.1	
	(20)	400 to 450								39	
	25	1.25; 3.20								55	
	C ₂ 1,1,1-Trichloroethane <i>Solvents:</i> Carbon tetrachloride.	4	10.7 1.24	4.48	0.00	3.66(x) 2.54	0.18(x) 1.63		0.10	.86	56
		20	30 10.7 1.24	3.58	-.09	3.60 3.62 2.66	0.09 .16 1.41		.07	.67	
40		10.7 1.24	3.18	.00	3.18 2.68	0.13 1.29		.00	.58		
		3.22 1.27	2.50	.19	2.4(x) 1.97	0.32(x) .76		.12	.45		
		3.22 1.27	2.23	.19	2.12 1.85	.26 .63		.12	.40		
1-Heptane.	60	3.22 1.27	1.99	.19	1.95 1.73	.20 .52		.11	.34		
	20	10.0 3.22 1.27	2.43	.04	2.25(w) 2.16 1.45	.23(w) .54 .90		.16	.83		
		3.22 1.27	2.18	.04	2.08(w) 1.98 1.38	.17(w) .42 .82		.17	.67		
		10.0 3.22 1.27	2.00	.04	1.92(w) 1.82 1.14	.15(w) .33 .74		.17	.56		
	C ₃ H ₅ N Acetonitrile <i>Solvents:</i> Carbon tetrachloride. Benzene.	22	9.65					1.35(w)	[0]	.53	54
18.5		3.25 1.25					0.0919(m)	[0]	.47	46	

$C_2H_4Cl_2$	23	430							49.1 Fischer.
<i>Solvent:</i> Benzene.....									
$C_2H_4Br_2$	23	430							49.1 Fischer.
<i>Solvent:</i> Benzene.....									
$C_2H_4O_2$	(20?)	25.6							48 Potopenko.
Acetic acid								[η]	4.9
<i>Solvent:</i> 1,4-Dioxane.....									
C_2H_6Br	0	3.22 1.27	5.40	-0.06	4.98(x) 3.35	1.47(x) 1.75	0.02		50 Franklin.
Bromoethane	20	3.22 1.27	5.20	-.06	4.68 3.40	1.06 1.54	.2		
<i>Solvents:</i> Benzene.....	40	3.22 1.27	5.00	-.07	4.26 3.35	0.78 1.31	.2		
Cyclohexane.....	0	3.22 1.27	4.50	.14	4.05(x) 2.85	0.80(x) 1.10	.2		
	20	3.22 1.27	4.30	.13	3.73 2.85	0.60 .95	.2	.4	
	40	3.22 1.27	4.10	.12	3.39 2.80	.45 .81	.2		
1-Heptane.....	0	3.22 1.27	3.10	.15	3.08 3.10	.48(x) .78	.05		
	20	3.22 1.27	3.00	.14	2.76 2.80	.36 .66	.1	.3	
	40	3.22 1.27	(2.90)	.13	2.49 2.40	.27 .56	.26		
Hexadecane.....	20	3.22 1.27	1.45	.04	1.37(x) 1.20	.28(x) .33	.2	.4	
	30	3.22 1.27	1.40	.04	1.29 1.08	.24 .29	.3		
	40	3.22 1.27	1.37	.04	1.24 0.95	.20 .25	.3		
C_2H_6O									49.1 Fiseher.
Ethanol	23	430							39 Fillipov.
<i>Solvent:</i> Benzene.....	(20)	400 to 450							55 Poley.
	21	1.25 to 3.99							
$C_3H_6Cl_2$	2	30. 10.7 6.6 1.24	4.20	.04	4.20(x) 4.05 4.10 3.18	.07(x) .19 .33 1.22	.21	.48	56 Holland.
2,2-Dichloropropane									
<i>Solvents:</i> 1-Heptane.....	20	30. 10.7 6.6 1.24	3.80	.04	3.79 3.68 3.70 2.90	0.05 .15 .22 1.05	.22	.45	
	40	30. 10.7 6.6 1.24	3.42	.05	3.42 3.30 3.30 2.82	0.04 .11 .17 .84	.20	.34	

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Calc}	λ_c (cm)	References		
$\text{C}_3\text{H}_6\text{Cl}_2$ C ₃ —Continued 2,2-Dichloropropane—Con. Solvents—Continued Nujol ^a	40	30.	3.71	0.17	3.51(x)	0.10		0.0	0.51			
		10.7			3.70	.28						
		6.6			3.68	.44						
		3.22			3.68	.55						
		1.24			2.78	1.22						
$\text{C}_3\text{H}_6\text{O}$ Acetone Solvents: Benzene.....	60	30.	3.14	.17	3.04	0.07		.0	.41			
		10.7			3.17	.22						
		6.6			3.15	.31						
		3.22			3.02	.34						
		1.24			2.98	1.08						
$\text{C}_3\text{H}_8\text{N}_2\text{O}_4$ 1-Hexane..... 2,2-Dinitropropane. Solvents: 1-Heptane.....	23	430	11.00	.06				0	.625	49.1 Fischer. 37 Holzmüller. 46 Jackson.		
		24			380						0.0256(m)	
					19	9.09	.0854					
	19	3.06			1.23	.170	.067(m)					
		3.26			1.27	.143	.078(m)					
		1.27			3.25	.168	.078(m)					
	18.5	1.22			1.22	.154(m)						
		(30)			3.15							
					24	380						
	2	30.			10.9(x)		0.26(x)					
		10.7			11.4		.95					
		6.6			10.8		1.44					
	20	1.24			7.9		4.46					
		30			10.2		0.20					
		10.7			10.2		.70					
6.6		8.50		1.93								
3.22		8.2		2.84								
40	1.24	9.11		3.69								
	30	9.15		0.15								
	10.7	9.10		.55								
	6.6	8.1		.26								
	1.24	7.9		3.15								
20	30.	11.7(x)		0.62(x)								
	10.7	11.2		1.78								
	6.6	11.3		2.44								
	3.22	11.2		2.84								
	1.24	9.6		4.33								
40	30.	11.34		0.44								
	10.7	11.0		1.27								
	6.6	11.0		1.82								
	3.22	9.6		2.22								
	1.24	6.2		4.10								
60	30.	10.27		0.32								
	10.7	10.2		1.26								
	6.6	9.8		1.44								
	3.22	9.0		3.81								
	1.24	6.7		4.81								

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Cole}	λ_c (cm)	References	
C_4H_9Cl C_4 —Continued 2-Chloro-2-methylpropane— Continued <i>Solvents</i> —Continued 1-Heptane	0	5.59 3.22 1.27	4.00	0.22	3.70(x) 3.74 3.45	0.34(x) .56 .98		0.3	-----	50 Franklin.	
	20	5.59 3.22 1.27	3.56	.20	3.50 3.50 2.90	.26 .45 .75		.2	0.3		
	40	5.59 3.22 1.27	3.26	.19	3.28 3.10 2.45	.19 .34 .64		.2	-----		
	20	3.22 1.27	1.85	.06	1.64(x) 1.70	.27(x) .50				50 Franklin.	
	30	3.22 1.27	1.80	.06	1.54 1.60	.24 .43					
	40	3.22 1.27	1.70	.05	1.46 1.55	.22 .36					
	C_4H_9I 2-Iodo-2-methylpropane	20	9.65					0.214(w)	[0]	0.94	54 LeFevre.
		(20)	400 to 450								39 Filipov.
	$C_4H_{10}O$ <i>Solvent</i> : Carbon tetrachloride 1-Butanol <i>Solvent</i> : Benzene 2-Methyl-1-propanol <i>Solvent</i> : Benzene C_5 Pyridine <i>Solvents</i> : Carbon tetrachloride 1, 4-Dioxane Benzene Cyclohexane 1-Hexane 1-Heptane	20	10 to 500						[0]	(6)	46 Häfeltn.
		25	340								53 Hase.
25		340								53 Hase.	
25		340								53 Hase.	
25		340								53 Hase.	
25		340								53 Hase.	
1		33.3 10.7 6.6 1.24	4.08	.20	4.08(x) 4.10 3.90 3.50	0.06(x) .19 .35 1.26		0.05	0.46	55.1 Holland.	
20		33.3 10.7 6.6 1.24	3.67	.17	3.68(x) 3.70 3.66 3.26	0.05(x) .15 .25 1.06		.04	.42		
40		33.3 10.7 6.6 1.24	3.37	.17	3.38(x) 3.40 3.32 3.00	0.04(x) .11 .17 .86		.06	.36		
C_6H_8O Cyclopentanone <i>Solvents</i> : Benzene 1-Hexane		24.1	380								37 Holzmüller.
	24.1	380								37 Holzmüller.	

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{calc}	λ_c (cm)	References
C_6H_5Cl										
C_6H_5 —Continued										
Chlorobenzene	25	450								53.1 Fischer.
<i>Solvents:</i> Carbon tetrachloride	25	340								53 Hase.
	14	0.65					0.33 (w)	[0]	1.62	54 LeFevre.
1,4-Dioxane	25	340								53 Hase.
Benzene	23	430								49.1; 49.2 Fischer.
	25	340								53 Hase.
	30	3.15								56.2 Murty.
	20	3.65					.048 (m)	0	1.56	50.2 Whiffen.
		1.65					.063			
		1.11					.061			
		0.885					.04			
		.625					.045			
	19	3.26					.046 (m)	0	1.41	46.1 Whiffen.
		1.27					.063			
	18.5	3.25					.056 (m)	0	2.05	46 Cripwell.
		1.25					.053			
Cyclohexane	25	340								53 Hase.
	19	1.65					.064 (m)	0	1.47	50.2 Whiffen.
		0.885					.055			
		.625					.051			
1-Hexane	25	340								53 Hase.
C_6H_5ClO										
<i>o</i> -Chlorophenol										
<i>Solvent:</i> Carbon tetrachloride	25;42	454								54 Fischer.
C_6H_5F										
Fluorobenzene										
<i>Solvent:</i> Benzene	14	9.65								54 LeFevre.
Iodobenzene	30	3.15					.203 (w)	[0]	1.02	56.2 Murty.
<i>Solvents:</i> Carbon tetrachloride	14	9.65								54 LeFevre.
1,4-Dioxane	25	340								53 Hase.
Benzene	25	340								53 Hase.
	30	3.15								56.2 Murty.
Cyclohexane	25	340								53 Hase.
1-Hexane	25	340								53 Hase.
$C_6H_5NO_2$										
Nitrobenzene										
<i>Solvents:</i> Carbon tetrachloride	25;42	5.32								53.2 Fischer.
	25	340								53 Hase.

3.65	3.65	0	2.87	50.2	Whiffen.
1.41	1.41				
0.885	0.885				
.625	.625				
3.65	3.65	0	1.62	50.2	Whiffen.
1.41	1.41				
0.885	0.885				
.625	.625				
340	340				
430	430				
340	340				
48.5	48.5	0	2.18	53	Hase.
25.2	25.2				
9.09	9.09				
3.06	3.06				
1.23	1.23				
10.2	10.2	0	2.15	46	Jackson.
3.26	3.26				
1.25	1.25				
1.25 to 3.99	1.25 to 3.99				
3.65	3.65	0	2.41	55	Poley.
1.65	1.65				
0.885	0.885				
.625	.625				
3.26	3.26	0	2.17	50.2	Whiffen.
1.27	1.27				
3.25	3.25	0	2.45	46	Cripwell.
1.25	1.25				
9.65	9.65	0	2.07	54	LeFevre.
3.15	3.15	[0]			
340	340				
3.65	3.65	0	1.79	56.1	Murty.
1.65	1.65				
1.41	1.41				
0.885	0.885				
.625	.625				
340	340				
3.65	3.65	0	1.28	53	Hase.
1.65	1.65				
1.41	1.41				
0.885	0.885				
.625	.625				
340	340				
454	454				
25	25				
454	454				
25; 42	25; 42				
460	460				
430	430				
23	23				
430	430				
23	23				
430	430				

Carbon disulfide.....

1,4-Dioxane.....

Benzene.....

Cyclohexane.....

1-Hexane.....

1-Heptane.....

o-Nitrophenol

Solvent:

Carbon tetrachloride....

Phenol

Solvent:

Carbon tetrachloride....

Aniline

Solvents:

Carbon tetrachloride....

Benzene.....

1,4-Benzene diamine.....

Solvent:

Benzene.....

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Cole}	λ_c (cm)	References
C₆—Continued										
C ₆ H ₁₀ O Cyclohexanone	25	473						[0]	1.64	56 Dieringer.
<i>Solvents:</i> Carbon tetrachloride	24.1	380					0.165(cm) .251	0	1.23	37 Holzmüller. 46.1 Whiffen.
Benzene	19	3.26 1.27								
Cyclohexane	18.5	3.25 1.25					.215(cm) .220	0	1.98	46 Cripwell.
Cyclohexane	25	473						[0]	0.83	56 Dieringer.
1-Hexane	24.1	380								37 Holzmüller.
Bromocyclohexane										
<i>Solvent:</i> Carbon tetrachloride	25	473						[0]	2.6	56 Dieringer.
Chlorocyclohexane										
<i>Solvent:</i> Carbon tetrachloride	25	473						[0]	2.0	56 Dieringer.
1,4-Dioxane	25	340								53 Hase.
Benzene	25	340								53 Hase.
Cyclohexane	25	340								53 Hase.
Cyclohexane	25	340								53 Hase.
1-Hexane	25	340								53 Hase.
Nitrocyclohexane										
<i>Solvents:</i> Carbon tetrachloride	25	473						[0]	2.73	56 Dieringer.
Cyclohexane	25	473						[0]	1.56	56 Dieringer.
C ₆ H ₁₂ O 3,3-Dimethyl-2-Butanone (Pinacoln)										
<i>Solvents:</i> Benzene	24.1	380								
1-Hexane	24.1	380								
Paraaldehyde										
<i>Solvent:</i> Benzene	(22)	10; 25								
C ₆ H ₁₂ O ₃ 1-Hexano!										
<i>Solvent:</i> Benzene	23	430								
C ₆ H ₁₄ O Benzene	24	382								
C ₇ Benzonitrile										
<i>Solvents:</i> Carbon tetrachloride	25; 42 14	476 9.65					4.25(vr)	[0]	3.20	53.2 Fischer. 54 LeFevre.

C_7H_6O	Benzene..... Benzaldehyde <i>Solvent:</i> Benzene.....	23	430				49.1 Fischer.
$C_7H_6O_2$	Salicylaldehyde <i>Solvent:</i> Carbon tetrachloride.....	23	430				49.1 Fischer.
C_7H_7Cl	α -Chlorotoluene (benzyl chloride) <i>Solvent:</i> Benzene.....	25	454				54 Fischer.
C_7H_7I	<i>p</i> -Iodotoluene <i>Solvent:</i> Carbon tetrachloride.....	23	430				49.1 Fischer.
$C_7H_7NO_2$	1,4-Dioxane..... Benzene..... Cyclohexane..... 1-Hexane..... <i>p</i> -Nitrotoluene <i>Solvent:</i> Benzene.....	25 25 25 25 25	340 340 340 340 340				53 Hase. 53 Hase. 53 Hase. 53 Hase. 53 Hase.
C_7H_8	Toluene <i>Solvent:</i> Carbon tetrachloride.....	22	9.65	2.31(w)	[0]	3.6	54 LeFevre.
C_7H_8O	Toluene Methoxybenzene (Anisole) <i>Solvent:</i> Carbon tetrachloride.....	22 19	9.65 3.26 1.27	0.015(w) .00175(m) .0024	[0] 0	1.26 1.38	54 LeFevre. 46.1 Whiffen.
$C_7H_8O_3$	<i>o</i> -Cresol <i>Solvent:</i> Carbon tetrachloride.....	25; 42 25	458 340				53.2 Fischer. 53 Hase.
C_7H_6N	<i>o</i> -Toluidine <i>Solvent:</i> Carbon tetrachloride..... Benzylamine <i>Solvent:</i> Benzene.....	23 25	430 454 447				49.1 Fischer. 54 Fischer.
	<i>o</i> -Toluidine <i>Solvent:</i> Benzene..... <i>m</i> -Toluidine <i>Solvent:</i> Benzene..... <i>p</i> -Toluidine <i>Solvent:</i> Benzene.....	23 23 23	430 430 430				49.1 Fischer. 49.1 Fischer. 49.1 Fischer.
	Benzene.....	23	430				49.1 Fischer.

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Calc}	λ_c (cm)	References
$C_7H_{14}O$										
C ₇ —Continued										
4-Heptanone										
Solvent:	23	430								49.1 Fischer.
Benzene.....	24.1	380								37 Holzmüller.
2,4-Dimethyl-3-pentanone										
Solvent:	24.1	380								37 Holzmüller.
Benzene.....	24.1	380								37 Holzmüller.
1-Hexane.....										
Heptanal										
Solvent:	24.1	380								37 Holzmüller.
Benzene.....	24.1	380								37 Holzmüller.
1-Hexane.....										
1-Bromoheptane										
Solvent:	23	430								49.1 Fischer.
Benzene.....										
C ₈										
p-Xylene dihydromide										
Solvent:	23	430								49.1 Fischer.
Benzene.....										
p-Xylene dichloride										
Solvent:	23	430								49.1 Fischer.
Benzene.....										
Acetophenone										
Solvent:	23	430								49.1 Fischer.
Benzene.....										
Carbon tetrachloride....	25; 42	480								53.2 Fischer.
Benzene.....	23	430								49.1 Fischer.
Phenyl acetate	(30)	3.15								56.1 Murty.
C ₉ H ₈ O ₂										
Solvent:	23	430								49.1 Fischer.
Benzene.....										
Methyl benzoate										
Solvent:	20	3.65								50.2 Whiffen.
Benzene.....		1.65								
		1.41								
		0.885								
		.625								
	19	3.26								46.1 Whiffen.
		1.27								
	18.5	3.25								46 Crippwell.
		1.25								
	20	3.65								50.2 Whiffen.
		1.65								
		1.41								
		0.885								
		.625								
	20	3.65								50.2 Whiffen.
		1.65								
		1.41								
		0.885								
		.625								

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Cole}	λ_c (cm)	References
C₆ —Continued										
1-Heptane—Continued										
Solvents—Continued										
1-Hexadecane	60	10.0 5.59 3.22 1.27	2.66 ^b	0.30	2.65 2.44 1.96 1.60	0.38 .53 .72 .73		0.16	1.39	
	20	5.59 3.22 1.27	1.50	.10	1.04 (x) 0.73 .35	.41 (x) .20 .27		.30	3.64	
	40	5.59 3.22 1.27	1.40	.10	1.00 0.78 .40	.36 .37 .33		.39	3.00	
	60	5.59 3.22 1.27	1.30	.10	.96 .79 .44	.32 .35 .36		.29	2.55	
C ₈ H ₁₇ Cl										49.1 Fischer.
1-Chlorooctane	23	430								
Solvent: Benzene										
C ₈ H ₁₈ O										49.1 Fischer. 36 Martin.
1-Octanol	23	430								
Solvent: Benzene	24	382								
Butyl ether										49.3 Fischer.
Solvent: Benzene	23									
C ₈ H ₁₆ N										49.3 Fischer.
Dibutylamine	23									
Solvent: Benzene										
C₉										
C ₉ H ₁₀ O ₂										49.1 Fischer. 50.2 Whiffen.
Ethyl benzoate	23	430						0	2.43	
Solvents: Benzene	20	3.65 1.65 0.885 .625					0.088(m) .085 .057 .046			
	19	3.26 1.27					.089(m) .078	0	2.26	46.1 Whiffen.
	18.5	3.25 1.25					.115(m) .077	0	3.32	46 Cripwell.
Cyclohexane	20	3.65 1.65 1.41 0.885 .625					.082(m) .074 .065 .053 .043	0	2.60	50.2 Whiffen.
C ₉ H ₁₁ Cl										49.1 Fischer.
3-Chloropropylbenzene	23	430								
Solvent: Benzene										

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Cole}	λ_c (cm)	References
C₁₀ —Continued										
2-Chloronaphthalene										
<i>Solvent:</i> Carbon tetrachloride...	12	9.65					0.50(w)	[0]	3.8	54 LeFevre.
1-Fluoronaphthalene										
<i>Solvent:</i> Carbon tetrachloride...	14	9.65					.30(w)	[0]	2.8	54 LeFevre.
2-Fluoronaphthalene										
<i>Solvent:</i> Carbon tetrachloride...	15	9.65					.40(w)	[0]	3.4	54 LeFevre.
1-Iodonaphthalene										
<i>Solvent:</i> Carbon tetrachloride...	12	9.65					.232(w)	[0]	4.4	54 LeFevre.
2-Iodonaphthalene										
<i>Solvent:</i> Carbon tetrachloride...	12	9.65					.30(w)	[0]	5.1	54 LeFevre.
C₁₀H₇NO₂										
1-Nitronaphthalene										
<i>Solvents:</i> Carbon tetrachloride...	20	9.65					2.52(w)	[0]	3.6	54 LeFevre.
Benzenesolvent	15	9.65					1.28(w)	[0]	3.2	
C₁₀H₉N										
1-Naphthylamine										
<i>Solvent:</i> Benzene...	23	430								49.1 Fischer.
C₁₀H₁₃O₂										
4-Allyl-1-hydroxy-2-methoxybenzene (Eugenol)										
<i>Solvent:</i> Carbon tetrachloride...	25	455								54 Fischer.
C₁₀H₁₆O										
Camphor										
<i>Solvents:</i> Carbon tetrachloride...	20	3.34 1.65 1.34 0.885 .625					0.211(m) .235 .212 .178 .130	0	2.02	50.2 Whiffen.
Carbon disulfide										
<i>Solvent:</i> Carbon disulfide...	20	3.24 1.64 1.41 0.885 .625					.159(m) .228 .219 .202 .163	0	1.41	
Tetrachloroethylene										
<i>Solvents:</i> Carbon tetrachloride...	20	3.34 1.65 1.41 0.885 .625					.190(m) .219 .183 .159 .120	0	2.02	
Methyl cyclopentane										
<i>Solvent:</i> Methyl cyclopentane...	20	3.34 1.41 0.835 .625					.131(m) .245 .237 .198	0	1.09	

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta\epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta\epsilon'}{c}\right)_0$	$\frac{\Delta\epsilon'}{c}$	$\frac{\Delta\epsilon''}{c}$	$\frac{\Delta \text{tan } \delta}{c}$	α_{Cole}	λ_c (cm)	References
C₁₁—Continued										
6-Undecanone										
<i>Solvents:</i> Benzene.....	24.1	380								37 Holz Müller.
1-Hexane.....	24.1	380								37 Holz Müller.
C₁₂										
4-Chlorobiphenyl										
<i>Solvent:</i> Benzene.....	22	9.65					0.26(w)	[0]	6.0	54 LeFevre.
Iodobiphenyl										
<i>Solvents:</i> Carbon tetrachloride.....	25	340								53 Hase.
1,4-Dioxane.....	25	340								53 Hase.
Benzene.....	25	340								53 Hase.
Cyclohexane.....	25	340								53 Hase.
1-Hexane.....	25	340								53 Hase.
4-Nitrobiphenyl										
<i>Solvent:</i> Benzene.....	22	9.65					1.97(w)	[0]	6.6	54 LeFevre.
Phenyl ether										
<i>Solvent:</i> Benzene.....	23									49.3 Fischer.
Diphenylamine										
<i>Solvent:</i> Benzene.....	23									49.3 Fischer.
4,4'-Diaminobiphenyl										
<i>Solvent:</i> Benzene.....	23	430								49.1 Fischer.
1-Chlorododecane										
<i>Solvents:</i> Carbon tetrachloride.....	25	340								53 Hase.
1,4-Dioxane.....	25	340								53 Hase.
Benzene.....	23	430								49.1 Fischer.
	25	340								53 Hase.
Cyclohexane.....	25	340								53 Hase.
<i>n</i> -Hexane.....	25	340								53 Hase.
C₁₃										
Benzophenone										
<i>Solvents:</i> Carbon tetrachloride.....	10	3.25					0.219(m)			56 Clark.
	20						.225			
	30						.217			

TABLE 5. Dielectric dispersion parameters and numerical data for dilute nonaqueous solutions—Continued

Solution	t (°C)	λ (cm)	$\left(\frac{\Delta \epsilon'}{c}\right)_{\infty}$	$\left(\frac{\Delta \epsilon'}{c}\right)_0$	$\frac{\Delta \epsilon'}{c}$	$\frac{\Delta \tan \delta}{c}$	α_{Cole}	λ_c (cm)	References
C₁₂H₁₀O₂									
C ₁₂ H ₁₀ O ₂									
C ₁₂ H ₁₀ O ₂ —Continued									
1-Chloroanthraquinone									
Solvent:									
Benzene	23	430							49.1 Fischer.
2-Chloroanthraquinone									
Solvent:									
Benzene	23	430							49.1 Fischer.
3,3'-Dimethyl-4-iodobiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
2,2'-Dimethyl-4-iodobiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
3,3'-Dimethoxy-4-iodobiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
3,3'-Dimethylbiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
2,2'-Dimethylbiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
4,4'-Dimethoxybiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
3,3'-Dimethoxybiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
3,3'-Dimethoxybiphenyl									
Solvent:									
Carbon tetrachloride	25	340							53 Hase.
Bromotetradecane									
Solvent:									
Carbon tetrachloride	20	10.0 3.22 1.27	4.20	0.0	2.68(x) 1.18 0.41	1.46(x) 1.27 0.80	0.20	6.7	52 Curtiss.
1-Heptane									
Solvent:									
Carbon tetrachloride	40	10.0 3.22 1.27	3.76	.0	2.70 1.46 0.54	1.20 1.28 0.95	.19	4.7	
1-Heptane									
Solvent:									
Carbon tetrachloride	60	10.0 3.22	3.34	.0	2.76 1.60	.98 1.18	.18	3.3	
1-Heptane									
Solvent:									
Carbon tetrachloride	4	10.0 5.59	3.40	.59	2.62(x) 2.52	1.00(x) 0.92			
1-Heptane									
Solvent:									
Carbon tetrachloride	20	10.0 5.59 3.22 1.27	3.22	.59	2.60 2.38 1.72 1.00	.83 .89 .96 .71	.18	4.1	
1-Heptane									
Solvent:									
Carbon tetrachloride	40	10.0 5.59 3.22	3.00	.59	2.55 2.28 1.82	.70 .76 .86	.18	3.1	

	Paraffin.....	60	10.0 5.59 3.22 1.27	2.79	.59	2.63 2.16 1.94 1.23	.65 .66 .76 .81	.19	2.4	
		4	3.22 1.27	1.60	.11	0.27(x) .22	.21(x) .12	.38	35	
		20	10.0 5.59 3.22 1.27	1.46	.11	.59 .51 .34 .25 .21	.36 .34 .25 .16	.36	19	
		40	10.0 5.59 3.22 1.27	1.32	.11	.66 .59 .32 .33 .20	.34 .32 .30 .21	.32	12	
		60	10.0 5.59 3.22 1.27	1.15	.11	.73 .68 .42 .20	.32 .35 .32 .24	.27	6.6	
	C₁₆									
C ₁₆ H ₁₈ O ₄	3,5,3',5'-Tetramethoxybi- phenyl	25	340							53 Hase.
	<i>Solvent:</i> Carbon tetrachloride...									
C ₁₆ H ₁₈ O ₂	3,3'-Diethoxybiphenyl	25	340							53 Hase.
	<i>Solvent:</i> Carbon tetrachloride...									
C ₁₆ H ₁₃ Br	1-Bromohexadecane	23	430							49.1 Fischer.
	<i>Solvent:</i> Benzene.....									
C ₁₆ H ₁₃ Cl	1-Chlorohexadecane	23	430							49.1 Fischer.
	<i>Solvent:</i> Benzene.....									
C ₁₆ H ₃₄ O	1-Hexadecanol	23	430							49.1 Fischer.
	<i>Solvent:</i> Benzene.....									
C ₂₄ H ₃₈ O ₄	Dibetyl phthalate	24	382							36 Martin.
	<i>Solvent:</i> Benzene.....									
C ₂₈ H ₃₆	2'',3,3',3'''-Tetramethyl- <i>p</i> - quaterphenyl	20	(1 to 10)							52 Srivastava.
	<i>Solvent:</i> Carbon tetrachloride...									
	2,2',2'',3'''-Tetramethyl- <i>p</i> - quaterphenyl	25	340							53 Hase.
	<i>Solvent:</i> Carbon tetrachloride...									
C ₂₈ H ₃₈ O ₄	2'',3,3',3'''-Tetramethoxy- <i>p</i> - quaterphenyl	25	340							53 Hase.
	<i>Solvent:</i> Carbon tetrachloride...									

TABLE 6. Dielectric dispersion parameters and numerical data for dilute aqueous solutions

Solute	t ($^{\circ}$ C)	λ (cm)	Concentration, moles per liter	ϵ'	ϵ''	$\epsilon_{\lambda=\infty}$	$\epsilon_{\lambda=0}$	α_{Cole}	λ_c (cm)	References					
$\text{C}_2\text{H}_7\text{N}$ Ethyl amine.....	25	9.22	0.6	72.4	12.9	$\epsilon_{\lambda=\infty}$	5.5	0	1.77	52 Haggis.					
		3.175		57.6	30.0										
		1.264		30.1	33.1										
		3.175	1.16	55.2	30.8	$\epsilon_{\lambda=\infty}$	5.5	0	1.84						
		1.265		27.9	31.7										
$\text{C}_2\text{H}_6\text{N}_2$ Ethylenediamine.....	25	9.22	0.525	74.3	12.0	$\epsilon_{\lambda=\infty}$	5.5	0	1.75						
		3.175		59.7	29.2										
		1.264		31.3	33.0										
		9.22		71.0	12.5					$\epsilon_{\lambda=\infty}$	5.5				
		9.22	1.57	68.5	13.5	$\epsilon_{\lambda=\infty}$	5.5	0	2.06						
		3.175		51.5	30.2										
		1.264		24.7	29.5										
$\text{C}_3\text{H}_8\text{O}$ 1-Propanol.....	25	9.22	0.33	72.6	12.5	$\epsilon_{\lambda=\infty}$	5.5	0	1.69						
		3.175		61.3	29.3										
		1.264		31.6	33.3										
			9.22	.66	70.7	13.0	$\epsilon_{\lambda=\infty}$	5.5	0	1.81					
			3.175		58.2	30.2									
			1.264		29.5	32.0									
		9.22	1.0	70.0	14.6	$\epsilon_{\lambda=\infty}$	5.5	0	1.94						
		3.175		54.9	30.3										
		1.264		27.1	31.3										
2-Propanol.....	25	9.22	0.33	74.8	11.5	$\epsilon_{\lambda=\infty}$	5.5	0	1.63						
		1.264		31.6	33.8										
		9.22		.66	72.3					11.0	$\epsilon_{\lambda=\infty}$	5.5	0	1.73	
		1.264		28.9	32.3										
		1.264	1.0	26.2	30.7	$\epsilon_{\lambda=\infty}$	5.5	0	1.85						
$\text{C}_3\text{H}_7\text{O}_2$ Propionic acid.....	25	9.22	0.5	73.3	12.7	$\epsilon_{\lambda=\infty}$	5.5	0	1.66						
		3.175		59.1	28.5										
		1.264		31.4	33.3										
		9.22		1.0	69.4					13.4	$\epsilon_{\lambda=\infty}$	5.5	0	1.77	
		3.175			55.4					28.5					
		1.264		28.9	31.4										
		9.22	1.5	65.7	13.0	$\epsilon_{\lambda=\infty}$	5.5	0	1.91						
		3.175		51.4	28.7										
		1.264		26.4	29.6										
$\text{C}_3\text{H}_9\text{N}$ 1-Propylamine.....	25	1.264	0.33	31.8	33.7	$\epsilon_{\lambda=\infty}$									
			.66	28.8	31.6										
$\text{C}_4\text{H}_{10}\text{O}$ 2-Methyl-2-propanol.....	25	9.22	.33	73.7	12.9	$\epsilon_{\lambda=\infty}$	5.5	0	1.74						
		3.175		59.9	29.6										
		1.264		31.6	33.3										
		9.22		.66	71.6					14.6	$\epsilon_{\lambda=\infty}$	5.5	0	1.90	
		3.175		55.1	30.1										
		9.22	1.0	69.9	15.3	$\epsilon_{\lambda=\infty}$	5.5	0	2.06						
		3.175		50.4	30.2										
$\text{C}_5\text{H}_8\text{O}_4$ Glutaric acid.....	25	9.22	0.33	73.6	13.1	$\epsilon_{\lambda=\infty}$	5.5	0	1.63						
		3.175		60.6	28.4										
		1.264		32.5	33.1										
		9.22		1.0	65.6					13.1	$\epsilon_{\lambda=\infty}$	5.5	0	1.71	
		3.175		53.5	26.2										
		1.264		28.6	28.8										
$\text{C}_5\text{H}_{10}\text{O}$ 1-Pentanone.....	25	9.22	0.17	75.2	10.6	$\epsilon_{\lambda=\infty}$	5.5	0	1.62						
		3.175		62.2	29.0										
		1.264		33.2	35.0										
		9.22		.33	74.6					10.8	$\epsilon_{\lambda=\infty}$	5.5	0	1.67	
		3.175		61.1	29.3										
		1.264		31.6	34.1										
$\text{C}_6\text{H}_6\text{O}$ Phenol.....	25	9.22	.25	74.6	11.5	$\epsilon_{\lambda=\infty}$	5.5	0	1.62						
		3.175		61.3	28.2										
		1.264		32.1	33.6										
		9.22	.5	71.3	12.1	$\epsilon_{\lambda=\infty}$	5.5	0	1.67						
		3.175		58.4	27.9										
		1.264		29.1	31.2										
$\text{C}_6\text{H}_7\text{N}$ Aniline.....	25	9.22	.125	75.5	10.3	$\epsilon_{\lambda=\infty}$	5.5	0	1.58						
		3.175		62.9	28.4										
		1.264		33.6	35.2										
		9.22		.25	74.1					10.4	$\epsilon_{\lambda=\infty}$	5.5	0	1.61	
		3.175		61.9	28.3										
		1.264		32.5	34.2										

a Adjusted.

Bibliography for Tables 5 and 6

1931

- 31 Smyth, C. P., and Dornte, R. W., *J. Am. Chem. Soc.* **53**, 549.

1936

- 36 Martin, G., *Physik, Z.* **36**, 665.

1937

- 37 Holzmüller, W., *Physik. Z.* **38**, 574.

1939

- 39 Budó, A., Fischer, E., and Miyamoto, S., *Physik. Z.* **40**, 337.
 39 Fillipov, M. I., *J. Phys. (USSR)* **1**, 479.
 39 Fischer, E., *Physik. Z.* **40**, 645.

1946

- 46 Cripwell, F. J., and Sutherland, G. B. B. M., *Trans. Faraday Soc.* [A] **42**, 149.
 46 Dunsmuir, R., and Powles, J. G., *Phil. Mag.* **37**, 747.
 46 Häfelin, J., *Arch. sci. phys. et nat.* **28**, 19.
 46 Jackson, W., and Powles, J. G., *Trans. Faraday Soc.* [A] **42**, 101.
 46. 1 Whiffen, D. W., and Thompson, H. W., *Trans. Faraday Soc.* [A] **42**, 114.
 46. 2 Whiffen, D. W., and Thompson, H. W., *Trans. Faraday Soc.* [A] **42**, 122.

1948

- 48 Powles, J. G., *Trans. Faraday Soc.* **44**, 537.
 48 Potopenko, G., and Wheeler, D., Jr., *Rev. Mod. Phys.* **20**, 143.
 48 Whiffen, D. W., *J. Am. Chem. Soc.* **70**, 2452.

1949

49. 1 Fischer, E., *Z. Naturforsch.* [A] **4**, 707.
 49. 2 Fischer, E., *Z. Physik* **127**, 49.
 49. 3 Fischer, E., *Z. Elektrochem.* **53**, 16.

1950

- 50 Franklin, A. D., Heston, W. M., Jr., Hennelly, E. J., and Smyth, C. P., *J. Am. Chem. Soc.* **72**, 3447.
 50 Heston, W. M., Jr., Franklin, A. D., Hennelly, E. J., and Smyth, C. P., *J. Am. Chem. Soc.* **72**, 3443.
 50. 1 Whiffen, D. W., *Trans. Faraday Soc.* **46**, 124.
 50. 2 Whiffen, D. W., *Trans. Faraday Soc.* **46**, 130.

1951

- 51 Hasted, J. B., Haggis, G. H., and Hutton, P., *Trans. Faraday Soc.* **47**, 577.

1952

- 52 Curtis, A. J., McGeer, P. W., Rathmann, G. B., and Smyth, C. P., *J. Am. Chem. Soc.* **74**, 644.
 52 Haggis, G. H., Hasted, J. B., and Buchanan, T. J., *J. Chem. Phys.* **20**, 1452.
 52 Srivastava, S. S., *J. Brit. Inst. Radio Eng.* **12**, 280.

1953

53. 1 Fischer, E., *Z. Naturforsch.* [A] **8**, 168.
 53. 2 Fischer, E., and Fessler, R., *Z. Naturforsch.* [A] **8**, 177.
 53 Hase, H., *Z. Naturforsch.* [A] **8**, 695.

1954

- 54 Eklund, B., *Acta Acad. Aboensis, Math. et Phys.* [11] **19**, 1.
 54 Fischer, E., *Z. Naturforsch.* [A] **9**, 360.
 54 LeFevre, R. J. W., and Sullivan, E. P. A., *J. Chem. Soc.* **1954**, 2873.

1955

- 55 Hartshorn, L., Parry, J. V. L., and Essen, L., *Proc. Phys. Soc. (London)* [B] **68**, 422.
 55 Holland, R. S., and Smyth, C. P., *J. Phys. Chem.* **59**, 1088.
 55 Poley, J. P., *Appl. Sci. Research* [B] **4**, 337.

1956

- 56 Clark, D. E., and Kumar, S. N., *Brit. J. Appl. Phys.* **7**, 282.
 56 Dieringer, F., *Z. Physik* **145**, 184.
 56 Fairweather, A., *Proc. Phys. Soc. (London)* [B] **68**, 1038.
 56 Holland, R. S., Roberts, G. N., and Smyth, C. P., *J. Am. Chem. Soc.* **78**, 20.
 56. 1 Murty, C. R., and Rao, D. V. G. L. N., *J. Sci. Ind. Research (India)* [B] **15**, 346.
 56. 2 Murty, C. R., and Rao, D. V. G. L. N., *J. Sci. Ind. Research (India)* [B] **15**, 350.
 56 Rao, D. V. G. L. N., *Indian J. Phys.* **30**, 91.
 56. 1 Rathmann, G. B., Curtis, A. J., McGeer, P. L., and Smyth, C. P., *J. Am. Chem. Soc.* **78**, 2035.
 56. 2 Rathmann, G. B., Curtis, A. J., McGeer, P. L., and Smyth, C. P., *J. Chem. Phys.* **25**, 412.

WASHINGTON, May 1, 1957.

THE NATIONAL BUREAU OF STANDARDS

The scope of activities of the National Bureau of Standards at its headquarters in Washington, D. C., and its major laboratories in Boulder, Colorado, is suggested in the following listing of the divisions and sections engaged in technical work. In general, each section carries out specialized research, development, and engineering in the field indicated by its title. A brief description of the activities, and of the resultant publications, appears on the inside front cover.

WASHINGTON, D. C.

Electricity and Electronics. Resistance and Reactance. Electron Devices. Electrical Instruments. Magnetic Measurements. Dielectrics. Engineering Electronics. Electronic Instrumentation. Electrochemistry.

Optics and Metrology. Photometry and Colorimetry. Optical Instruments. Photographic Technology. Length. Engineering Metrology.

Heat. Temperature Physics. Thermodynamics. Cryogenic Physics. Rheology. Engine Fuels. Free Radicals Research.

Atomic and Radiation Physics. Spectroscopy. Radiometry. Mass Spectrometry. Solid State Physics. Electron Physics. Atomic Physics. Neutron Physics. Radiation Physics. Radioactivity. X-rays. High Energy Radiation. Nucleonic Instrumentation. Radiological Equipment.

Chemistry. Organic Coatings. Surface Chemistry. Organic Chemistry. Analytical Chemistry. Inorganic Chemistry. Electrodeposition. Molecular Structure and Properties of Gases. Physical Chemistry. Thermochemistry. Spectrochemistry. Pure Substances.

Mechanics. Sound. Mechanical Instruments. Fluid Mechanics. Engineering Mechanics. Mass and Scale. Capacity, Density, and Fluid Meters. Combustion Controls.

Organic and Fibrous Materials. Rubber. Textiles. Paper. Leather. Testing and Specifications. Polymer Structure. Plastics. Dental Research.

Metallurgy. Thermal Metallurgy. Chemical Metallurgy. Mechanical Metallurgy. Corrosion. Metal Physics.

Mineral Products. Engineering Ceramics. Glass. Refractories. Enameled Metals. Concreting Materials. Constitution and Microstructure.

Building Technology. Structural Engineering. Fire Protection. Air Conditioning, Heating, and Refrigeration. Floor, Roof, and Wall Coverings. Codes and Safety Standards. Heat Transfer.

Applied Mathematics. Numerical Analysis. Computation. Statistical Engineering. Mathematical Physics.

Data Processing Systems. SEAC Engineering Group. Components and Techniques. Digital Circuitry. Digital Systems. Analog Systems. Application Engineering.

● Office of Basic Instrumentation

● Office of Weights and Measures

BOULDER, COLORADO

Cryogenic Engineering. Cryogenic Equipment. Cryogenic Processes. Properties of Materials. Gas Liquefaction.

Radio Propagation Physics. Upper Atmosphere Research. Ionospheric Research. Regular Propagation Services. Sun-Earth Relationships. VHF Research.

Radio Propagation Engineering. Data Reduction Instrumentation. Modulation Systems. Navigation Systems. Radio Noise. Tropospheric Measurements. Tropospheric Analysis. Radio Systems Application Engineering. Radio Meteorology.

Radio Standards. High Frequency Electrical Standards. Radio Broadcast Service. High Frequency Impedance Standards. Electronic Calibration Center. Microwave Physics. Microwave Circuit Standards.

