

In determining the PORV setpoint for LTOP events, the licensee proposed to use safety margins based on an alternate methodology consistent with the proposed ASME Code N-514 guidelines. The ASME Code Case N-514 allows determination of the setpoint for LTOP events such that the maximum pressure in the vessel would not exceed 110 percent of the P/T limits of the existing ASME Appendix G. This results in a safety factor of 1.8 on the principal membrane stresses. All other factors, including assumed flaw size and fracture toughness, remain the same. Although this methodology would reduce the safety factor on the principal membrane stresses, use of the proposed criteria will provide adequate margins of safety to the reactor vessel during LTOP transients.

Accordingly, the Commission concludes that this proposed action would result in no significant radiological environmental impact.

With regard to potential non-radiological impacts, the proposed change involves use of more realistic safety margins for determining the PORV setpoint during LTOP events. It does not affect non-radiological plant effluents and has no other environmental impact. Therefore, the Commission concludes that there are no significant non-radiological environmental impacts associated with the proposed exemption.

Alternative to the Proposed Action

As an alternative to the proposed action, the staff considered denial of the proposed action. Denial of the application would result in no change in current environmental impacts. The environmental impacts of the proposed action and the alternative action are similar.

Alternative Use of Resources

This action did not involve the use of any resources not previously considered in the Final Environmental Statements related to operation of Braidwood Station.

Agencies and Persons Consulted

In accordance with its stated policy, on June 15, 1995, the staff consulted with the Illinois State Official, Mr. Frank Niziolek; Head, Reactor Safety Section; Division of Engineering; Illinois Department of Nuclear Safety; regarding the environmental impact of the proposed action. The State official had no comments.

Finding of No Significant Impact

Based upon the foregoing environmental assessment, the

Commission concludes that the proposed action will not have a significant effect on the quality of the human environment. Accordingly, the Commission has determined not to prepare an environmental impact statement for the proposed exemption.

For further details with respect to this action, see the request for exemption dated November 30, 1994, as supplemented May 11, 1995, which is available for public inspection at the Commission's Public Document Room, 2120 L Street, NW., Washington, DC and at the local public document room located at the Wilmington Public Library, 201 S. Kankakee Street, Wilmington, Illinois 60481.

Dated at Rockville, Maryland, this 3rd day of July 1995.

For the Nuclear Regulatory Commission.

Ramin R. Assa,

Project Director, Project Directorate III-2, Division of Reactor Projects-III/IV, Office of Nuclear Reactor Regulation.

[FR Doc. 95-16809 Filed 7-6-95; 8:45 am]

BILLING CODE 7590-01-M

Advisory Committee on Reactor Safeguards Subcommittee Meeting on Thermal Hydraulic Phenomena; Notice of Meeting

The ACRS Subcommittee on Thermal Hydraulic Phenomena will hold a meeting on July 26 and 27, 1995, Room T-2B1, 11545 Rockville Pike, Rockville, Maryland.

Most of the meeting will be closed to public attendance to discuss Westinghouse Electric Corporation proprietary information pursuant to 5 U.S.C. 552b(c)(4).

The agenda for the subject meeting shall be as follows:

Wednesday, July 26, 1995—8:30 a.m.

until the conclusion of business

Thursday, July 27, 1995—8:30 a.m. until

the conclusion of business

The Subcommittee will continue its review of the Westinghouse COBRA/TRAC best-estimate ECCS thermal hydraulic code. The purpose of this meeting is to gather information, analyze relevant issues and facts, and to formulate proposed positions and actions, as appropriate, for deliberation by the full Committee.

Oral statements may be presented by members of the public with the concurrence of the Subcommittee Chairman; written statements will be accepted and made available to the Committee. Electronic recordings will be permitted only during those portions of the meeting that are open to the public, and questions may be asked only

by members of the Subcommittee, its consultants, and staff.

Persons desiring to make oral statements should notify the cognizant ACRS staff engineer named below five days prior to the meeting, if possible, so that appropriate arrangements can be made.

During the initial portion of the meeting, the Subcommittee, along with any of its consultants who may be present, may exchange preliminary views regarding matters to be considered during the balance of the meeting.

The Subcommittee will then hear presentations by and hold discussions with representatives of the NRC staff, the Westinghouse Electric Corporation, their consultants, and other interested persons regarding this review.

Further information regarding topics to be discussed, whether the meeting has been canceled or rescheduled, the scheduling of sessions which are open to the public, the Chairman's ruling on requests for the opportunity to present oral statements and the time allotted therefor can be obtained by contacting the cognizant ACRS staff engineer, Mr. Paul A. Boehnert (telephone 301/415-8065) between 7:30 a.m. and 4:15 p.m. (edt). Persons planning to attend this meeting are urged to contact the above named individual one or two working days prior to the meeting to be advised of any potential changes in the proposed agenda, etc., that may have occurred.

Dated: June 30, 1995.

Sam Duraiswamy,

Chief, Nuclear Reactors Branch.

[FR Doc. 95-16810 Filed 7-7-95; 8:45 am]

BILLING CODE 7590-01-M

[Docket 70-364]

Babcock and Wilcox Company; Parks Township Facility; Director's Decision Under 10 CFR 2.206

Notice is hereby given that the Director, Office of Nuclear Material Safety and Safeguards, has taken action with regards to the remaining issues (Sections Q and X) referred to the Commission's Executive Director for Operations, by the Atomic Safety and Licensing Board, in its Initial Director's Decision, dated January 3, 1995, *Babcock and Wilcox Company* (Pennsylvania Nuclear Service Operation Parks Township, PA), LBP-95-1, 41 NRC 1, 35 (1995). Section Q was interpreted as a request that the NRC test for radioactive contamination in the general vicinity of Kepple Hill and Riverview in Parks Township, and Section X was interpreted as a request