

DEPARTMENT OF THE TREASURY**Internal Revenue Service****26 CFR Part 1**

[FI-7-94]

RIN 1545-AS49

Arbitrage Restrictions on Tax-Exempt Bonds; Hearing

AGENCY: Internal Revenue Service (IRS), Treasury.

ACTION: Notice of public hearing on proposed rulemaking.

SUMMARY: This document provides notice of a public hearing on proposed regulations relating to the arbitrage and related restrictions applicable to tax-exempt bonds issued by State and local governments.

DATES: The public hearing will be held on Monday, September 25, 1995, beginning at 10 a.m. Requests to speak and outlines of oral comments must be received by Tuesday, September 5, 1995.

ADDRESSES: The public hearing will be held in the Internal Revenue Service Auditorium, Seventh Floor, 7400 Corridor, Internal Revenue Building, 1111 Constitution Avenue NW., Washington, DC. Requests to speak and outlines of oral comments should be mailed to the Internal Revenue Service, P.O. Box 7604, Ben Franklin Station, Attn: CC:DOM:CORP:R [FI-7-94], room 5228, Washington, DC 20044.

FOR FURTHER INFORMATION CONTACT: Christina Vasquez of the Regulations Unit, Assistant Chief Counsel (Corporate), (202) 622-6803 (not a toll-free number).

SUPPLEMENTARY INFORMATION: The subject of the public hearing is proposed amendments to the Income Tax Regulations under sections 103, 148, 149 and 150 of the Internal Revenue Code of 1986. The proposed regulations appeared in the **Federal Register** for Tuesday, May 10, 1994 (59 FR 24094).

The rules of § 601.601(a)(3) of the "Statement of Procedural Rules" (26 CFR Part 601) shall apply with respect to the public hearing. Persons who have submitted written comments within the time prescribed in the notice of proposed rulemaking and who also desire to present oral comments at the hearing on the proposed regulations should submit not later than Tuesday, September 5, 1995, an outline of the oral comments/testimony to be presented at the hearing and the time they wish to devote to each subject.

Each speaker (or group of speakers representing a single entity) will be

limited to 10 minutes for an oral presentation exclusive of the time consumed by the questions from the panel for the government and answer thereto.

Because of controlled access restrictions, attendees cannot be admitted beyond the lobby of the Internal Revenue Building until 9:45 a.m.

An agenda showing the scheduling of the speakers will be made after outlines are received from the persons testifying. Copies of the agenda will be available free of charge at the hearing.

Cynthia E. Grigsby,

Chief, Regulations Unit, Assistant Chief Counsel (Corporate).

[FR Doc. 95-20373 Filed 8-16-95; 8:45 am]

BILLING CODE 4830-01-P

DEPARTMENT OF THE INTERIOR**Minerals Management Service****30 CFR Part 250**

RIN 1010-AC03

Oil and Gas and Sulphur Operations in the Outer Continental Shelf

AGENCY: Minerals Management Service, Interior.

ACTION: Proposed rule.

SUMMARY: The Minerals Management Service (MMS) proposes to amend the documents incorporated by reference in regulations governing oil, gas, and sulphur operations in the Outer Continental Shelf (OCS). The organizations that publish the incorporated documents have revised some of the recommended practices and standards and have published new editions. The new editions will continue to ensure that lessees use the best available and safest technologies while operating in the OCS.

DATES: Comments must be received or postmarked on or before October 16, 1995 to be considered in this rulemaking.

ADDRESSES: Written comments or recommendations must be mailed or hand-carried to the Department of the Interior; Minerals Management Service; 381 Elden Street; Mail Stop 4700; Herndon, Virginia 22070-4817; Attention: Chief, Engineering and Standards Branch.

FOR FURTHER INFORMATION CONTACT: Andy Radford, Engineering and Standards Branch, telephone (703) 787-1600.

SUPPLEMENTARY INFORMATION: MMS uses standards, specifications, and

recommended practices developed by standard-setting organizations and the oil and gas industry as means of establishing requirements for activities in the OCS. This practice, known as incorporation by reference, allows MMS to incorporate the requirements of technical documents into the regulations without increasing the volume of the code of federal regulations. MMS currently incorporates by reference 68 documents into the offshore operating regulations.

The regulations found at 1 CFR part 51 govern how MMS and other Federal agencies incorporate various documents by reference. Agencies can only incorporate by reference through publication in the **Federal Register**. This generally includes standard rulemaking procedures, i.e., that the agency provide notice and opportunity for comment.

Agencies must also gain approval by the Director of the Federal Register for each publication incorporated by reference. Incorporation by reference of a document or publication is limited to the edition of the document or publication cited in the regulations. This means that newer editions, amendments, or revisions to documents already incorporated by reference in regulations are not part of MMS's regulations.

The organizations that develop and publish the referenced technical documents revise and/or update most documents on a regular basis. Some organizations publish revisions to their documents every 6 months while others revise their documents every 2 to 5 years, if necessary. When these organizations publish revisions or new editions to referenced documents, MMS must determine if the changes warrant incorporating the new document in the regulations.

Currently, over 50 documents incorporated by reference into MMS regulations are out of date. For most documents the changes between the old and new editions are minor. However, MMS must update these documents because the older editions may not be readily available to the affected parties. For instance, some American Petroleum Institute (API) documents currently referenced by MMS are out-of-print and no longer available. Other documents have undergone major revisions, and after reviewing these documents, MMS has determined that we must incorporate these documents to ensure the use of the best and safest technologies.

In the future, MMS would like to keep the number of out of date documents incorporated by reference to a

minimum. To accomplish this we are including language in the regulations to streamline the rulemaking process. Under our proposal, MMS would review new editions of documents we incorporate by reference as we do now. If MMS determines that the revisions are minor, or result in safety improvements, or represent new industry standard technology, and do not impose undue costs on the affected parties, MMS would update the documents incorporated by reference section of our regulations with a final rule published in the **Federal Register**. This means that the new document(s) would become effective without the public having prior opportunity to comment. This option is provided to agencies under 5 U.S.C. 533(b) when the agency finds that notice and comment would be contrary to the public interest. MMS has found that most of the documents we propose for incorporation by reference come from organizations that have as members the parties affected by MMS regulations. By the time they release a new edition of a document, these parties have already commented on the new edition. It is redundant for MMS to issue the document for additional comments and unnecessarily delay the implementation of new ideas in the document. MMS will use the notice and comment process in any case where we have not previously incorporated the document by reference or when the new edition of a document already incorporated introduces controversial issues.

Document Incorporated by Reference in Subpart A

API Recommended Practice (RP) 2D, Recommended Practice for Operation and Maintenance of Offshore Cranes, Third Edition, June 1, 1995. It replaces the Second Edition of the same title. The new edition has a new format and is generally improved compared to the second edition. The third edition clearly defines who is qualified to operate and inspect offshore cranes. It also establishes minimum classroom training requirements for crane operators.

Documents Incorporated by Reference in Subpart D

API RP 500, Recommended Practice for Classification of Locations for Electrical Installation at Petroleum Facilities, First Edition, June 1, 1991. This document replaces API RP 500B, Recommended Practice for Classification of Areas for Electrical Installations at Drilling Rigs and Production Facilities on Land and on Marine Fixed and Mobile Platforms, Second Edition, with Supplement. API

RP 500 combined API RP 500A, 500B, and 500C into a single document to provide guidelines for classifying locations at petroleum facilities for the selection and installation of electrical equipment. API RP 500 contains essentially the same information contained in API RP 500B.

Documents Incorporated by Reference in Subpart H

1. American National Standards Institute/American Society of Mechanical Engineers (ANSI/ASME) Boiler and Pressure Vessel Code (1995) Section I, Power Boilers including Appendices; Section IV, Heating Boilers including Nonmandatory Appendices A, B, C, D, E, F, H, I, and J and the Guide to Manufacturers Data Report forms; and Section VIII, Pressure Vessels, Divisions 1 and 2 including Nonmandatory Appendices. These documents replace the 1983 Edition, with Summer and Winter 1983 and 1984 and Summer 1985 Addenda. The MMS determined that the new code should be adopted into the regulations.

2. API Spec 14A, Specification for Subsurface Safety Valve Equipment, Ninth Edition, December 1, 1994. This document replaces the seventh edition, with Supplement 1, of the same title. The new edition has a new format, but the major technical specifications essentially remain the same. The new edition also serves as the basis for International Standard Organization (ISO) document ISO 10432: 1993, titled Petroleum and natural gas industries—subsurface safety valve equipment.

3. API RP 14B, Recommended Practice for Design, Installation, Repair and Operation of Subsurface Safety Valve Systems, Fourth Edition, July 1, 1994. This document replaces the Second Edition titled API RP 14B, Recommended Practice for Design, Installation, and Operation of Subsurface Safety Valve Systems. The new edition contains new classifications for subsurface safety valve equipment. Other revisions and additions clarify the document. The new edition also serves as the basis for ISO document ISO 10417: 1993, titled Petroleum and natural gas industries—Design, installation, repair and operations of subsurface safety valve systems.

4. API Spec 14D, Specification for Wellhead Surface Safety Valves and Underwater Safety Valves for Offshore Service, Ninth Edition, June 1, 1991. This document, with errata dated August 1, 1994, replaces the Seventh Edition of the same title. The new edition has a new format, but the major technical specifications essentially remain the same.

5. API RP 14E, Recommended Practice for Design and Installation of Offshore Production Platform Piping Systems, Fifth Edition, October 1, 1991. This document replaces the Fourth Edition of the same title. The Fifth Edition includes the following technical changes:

—Statement added to caution readers in the use of materials listed in National Association of Corrosion Engineers (NACE) MR-01-75, Material Requirements, Sulfide Stress Cracking Resistant Metallic Material for Oil Field Equipment, because the materials listed may be resistant to sulfide stress corrosion environments but may not be suitable for use in chloride stress cracking environments;

—Statement added concerning surge factors in large diameter flow lines between platforms;

—Equations revised in section 2.4 to incorporate Moody friction factor in lieu of Fanning friction factor because the Fanning factor was often misunderstood for the Moody friction factor causing numerous errors when determining pressure drop; and

—Section 3.2 revised to specify limitations of butterfly valves to use where tight shut off is not required.

6. API RP 14F, Recommended Practice for Design and Installation of Electrical Systems for Offshore Production Platforms, Third Edition, September 1, 1991. This document replaces the Second Edition of the same title. The third edition includes the following technical changes:

—Section 2.5 revised to reflect that wiring for intrinsically safe systems needs only meet the requirements of article 504 of the National Electrical Code; therefore, eliminating the requirement for bulky, explosion-proof enclosures;

—Statement added in section 3.2 that a nationally recognized testing laboratory should verify ignition systems as suitable for hazardous locations;

—Statement added in section 4.4 to require an operator to equip oil treaters with a device to ground or deenergize the grid before the liquid level falls below the electrical equipment;

—Statement added in section 4.4 that an operator should route cable trays and cables so as to avoid mechanical damage; and

—Statement added in section 4.7 to address the use of flexible cords when initially installed.

7. API RP 14G, Recommended Practice for Fire Prevention and Control

on Open Type Offshore Production Platforms, Third Edition, December 1, 1993. This document replaces the Second Edition of the same title. The new edition has requirements for bulk storage of flammable liquids where the old edition only had storage requirements for diesel fuel. The new edition has new requirements addressing fire detection and control.

8. API RP 14H, Recommended Practice for Installation, Maintenance, and Repair of Surface Safety Valves and Underwater Safety Valves Offshore, Fourth Edition, July 1, 1994. This document replaces the Second Edition of the same title. The new edition recommends that the pressure test duration for surface safety valves and underwater safety valves should be a minimum of 5 minutes, whereas the current edition contained no minimum test period. The new edition also serves as the basis for ISO document ISO 10419:1993, titled Petroleum and natural gas industries-Drilling and production equipment-Installation, maintenance, and repair of surface safety valves and underwater safety valves offshore.

Three other documents incorporated by reference in subpart H are also out-of-date, but MMS has chosen not to update them in this rulemaking. Following are the reasons we are not updating these documents at this time.

1. ASME/ANSI Safety and Pollution Prevention Equipment (SPPE1-1988 and SPPE-1a-1988, SPPE-1b-1989, SPPE-1c-1989, and SPPE-1d-1990 (addenda), Quality Assurance and Certification of Safety and Pollution Prevention Equipment Used in Offshore Oil and Gas Operations. The MMS is currently evaluating its role in the SPPE program. Current plans call for MMS to organize focused workshops with all interested parties to clarify many of the issues involved in the SPPE program. Any updates to this document will be made following the workshops.

2. API Spec Q1, Specification for Quality Programs, Third Edition. This document is also a part of the SPPE program. Any updates to this document will also be made following the workshops.

3. API RP 14C, Recommended Practice for Analysis, Design, Installation and Testing of Basic Surface Safety Systems for Offshore Production Platforms, Fourth Edition, September 1, 1986. The new edition API issued contained many problems. Although API issued an errata sheet to correct these deficiencies, MMS feels that the deficiencies still remaining need to be corrected before we will incorporate the edition into our regulations.

Documents Incorporated by Reference in Subpart I

The title and publication date of each proposed document incorporated by reference is listed below. A brief discussion of any major changes between the new and current edition is also listed below.

1. American Concrete Institution (ACI) Standard 318-89, Building Code Requirements for Reinforced Concrete, plus Commentary on Building Code Requirements for Reinforced Concrete (ACI 318R-89). These documents replace the 1983 editions of the same title. The MMS has determined that the changes between the 1983 and 1989 editions are minor.

2. American Institute of Steel Construction (AISC) Standard S335, Specification for Structural Steel Buildings, Allowable Stress Design and Plastic Design, June 1, 1989 with Commentary. This document replaces AISC Standard S326, Specification for the Design, Fabrication and Erection of Structural Steel for Buildings, 1978 Edition. The MMS has determined that there are no significant differences between the two editions.

3. API RP 2A, Recommended Practice for Planning, Designing and Constructing Fixed Offshore Platforms Working Stress Design, Nineteenth Edition, August 1, 1992. This document replaces the Eighteenth Edition of the same title. The new edition contains a new section regarding the reuse of old platforms.

4. American Society for Testing and Materials (ASTM) Standard C33-90, Standard Specification for Concrete Aggregates including Nonmandatory Appendix, 1990. This document replaces ASTM Standard C33-86, 1986. The MMS has determined that the changes between the 1990 and 1986 standards are minor.

5. ASTM Standard C94-91a. Standard Specification for Ready-Mixed Concrete, 1991. This document replaces ASTM Standard C94-86b. MMS has determined that the changes between the 1991 and 1986 standards are minor.

6. ASTM Standard C150-89, Standard Specification for Portland Cement, 1989. This document replaces ASTM Standard C150-86. The MMS has determined that the changes between the 1989 and 1986 standards are minor.

7. ASTM Standard C330-89, Standard Specification for Light-weight Aggregates for Structural Concrete, 1989. This document replaces ASTM Standard C330-87. The MMS has determined that the changes between the 1989 and 1987 standards are minor.

8. ASTM Standard C595-89, Standard Specification for Blended Hydraulic

Cements, 1989. This document replaces ASTM Standard C595-86. MMS has determined that the changes between the 1989 and the 1986 standards are minor.

9. American Welding Society (AWS) ANSI/AWS D1.1-92, Structural Welding Code—Steel including Commentary, 1992. This document replaces AWS D1.1-86, 1986. MMS has determined that the changes between the 1992 and 1986 standards are minor.

Several other documents incorporated by reference in subpart I have not undergone revisions since publication of the presently referenced editions. These documents are listed below:

1. ACI Standard 357-R-84, Guide for the Design and Construction of Fixed Offshore Concrete Structures, 1984.

2. AWS D1.4, Structural Welding Code—Reinforcing Steel, 1979.

3. NACE Standard RP-01-76, Recommended Practice, Corrosion Control of Steel, Fixed Offshore Platforms Associated with Petroleum Production (1983 Revision).

Documents Incorporated by Reference in Subpart J

The title and publication date of each proposed document incorporated by reference is listed below. A brief discussion of any major changes between the new and current edition is also listed below.

1. ANSI/ASME B 31.8-1989, with B 31.8A-1990 and Special Errata dated July 6, 1990, Gas transmission and Distribution Piping Systems. This document replaces the 1986 edition of the same title. The new edition contains additional design requirements for "t" valves. MMS has determined that there are no significant differences between the two editions.

2. ANSI B 16.5-1988 and 1991 Supplement, Pipe Flanges and Flanged Fittings. This document replaces 1981 edition of the same title. MMS has determined that there are no significant differences between the 2 editions.

3. API Spec 6A, Specification for Valves and Wellhead Equipment, Sixteenth Edition, October 1, 1989 with Supplement 1, October 1991 and Supplement 2, July 1992. This document replaces the Fifteenth Edition titled Specifications for Wellhead and Christmas Tree Equipment, April 1, 1986, with Supplement 1, December 1986. The new edition contains changes in nomenclature and specifications for valve sizing and flow lines and is written in a more concise manner.

4. API Spec 6D, Specification for Pipeline Valves (Gate, Plug, Ball, and Check Valves), Twenty-first Edition, March 31, 1994. This document replaces

Eighteenth Edition titled Specification for Pipeline Valves, End Closures, Connectors and Swivels, with Supplement 3, July 1985. The new edition includes detailed drawings and valve specifications that aid in efficient and proper pipe scheduling and valve sizing, important in determining flow considerations and leak prevention. It also clarifies the types of valves covered by the RP and the testing and marking requirements for the valves. Also, tables have been simplified and converted to metric equivalents.

Documents Incorporated by Reference in Subpart L

The title and publication date of each proposed document incorporated by reference is listed below. A brief discussion of any major changes between the new and current edition is also listed below.

1. API RP 2556, Recommended Practice for Correcting Gage Tables for Incrustation, Second Edition, August 1993. This document replaces 1968 edition of the same title. The new edition adds metric unit measurement units to supplement the usual inch-pound measurement units and contains some minor editorial changes.

2. API Manual of Petroleum Measurement Standards (MPMS), Chapter 4—Proving Systems:

The following 7 sections replace the single reference to Chapter 4, Proving Systems, First Edition, May 1978.

MPMS, Chapter 4.1, Introduction, First Edition, July 1988, reaffirmed October 1993. This document is a rewrite and combination of the old introduction in Chapter 4 and old section 4.5.

3. MPMS, Chapter 4.2, Conventional Pipe Provers, First Edition, October 1988, reaffirmed October 1993. This document replaces the old section 4.2 in Chapter 4.

4. MPMS, Chapter 4.3, Small Volume Provers, First Edition, July 1988, reaffirmed October 1993. This document is a new standard for the use of small volume provers.

5. MPMS, Chapter 4.4, Tank Provers, First Edition, October 1988, reaffirmed October 1993. This document replaces the old section 4.3 in Chapter 4.

6. MPMS, Chapter 4.5, Master-Meter Provers, First Edition, October 1988, reaffirmed October, 1993. This document replaces the old section 4.4 in Chapter 4.

7. MPMS, Chapter 4.6, Pulse Interpolation, First Edition, July 1988, reaffirmed October 1993. This document is a new standard with primary application to the use of small provers.

8. MPMS, Chapter 4.7, Field-Standard Test Measures, First Edition, October 1988, reaffirmed March 1993. This document replaces the old section 4.1 in Chapter 4.

9. MPMS, Chapter 5.1, General Considerations for Measurement by Meters, Second Edition, November 1987, reaffirmed October 1992. This document replaces Chapter 5.1, Foreword, General Considerations and Scope of the First Edition, November 1976. The new edition expands and contains the general guidelines for selecting either positive displacement meters versus turbine meters.

10. MPMS, Chapter 5.2, Measurement of Liquid Hydrocarbons by Displacement Meters, Second Edition, November 1987, reaffirmed October 1992. This document replaces Chapter 5.2, First Edition, January 1977, of the same title. This edition removes references to mass measurement applications and the 30-day recommended proving schedule. An analysis of a meterfactor control chart replaced the proving schedule.

11. MPMS, Chapter 5.3, Measurement of Liquid Hydrocarbons by Turbine Meters, Second Edition, November 1987, reaffirmed October 1992. This document replaces Chapter 5.3, Turbine Meters, First Edition, July 1976. This edition changes Appendix A by using the Darcy-Weisbach friction instead of the Fanning pipe friction factor.

12. MPMS, Chapter 5.4, Accessory Equipment for Liquid Meters, Second Edition, November 1987, reaffirmed October 1992. This document replaces Chapter 5.4, Instrumentation or Accessory Equipment for Liquid Hydrocarbon Metering Systems, First Edition, July 1976. The new edition expands the areas of electric pulse generation and use in automated counters/controls due to the large increase in flow computers and data transmission over the 10 year interim period. The new edition also adds a security section. This edition is generally a guideline on accessory equipment which cross references other chapters of MPMS for the actual standards.

13. MPMS, Chapter 6.1, Lease Automatic Custody Transfer (LACT) Systems, Second Edition, May 1991. This document replaces Chapter 6.1, LACT Systems, First Edition, February 1981. The MMS has determined that there are no significant differences between the two editions.

14. MPMS, Chapter 6.6, Pipeline Metering Systems, Second Edition, May 1991. This document replaces the First Edition, August 1981, of the same title. The MMS has determined that there are

no significant differences between the two editions.

15. MPMS, Chapter 6.7, Metering Viscous Hydrocarbons, Second Edition, May 1991. This document replaces the First Edition, January 1981, of the same title. The new edition recommends not using turbine meters for viscous hydrocarbons. Other changes are minor with regards to OCS activities.

16. MPMS, Chapter 8.1, Manual Sampling of Petroleum and Petroleum Products, Second Edition, October 1989. This document replaces the First Edition, October 1981, of the same title. The MMS has determined that there are no significant differences between the two editions.

17. MPMS, Chapter 10, Sediment and Water, Section 4—Determination of Water and Sediment in Crude Oils by the Centrifuge Method (Field Procedure), Second Edition, May 1988. The new document replaces Chapter 10.4, Standard Methods of Test for Water and Sediment in Crude Oils, First Edition, October 1977. The new edition includes information also contained in Chapter 10, Sections 1, 2, and 3. The new edition adds an appendix with personnel safety precautions to be taken while handling the oils and solvents.

18. MPMS, Chapter 14, Natural Gas Fluids Measurement, Section 3—Concentric, Square-Edged Orificed Meters, Part 1—General Equations and Uncertainty Guidelines, Third Edition, September 1990, available as ANSI/API 2530, Part 1, 1991, API Stock No. 852-30350, Part 2—Specification and Installation Requirements, Third Edition, February 1991, also available as ANSI/API 2530, Part 2, 1991, API Stock No. 852-30351, and Part 3—Natural Gas Applications, Third Edition, August 1992, available as ANSI/API 2530, Part 3, 1991, API Stock No. 852-30353. These three parts replace Chapter 14.3, all three parts incorporated by reference at § 250.181(c)(1). Orifice Metering of Natural Gas and Other Related Hydrocarbon Fluids, Second Edition, September 1985. These changes afford greater accuracy in measuring gas production.

19. MPMS, Chapter 14.6, Continuous Density Measurement, Second Edition, April 1991. This document replaces Chapter 14.6, Installing and Proving Density Meters Used to Measure Hydrocarbon Liquid with Densities between 0.3 to 0.7gm/cc at 15.56° (60 °F) and Saturation Vapor Pressures, First Edition, September 1979. The technical changes in the new edition reflect 10 years of improvements in the area of continuous density measurement.

The following documents incorporated by reference in subpart L have been reaffirmed without change by the API.

1. API Standard 2545, Method of Gaging Petroleum and Petroleum Products, October 1965, reaffirmed October 1992.
2. API Standard 2550, Method for Measurement and Calibration of Upright Cylindrical Tanks, First Edition, October 1965, reaffirmed October 1992.
3. API Standard 2551, Standard Method for Measurement and Calibration of Horizontal Tanks, First Edition, 1965, reaffirmed October 1992.
4. API Standard 2552, Measurement and Calibration of Spheres and Spheroids, First Edition, 1966, reaffirmed October 1992.
5. API Standard 2555, Method for Liquid Calibration of Tanks, First Edition, September 1966, reaffirmed October 1992.
6. MPMS, Chapter 5.5 Fidelity and Security of Flow Measurement Pulsed Data Transmission Systems, First Edition, June 1982, reaffirmed October 1992.
7. MPMS, Chapter 7.3, Static Temperature Determination Using Portable Electronic Thermometers, First Edition, July 1985, reaffirmed March 1990.
8. MPMS, Chapter 8.2 Automatic Sampling of Petroleum and Petroleum Products, First Edition, April 1983, reaffirmed October 1987.
9. MPMS, Chapter 9.1, Hydrometer Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products, First Edition, June 1981, reaffirmed October 1992.
10. MPMS, Chapter 9.2, Pressure Hydrometer Test Method for Density or Relative Density, First Edition, April 1982, reaffirmed October 1992.
11. MPMS, Chapter 10.1, Determination of Sediment in Crude Oils and Fuel Oils by the Extraction Method, First Edition, April 1981, reaffirmed October 1992.
12. MPMS, Chapter 10.2, Determination of Water in Crude Oil by Distillation, First Edition, April 1981, reaffirmed October 1992.
13. MPMS, Chapter 10.3, Determination of Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), First Edition, April 1981, reaffirmed October 1992.
14. MPMS, Chapter 11.1, Volume Correction Factors, Volume I, Table 5A—Generalized Crude Oils and JP-4 Correction of Observed API Gravity to API Gravity at 60 °F, and Table 6A—Generalized Crude Oils and JP-4 Correction of Volume to 60 °F Against

API Gravity at 60 °F, First Edition, August 1980, reaffirmed August 1987.

15. MPMS, Chapter 11.2.1, Compressibility Factors for Hydrocarbons: 0–90° API Gravity Range, First Edition, August 1984, reaffirmed March 1990.

16. MPMS, Chapter 11.2.2, Compressibility Factors for Hydrocarbons: 0.350–0.637 Relative Density (60 °F/60 °F) and –50 °F to 140 °F Metering Temperature, Second Edition, October 1986, reaffirmed October 1992.

17. MPMS, Chapter 11.2.3, Water Calibration of Volumetric Provers, First Edition, 1984, reaffirmed March 1990.

18. MPMS, Chapter 12.2, Calculation of Liquid Petroleum Quantities Measured by Turbine or Displacement Meters, First Edition, September 1981, reaffirmed August 1987.

19. MPMS, Chapter 14.5, Calculation of Gross Heating Value, Specific Gravity, and Compressibility of Natural Gas Mixtures From Compositional Analysis, First Edition, January 1981, reaffirmed August 1987.

20. MPMS, Chapter 14.8, Liquefied Petroleum Gas Measurement, First Edition, February 1983, reaffirmed March 1990.

The following document incorporated by reference in subpart L has not been changed or reaffirmed by the API.

MPMS, Chapter 7.2, Dynamic Temperature Determination, First Edition, June 1985, API Stock No. 852–30142, Incorporated by Reference at: § 250.180 (c)(6)(iv)(A) and (f)(2)(iii)(A). This document is unchanged.

Author. The principal author for this proposed rule is Andy Radford, Engineering and Standards Branch, MMS.

Executive Order (E.O.) 12866

This rule was reviewed under E.O. 12866. The rule was determined to not be a significant rule under the criteria of E.O. 12866 and, therefore, was not reviewed by the Office of Management and Budget (OMB).

Regulatory Flexibility Act

The Department of the Interior (DOI) has also determined that this proposed rule will not have a significant economic effect on a substantial number of small entities because, in general, the entities that engage in activities offshore are not considered small due to the technical complexities and level of financial resources necessary to safely conduct such activities.

Paperwork Reduction Act

This rule does not contain collections of information that require approval by OMB under (44 U.S.C. 3501 *et seq.*).

Takings Implication Assessment

The DOI certifies that the proposed rule does not represent a governmental action capable of interference with constitutionally protected property rights. Thus, a Takings Implication Assessment need not be prepared pursuant to E.O. 12630, Government Action and Interference with Constitutionally Protected Property Rights.

E.O. 12778

The DOI has certified to OMB that this proposed rule meets the applicable civil justice reform standards provided in Sections 2(a) and 2(b)(2) of E.O. 12778.

National Environmental Policy Act

The DOI has determined that this action does not constitute a major Federal action significantly affecting the quality of the human environment; therefore, preparation of an Environmental Impact Statement is not required.

List of Subjects in 30 CFR Part 250

Continental shelf, Environmental impact statements, Environmental protection, Government contracts, Incorporation by reference, Investigations, Mineral royalties, Oil and gas development and production, Oil and gas exploration, Oil and gas reserves, Penalties, Pipelines, Public lands—mineral resources, Public lands—rights-of-way, Reporting and recordkeeping requirements, Sulphur development and production, Sulphur exploration, Surety bonds.

Dated: July 10, 1995.

Sylvia V. Baca,

Acting Assistant Secretary, Land and Minerals Management.

For the reasons set out in the preamble, 30 CFR part 250 is proposed to be amended as follows:

PART 250—OIL AND GAS AND SULPHUR OPERATIONS IN THE OUTER CONTINENTAL SHELF

1. The authority citation for part 250 continues to read as follows:

Authority: 43 U.S.C. 1334.

2. In § 250.1 the third sentence in the introductory paragraph is revised and a new sentence is added following the third sentence, and, paragraphs (a)(1), (b), (c)(1) through (c)(4), (c)(6), and (d) are revised to read as follows:

§ 250.1 Documents incorporated by reference.

* * * The Minerals Management Service (MMS) will publish a notice of

any changes in these documents in the **Federal Register**. The rule change will become effective without prior opportunity to comment when MMS determines that the revisions to a document result in safety improvements or represent new industry standard technology, and do not impose undue costs on the affected parties. * * *

(a) * * *

(1) ACI Standard 318-89, Building Code Requirements for Reinforced Concrete, plus Commentary on Building Code Requirements for Reinforced Concrete (ACI 218R-89), Incorporated by Reference at: § 250.138(b)(4)(i), (b)(6)(i), (b)(7), (b)(8)(i), (b)(9), (b)(10), (c)(3), (d)(1)(v), (d)(5), (d)(6), (d)(7), (d)(8), (d)(9), (e)(1)(i), and (e)(2)(i).

(b) *American Institute of Steel Construction (AISC) Document*. The AISC document listed in this paragraph may be purchased from the American Institute of Steel Construction, Inc., P.O. Box 4588, Chicago, Illinois 60680.

AISC Standard S335, Specification for Structural Steel Buildings, Allowable Stress Design and Plastic design, June 1, 1989, with Commentary, Incorporated by Reference at: § 250.137(b)(1)(ii), (c)(4)(ii), and (c)(4)(vii).

(c) * * *

(1) The ANSI/ASME Boiler and Pressure Vessel Code, Section I, Power Boilers including Appendices, 1995 Edition, Incorporated by Reference at: §§ 250.123(b)(1) and (b)(1)(i); and 250.292(b)(1) and (b)(1)(i).

(2) The ANSI/ASME Boiler and Pressure Vessel Code, Section IV, Heating Boilers, including Nonmandatory Appendices A, B, C, D, E, F, H, I, and J and the Guide to Manufacturers Data Report Forms, 1995 Edition, Incorporated by Reference at: §§ 250.123(b)(1) and (b)(1)(i) and 250.292(b)(1) and (b)(1)(i).

(3) ANSI/ASME Boiler and Pressure Vessel Code, Section VIII, Pressure Vessels, Divisions 1 and 2, including Nonmandatory Appendices, 1995 Edition, Incorporated by Reference at: §§ 250.123(b)(1) and (b)(1)(i) and 250.292(b)(1) and (b)(1)(i).

(4) ANSI/ASME B 31.8-1989, with B 31.8A-1990 and Special Errata dated July 6, 1990, Gas Transmission and Distribution Piping Systems, Incorporated by Reference at: § 250.152(a).

* * * * *

(6) ANSI B 16.5-1988 and 1991 Supplement, Pipe Flanges and Flanged Fittings, Incorporated by Reference at: § 250.152(b)(2).

* * * * *

(d) *American Petroleum Institute (API) Documents*. The API documents listed in this paragraph may be purchased from the American Petroleum Institute, 1220 L Street, NW., Washington, DC 20005. (Paragraphs (d)(22) through (d)(57) of this section refer to the API Manual of Petroleum Measurement Standards (MPMS)).

(1) API Spec Q1, Specification for Quality Programs, Third Edition, June 1990, API Stock No. 811-00001, Incorporated by Reference at: § 250.126(c)(3).

(2) API RP 2A-WSD, Recommended Practice for Planning, Designing and Constructing Fixed Offshore Platforms Working Stress Design, Nineteenth Edition, August 1, 1992, API Stock No. 811-00200, Incorporated by Reference at: §§ 250.130(g) and 250.142(a).

(3) API RP 2D, Recommended Practice for Operation and Maintenance of Offshore Cranes, Third Edition, June 1, 1995, API Stock No. 811-02D03, Incorporated by Reference at: §§ 250.20(c) and 250.260(g).

(4) API Spec 6A, Specification for Valves and Wellhead Equipment, Sixteenth Edition, October 1, 1986, with Supplement 1, October 1991 and Supplement 2, July 1992, API Stock No. 811-03100, Incorporated by Reference at: § 250.152 (b)(1) and (b)(2).

(5) API Spec 6D, Specification for Pipeline Valves (Gate, Plug, Ball, and Check Valves), Twenty-first Edition, March 31, 1994, API Stock No. 811-03200, Incorporated by Reference at: § 250.152(b)(1).

(6) API Spec 14A, Specification for Subsurface Safety Valve Equipment, Ninth Edition, December 1, 1994, API Stock No. 881-14A09, Incorporated by Reference at: § 250.126 paragraphs (c)(3) and (e)(2) and (3).

(7) API RP 14B, Recommended Practice for Design, Installation, Repair and Operation of Subsurface Safety Valve Systems, Fourth Edition, July 1, 1994, API Stock No. 811-14B04, Incorporated by Reference at: §§ 250.121(e)(4), 250.124(a)(1)(i), and 250.126(d).

(8) API RP 14C, Recommended Practice for Analysis, Design, Installation and Testing of Basic Surface Safety Systems for Offshore Production Platforms, Fourth Edition, September 1, 1994, API Stock No. 811-07180, incorporated by reference at §§ 250.122(b) and (e)(2); 250.123(a), (b)(2)(i), (b)(4), (b)(5)(i), (b)(7), (b)(9)(v), and (c)(2); 250.124(a) and (a)(5); 250.152(d); 250.154(b)(9); 250.291(c) and (d)(2); 250.292(b)(2) and (b)(4)(v); and 250.293(a).

(9) API Spec 14D, Specification for Wellhead Surface Safety Valves and Underwater Safety Valves for Offshore Service, Ninth Edition, June 1, 1994, with errata dated August 1, 1994, API Stock No. 811-07183, Incorporated by Reference at: § 250.126 paragraphs (c)(3) and (e)(2) and (3).

(10) API RP 14E, Recommended Practice for Design and Installation of Offshore Production Platform Piping Systems, Fifth Edition, October 1, 1991, API Stock No. 811-07185, Incorporated by Reference at: §§ 250.122(e)(3) and 250.291(b)(2) and (d)(3).

(11) API RP 14F, Recommended Practice for Design and Installation of Electrical Systems for Offshore Production Platforms, Third Edition, September 1, 1991, API Stock No. 811-07190, Incorporated by Reference at: §§ 250.53(c), 250.123(b)(9)(v), and 250.292(b)(4)(v).

(12) API RP 14G, Recommended Practice for Fire Prevention and Control on Open Type Offshore Production Platforms, Third Edition, December 1, 1993, API Stock No. 811-07194, Incorporated by Reference at: §§ 250.123(b)(8) and (b)(9)(v) and 250.292(b)(3) and (b)(4)(v).

(13) API RP 14H, Recommended Practice for Installation, Maintenance and Repair of Surface Safety Valves and Underwater Safety Valves Offshore, Fourth Edition, July 1, 1994, API Stock No. 811-14H04, Incorporated by Reference at: §§ 250.122(d) and 250.126(d).

(14) API RP 500, Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities, First Edition, June 1, 1991, API Stock No. 811-06005, Incorporated by Reference at: §§ 250.53(b), 250.120(b), 250.122(e)(4)(i), 250.123(b)(9)(i) 250.291(b)(3) and (d)(4)(i), and 250.292(b)(4)(i).

(15) API Standard 2545, Method of Gaging Petroleum and Petroleum Products, October 1965, reaffirmed October 1992, also available as ANSI/ASTM D 1085-65, API Stock No. 852-25450, Incorporated by Reference at: § 250.180(f)(2)(ii).

(16) API Standard 2550, Method for Measurement and Calibration of Upright Cylindrical Tanks, First Edition, October 1965, reaffirmed October 1992, also available as ANSI/ASTM D 1220-65, API Stock No. 852-25500, Incorporated by Reference at: § 250.180(f)(2)(i).

(17) API Standard 2551, Standard Method for Measurement and Calibration of Horizontal Tanks, First Edition, 1965, reaffirmed October 1992, also available as ANSI/ASTM D 1410-65, reapproved 1984, API Stock No. 852-25510, Incorporated by Reference at: § 250.180(f)(2)(i).

(18) API Standard 2552, Measurement and Calibration of Spheres and Spheroids, First Edition, 1966, reaffirmed October 1992, also available as ANSI/ASTM D 1408-65, reapproved 1984, API Stock No. 852-25520, Incorporated by Reference at: § 250.180(f)(2)(i).

(19) API Standard 2555, Method for Liquid Calibration of Tanks, First Edition, September 1966, reaffirmed October 1992, also available as ANSI/ASTM D 1406-65, reapproved 1984, API Stock No. 852-25550, Incorporated by Reference at: § 250.180(f)(2)(i).

(20) API RP 2556, Recommended Practice for Correcting Gage Tables for Incrustation, Second Edition, August 1993, API Stock No. 852-25560, Incorporated by Reference at: § 250.180(f)(2)(i).

(21) MPMS, Chapter 4.1, Introduction, First Edition, July 1988, reaffirmed October 1993, API Stock No. 852-30081, Incorporated by Reference at: § 250.180(c)(6)(i) and (d)(3)(iv).

(22) MPMS, Chapter 4.2, Conventional Pipe Provers, First Edition, October 1988, reaffirmed October 1993, API Stock No. 852-30082, Incorporated by Reference at: § 250.180(c)(6)(i) and (d)(3)(iv).

(23) MPMS, Chapter 4.3, Small Volume Provers, First Edition, July 1988, reaffirmed October 1993, API Stock No. 852-30083, Incorporated by Reference at: § 250.180(c)(6)(i) and (d)(3)(iv).

(24) MPMS, Chapter 4.4, Tank Provers, First Edition, October 1988, reaffirmed October 1993, API Stock No. 852-30084, Incorporated by Reference at: § 250.180(c)(6)(i) and (d)(3)(iv).

(25) MPMS, Chapter, 4.5, Master-Meter Provers, First Edition, October 1988, reaffirmed October 1993, API Stock No. 852-30085, Incorporated by Reference at: § 250.180(c)(6)(i) and (d)(3)(iv).

(26) MPMS, Chapter 4.6, Pulse Interpolation, First Edition, July 1988, reaffirmed October 1993, API Stock No. 852-30086, Incorporated by Reference at: § 250.180(c)(6)(i) and (d)(3)(iv).

(27) MPMS, Chapter 4.7, Field-Standard Test Measures, First Edition, October 1988, reaffirmed March 1993, API Stock No. 852-30087, Incorporated by Reference at: § 250.180(c)(6)(i) and (d)(3)(iv).

(28) MPMS, Chapter 5.1, General Considerations for Measurement by Meters, Second Edition, November 1987, reaffirmed October 1992, API Stock No. 852-30101, Incorporated by Reference at: § 250.180(c)(6)(ii).

(29) MPMS, Chapter 5.2, Measurement of Liquid Hydrocarbons by Displacement Meters, Second Edition, November 1987, reaffirmed October 1992, API Stock No. 852-30102, Incorporated by Reference at: § 250.180(c)(6)(ii).

(30) MPMS, Chapter 5.3, Measurement of Liquid Hydrocarbons by Turbine Meters, Second Edition, November 1987, reaffirmed October 1992, API Stock No. 852-30103, Incorporated by Reference at: § 250.180(c)(6)(ii).

(31) MPMS, Chapter 5.4, Accessory Equipment for Liquid Meters, Second Edition, November 1987, reaffirmed October 1992, API Stock No. 852-30104, Incorporated by Reference at: § 250.180(c)(6)(ii).

(32) MPMS, Chapter 5.5, Fidelity and Security of Flow Measurement Pulsed-Data Transmission Systems, First Edition, June 1982, reaffirmed October 1992, API Stock No. 852-30105, Incorporated by Reference at: § 250.180(c)(6)(ii).

(33) MPMS, Chapter 6.1, Lease Automatic Custody Transfer (LACT) Systems, Second Edition, May 1991, API Stock No. 852-30121, Incorporated by Reference at: § 250.180(c)(6)(iii)(A).

(34) MPMS, Chapter 6.6, Pipeline Metering Systems, Second Edition, May 1991, API Stock No. 852-30126, Incorporated by Reference at: § 250.180(c)(6)(iii)(B).

(35) MPMS, Chapter 6.7, Metering Viscous Hydrocarbons, Second Edition, May 1991, API Stock No. 852-30127, Incorporated by Reference at: § 250.180(c)(6)(iii)(C).

(36) MPMS, Chapter 7.2, Dynamic Temperature Determination, First Edition, June 1985, API Stock No. 852-30142, Incorporated by Reference at: § 250.180(c)(6)(iv)(A) and (f)(2)(iii)(A).

(37) MPMS, Chapter 7.3, Static Temperature Determination Using Portable Electronic Thermometers, First Edition, July 1985, reaffirmed March 1990, API Stock No. 852-30143, Incorporated by Reference at: § 250.180(c)(6)(iv)(B) and (f)(2)(iii)(B).

(38) MPMS, Chapter 8.1, Manual Sampling of Petroleum and Petroleum Products, Second Edition, October 1989, also available as ANSI/ASTM D 4057-88, API Stock No. 852-30161, Incorporated by Reference at: § 250.180(c)(6)(v) and (f)(2)(iv).

(39) MPMS, Chapter 8.2, Automatic Sampling of Petroleum and Petroleum Products, First Edition, April 1983, reaffirmed August 1987 1987, also available as ANSI/ASTM D 4177, API Stock No. 852-30162, Incorporated by Reference at: § 250.180(c)(6)(v) and (f)(2)(iv).

(40) MPMS, Chapter 9.1, Hydrometer Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products, First Edition, June 1981, reaffirmed October 1992, also available as ANSI/ASTM D 1298, API Stock No. 852-30181, Incorporated by Reference at: § 250.180(c)(6)(vi)(A) and (f)(2)(v)(A).

(41) MPMS, Chapter 9.2, Pressure Hydrometer Test Method for Density or Relative Density, First Edition, April 1982, reaffirmed October 1992, API Stock No. 852-30182, Incorporated by Reference at: § 250.180(c)(6)(vi)(B) and (f)(2)(v)(B).

(42) MPMS, Chapter 10.1, Determination of Sediment in Crude Oils and Fuel Oils by the Extraction Method, First Edition, April 1981, reaffirmed December 1993, also available as ANSI/ASTM D 473, API Stock No. 852-30201, Incorporated by Reference at: § 250.180(c)(6)(vii)(A) and (f)(2)(vi)(A).

(43) MPMS, Chapter 10.2, Determination of Water in Crude Oil by Distillation, First Edition, April 1981, reaffirmed December 1993, also available as ANSI/ASTM D 4006, API Stock No. 852-30202, Incorporated by Reference at: § 250.180(c)(6)(vii)(B) and (f)(2)(vi)(B).

(44) MPMS, Chapter 10.3, Determination of Water and Sediment in Crude Oil by the Centrifuge Method (Laboratory Procedure), First Edition, April 1981, reaffirmed December 1993, also available as ANSI/ASTM D 4007, API Stock No. 852-30203, Incorporated by Reference at: § 250.180(c)(6)(vii)(C) and (f)(2)(vi)(C).

(45) MPMS, Chapter 10.4, Determination of Sediment and Water in Crude Oils by the Centrifuge Method (Field Procedure), Second Edition, May 1988, reaffirmed December 1993, also available as ANSI/ASTM D 96, API Stock No. 852-30204, Incorporated by Reference at: § 250.180(c)(6)(vii)(D) and (f)(2)(vi)(D).

(46) MPMS, Chapter 11.1, Volume Correction Factors, Volume I, Table 5A—Generalized Crude Oils and JP-4 Correction of Observed API Gravity to API Gravity at 60 °F, and Table 6A—Generalized Crude Oils and JP-4 Correction of Volume to 60 °F Against API Gravity at 60 °F August 1980, reaffirmed October 1993, also available as ANSI/ASTM D 1250, API Stock No. 852-27000, Incorporated by Reference at: § 250.180(c)(6)(viii)(A), (d)(3)(v)(B), and (f)(2)(vii).

(47) MPMS, Chapter 11.2.1, Compressibility Factors by Hydrocarbons: 0-90° API Gravity Range, First Edition, August 1984, reaffirmed March 1990, API, Stock No. 852-27300, Incorporated by Reference at: § 250.180(c)(6)(viii)(B).

(48) MPMS, Chapter 11.2.2, Compressibility Factors for Hydrocarbons: 0.350-0.637 Relative Density (60 °F/60 °F) and -50 °F to 140 °F Metering Temperature, Second Edition, October 1986, reaffirmed October 1992, also available as GPA 8286-86, API Stock No. 852-27307, Incorporated by Reference at: § 250.180(c)(6)(viii)(C).

(49) MPMS, Chapter 11.2.2, Addendum, Compressibility Factors for Hydrocarbons, Correlation of Vapor Pressure for Commercial Natural Gas Liquids (0.490-0.637 Relative Density (60 °F/60 °F) and -50 °F to 140 °F

Metering Temperature), Second Edition, October 1986, reaffirmed October 1992, also available as GPA TP-15, API Stock No. 852-27300, Incorporated by Reference at: § 250.180(c)(6)(viii)(C).

(50) MPMS, Chapter 11.2.3, Water Calibration of Volumetric Provers, First Edition, August 1984, reaffirmed March 1990, API Stock No. 852-27310, Incorporated by Reference at: § 250.180(d)(3)(iv).

(51) MPMS, Chapter 12.2, Calculation of Liquid Petroleum Quantities Measured by Turbine or Displacement Meters, First Edition, September 1981, reaffirmed August 1987, also available as ANSI/API MPMS 12.2-1981, API Stock No. 852-30302, Incorporated by Reference at: § 250.180(c)(6)(ix), (d)(3)(v)(A), and (d)(3)(v)(C).

(52) MPMS, Chapter 14.3, Part 1, General Equations and Uncertainty Guidelines, Third Edition, September 1990, also available as ANSI/API 2530, Part 1, 1991, API Stock No. 852-30350, Incorporated by Reference at: § 250.181(c)(1).

(53) MPMS, Chapter 14.3, Part 2, Specification and Installation Requirements, Third Edition, February 1991, also available as ANSI/API 2530, Part 2, 1991, API Stock No. 852-30351, Incorporated by Reference at: § 250.181(c)(1).

(54) MPMS, Chapter 14.3, Part 3, Natural Gas Applications, Third Edition, August 1992, also available as ANSI/API 2530, Part 3, API Stock No. 852-30353, Incorporated by Reference at: § 250.181(c)(1).

(55) MPMS, Chapter 14.5, Calculation of Gross Heating Value, Specific Gravity, and Compressibility of Natural Gas Mixtures From Compositional Analysis, First Edition, January 1981, reaffirmed October 1992, also available as ANSI/API MPMS 14.5-1981, order from Gas Processors Association, 6526 East 60th Street, Tulsa, Oklahoma 74145, Incorporated by Reference at: § 250.181(c)(1).

(56) MPMS, Chapter 14.6, Continuous Density Measurement, Second Edition, April 1991, API Stock No. 852-30346, Incorporated by Reference at: § 250.181(c)(1).

(57) MPMS, Chapter 14.8, Liquefied Petroleum Gas Measurement, First Edition, February 1983, reaffirmed March 1990, API Stock No. 852-30348, Incorporated by Reference at: § 250.181(c)(1).

* * * * *

3. In § 250.180, paragraphs (c)(6)(vi) and (f)(2)(v) are revised to read as follows:

§ 250.180 Measurement of liquid hydrocarbons.

* * * * *

(c) * * *

(6) * * *

(vi)(A) Chapter 9.1, Hydrometer Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products;

(B) Chapter 9.2, Pressure Hydrometer Test Method for Density or Relative Density;

* * * * *

(f) * * *

(2) * * *

(v)(A) Chapter 9.1, Hydrometer Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products;

(B) Chapter 9.2, Pressure Hydrometer Test Method for Density or Relative Density;

* * * * *

[FR Doc. 95-20242 Filed 8-16-95; 8:45 am]

BILLING CODE 4310-MR-M

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Part 117

[CGD07-95-019]

RIN 2115-AE47

Drawbridge Operation Regulations; Okeechobee Waterway, Fort Myers, FL

AGENCY: Coast Guard, DOT.

ACTION: Notice of proposed rulemaking.

SUMMARY: The Coast Guard proposes to change the regulations governing the Sanibel Causeway Drawbridge, SR869, over San Carlos Bay at Punta Rassa. This proposal is being made as a result of complaints about extensive highway traffic delays caused by bridge openings. This change is intended to relieve highway congestion while still meeting the reasonable needs of navigation.

DATES: Comments must be received on or before October 16, 1995.

ADDRESSES: Comments may be mailed to Commander (oan), Seventh Coast Guard District, 909 SE 1st Avenue, Miami, FL 33131-3050, or may be delivered to Room 406 at the above address between 8 a.m. and 3 p.m., Monday through Friday, except Federal holidays. The telephone number is 305-536-6546.

The Commander, Seventh Coast Guard District maintains the public docket for this rulemaking. Comments will become part of this docket and will be available for inspection or copying at the above address.

FOR FURTHER INFORMATION CONTACT: Mr. Ian MacCartney, Project Manager, Bridge Section, at (305) 536-6546.

SUPPLEMENTARY INFORMATION:

Request for Comments

The Coast Guard encourages interested persons to participate in this rulemaking by submitting written data, views, or arguments. Persons submitting comments should include their names and addresses, identify this rulemaking [CGD07-95-019] and the specific section of this proposal to which each

comment applies, and give the reason for each comment. The Coast Guard requests that all comments and attachments be submitted in an unbound format suitable for copying. If not practical, a second copy of any bound material is requested. Persons wanting acknowledgment of receipt of comments should enclose a stamped, self-addressed postcard or envelope.

The Coast Guard will consider all comments received during the comment period. It may change this proposal in view of comments.

The Coast Guard plans no public hearing. Persons may request a public hearing by writing to Mr. Ian MacCartney at the address under **ADDRESSES**. The request should include reasons why a hearing would be beneficial. If it determines that the opportunity for oral presentations will aid this rulemaking, the Coast Guard will hold a public hearing at a time and place announced by a later notice in the **Federal Register**.

Drafting Information. The principal persons involved in drafting this document are Mr. Ian MacCartney, Project Manager, and Lieutenant J. M. Losego, Project Counsel.

Background and Purpose

The Sanibel Causeway Drawbridge which crosses San Carlos Bay, Okeechobee Waterway mile 151, presently opens on signal except that from 11 a.m. to 6 p.m., the draw opens only on the quarter hour and from 10 p.m. to 6 a.m., the bridge opens on demand with a 5 minute delay. In February, 1995, the Director of the Lee County Department of Transportation requested the bridge opening schedule between 7 a.m. and 7 p.m. daily be changed to open only on the hour and 30 minutes after the hour. Bridge logs and highway traffic data were provided to the Coast Guard in support of this request.

A comparison of highway traffic volumes between 1985 and 1993 indicated there has been an overall increase in traffic volume with current levels periodically exceeding highway capacity on weekday afternoons during the winter season without any bridge openings. The number of bridge openings continue to average less than two per hour with a maximum of 4 openings per hour being experienced periodically during the winter season. Based on analysis of the highway traffic and bridge opening data provided by Lee County, the Coast Guard has determined that a change in the bridge opening regulations is warranted.

Discussion of Proposed Amendments

The Coast Guard proposes to reduce the number of potential openings by authorizing the drawbridge to open only on the hour, 20 minutes after the hour and 40 minutes after the hour from 7 a.m. to 7 p.m. daily instead of the existing 15 minute daily schedule. This change is intended to relieve highway congestion while still meeting the reasonable needs of navigation.

Regulatory Evaluation

This proposal is not a significant regulatory action under section 3(f) of Executive Order 12866 and does not require an assessment of potential costs and benefits under section 6(a)(3) of that order. It has not been reviewed by the Office of Management and Budget under that order.

It is not significant under the regulatory policies and procedures of the Department of Transportation (DOT) (44 FR 11040; February 26, 1979). The Coast Guard expects the economic impact of this proposal to be so minimal that a full Regulatory Evaluation under paragraph 10e of the regulatory policies and procedures of DOT (44 FR 11040; February 26, 1979) is unnecessary. We conclude this because the rule exempts tugs with tows.

Small Entities

Under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*), the Coast Guard must consider whether this proposal, if adopted, will have a significant economic impact on a substantial number of small entities. "Small entities" may include (1) small businesses and not-for-profit organizations that are independently owned and operated and are not dominant in their fields and (2) governmental jurisdictions with populations of less than 50,000. Because it expects the impact of this proposal to be minimal, the Coast Guard certifies under 5 U.S.C. 605(b) that this proposal, if adopted, will not have a significant economic impact on a substantial number of small entities. If, however, you think that your business or organization qualifies as a small entity and that this proposal will have significant economic impact on your business or organization, please submit a comment (see **ADDRESSES**) explaining why you think it qualifies and in what way and to what degree this proposal will economically affect it.

Collection of Information

This proposal contains no collection of information requirements under the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*).