

Officer in Charge, U.S. Naval Branch Dental Clinic (Keflavik IC), PSC 1003 Box 9, FPO AE 09728-0309.

Navy Exchange Officer, U.S. Navy Exchange (Keflavik IC), PSC 1003 Box 10, FPO AE 09728-0310.

Commanding Officer, U.S. Naval Air Station (Keflavik IC), PSC 1003 Box 15, FPO AE 09728-0315.

Officer in Charge, U.S. Navy Personnel Support Activity Detachment (Keflavik IC), PSC 1003 Box 36, FPO AE 09728-0336.

Navy Exchange Officer, U.S. Navy Exchange (Argentia CAN), PSC 1006 Box 44, FPO AE 09730-0003.

Officer in Charge, Personnel Support Activity Detachment Argentia, PSC 1006 Box 17, FPO AE 09730-3000.

Commanding Officer, U.S. Naval Medical Research Unit 3 (Cairo), PSC 452 Box 5000, FPO AE 09835-0007.

Navy Exchange Officer, U.S. Navy Exchange Detachment (Souda Bay GR), U.S. Naval Support Activity, PSC 814 Box 24, FPO AE 09865-0003.

Commanding Officer, U.S. Naval Support Activity (Souda Bay GR), PSC 814 Box 1, FPO AE 09865-0051.

Officer in Charge, U.S. Navy Personnel Support Activity Detachment (Souda Bay GR), PSC 814 Box 2, FPO AE 09865-0103.

OVERSEAS - AP ADDRESSES

Commander, U.S. Naval Forces Korea, Unit 15250, APO AP 96205-0023.

Officer in Charge, U.S. Navy Personnel Support Activity Detachment (Seoul KOR), Unit 15601, APO AP 96205-0573.

Commander, Fleet Activities Chinhae, PSC 479, APO AP 96269-1100.

Navy Exchange Officer, U.S. Navy Exchange Detachment (Atsugi JA), PSC 477 Box 10, FPO AP 96306-0003.

Commanding Officer, U.S. Naval Air Facility (Atsugi JA), PSC 477 Box 9, FPO AP 96306-1209.

Officer in Charge, U.S. Naval Branch Medical Clinic (Atsugi JA), U.S. Naval Air Facility, PSC 477 Box 2, FPO AP 96306-1602.

Officer in Charge, U.S. Navy Personnel Support Detachment Atsugi, PSC 477 Box 6, FPO AP 96306-2800.

Officer in Charge, U.S. Naval Branch Medical Clinic (Iwakuni JA), U.S. Marine Corps Air Station, FPO AP 96310-0000.

Commanding Officer, U.S. Naval Security Group Activity (Misawa JA), APO AP 96319-0006.

Officer in Charge, U.S. Navy Personnel Support Detachment Misawa, Unit 5054, APO AP 96319-5000.

Commanding Officer, U.S. Naval Air Facility Misawa, Unit 5048, APO AP 96319-5000.

Navy Exchange Officer, U.S. Navy Exchange Detachment (Sasebo JA), PSC 476 Box 3, FPO AP 96322-0003.

Commander, Fleet activities (Sasebo JA), PSC 476 Box 1100, FPO AP 96322-1100.

Officer in Charge, U.S. Naval Branch Medical Clinic (Sasebo JA), Fleet Activities, PSC 476 Box 1650, FPO AP 96322-1650.

Officer in Charge, U.S. Navy Personnel Support Activity Detachment (Sasebo JA), PSC 476 Box 1700, FPO AP 96322-1700.

Navy Exchange Officer, U.S. Navy Exchange (Yokosuka JA), PSC 473 Box 70, FPO AP 96349-0003.

Commander, U.S. Naval Forces Japan, PSC 473 Box 12, FPO AP 96349-0051.

Commander, Fleet Activities (Yokosuka JA), PSC 473 Box 1, FPO AP 96349-1100.

Officer in Charge, U.S. Navy Personnel Support Activity Detachment (Yokosuka JA), PSC 473 Box 19, FPO AP 96349-1700.

Commanding Officer, U.S. Navy Personnel Support Activity Far East PSC 473 Box 19, FPO AP 96349-1700.

Commanding Officer, U.S. Naval Legal Service Office Northwest Pacific, PSC 473 Box 14, FPO AP 96349-2400.

Commanding Officer, U.S. Naval Hospital (Yokosuka JA), FPO AP 96350-1600.

Commanding Officer, U.S. Naval Dental Center (Yokosuka JA), FPO AP 96350-1690.

Commanding Officer, U.S. Naval Hospital (Okinawa JA), PSC 482, FPO AP 96362-1620.

Commander, Fleet Activities U.S. Naval Air Facility (Okinawa JA), PSC 480 Box 1100, FPO AP 96370-1100.

Officer in Charge, U.S. Navy Personnel Support Activity Detachment (Okinawa Kadena JA), PSC 480, FPO AP 96370-1700.

Officer in Charge, U.S. Navy Personnel Support Detachment Diego Garcia, PSC 466 Box 1, FPO AP 96464-1701.

Commanding Officer, U.S. Naval Support Facility (Diego Garcia), PSC 466 Box 2, FPO AP 96464-2000.

Commanding Officer, Naval Air Facility (Adak AK), PSC 486 Box 1202, FPO AP 96506-1202.

Officer in Charge, U.S. Naval Branch Medical Clinic (Adak AK), PSC 486 Box 1211, FPO AP 96506-1211.

Officer in Charge, Personnel Support Detachment Adak, PSC 486 Box 1274, FPO AP 96506-1274.

Commanding Officer, U.S. Naval Air Facility (Midway Island), FPO AP 96516-1200.

Commanding Officer U.S. Naval Medical Research Unit 2 (Jakarta), Box 3, APO AP 96520-1600.

Commanding Officer, U.S. Naval Antarctic Support Unit Christchurch, PSC 467 Box 291, FPO AP 96531-2000.

Navy Exchange Officer, U.S. Navy Exchange (Christchurch NZ), PSC 467 Box 293, FPO AP 96531-2000.

Commander, U.S. Naval Forces Marianas, PSC 489, FPO AP 96536-0051.

Commanding Officer, U.S. Naval Air Station (Agana GU), PSC 456 Box 51, FPO AP 96539-1200.

Officer in Charge, U.S. Navy Personnel Support Detachment Agana, U.S. Naval Air Station Agana, PSC 456 Box 95, FPO AP 96539-1751.

Navy Exchange Officer, U.S. Navy Exchange Detachment (Agana GU), PSC 455 Box 178, FPO AP 96540-1000.

Commanding Officer, U.S. Naval Activities (Navacts GU), PSC 455 Box 152, FPO AP 96540-1000.

Commanding Officer, U.S. Naval Hospital (GU), PSC 455 Box 7607, FPO AP 96540-1600.

Commanding Officer, U.S. Naval Dental Center (GU), PSC 455 Box 171, FPO AP 96540-1674.

Officer in Charge, U.S. Navy Personnel Support Detachment Naval Station Guam, U.S. Naval Station, PSC 455 Box 172, FPO AP 96540-1728.

Navy Exchange Officer, U.S. Navy Exchange (GU), PSC 455 Box 184, FPO AP 96540-2300.

Commanding Officer, U.S. Naval Legal Service Office Southwest Pacific, U.S. Naval Station, PSC 455 Box 177, FPO AP 96540-2400.

Commander, Cruiser Destroyer Group 1, Unit 25064, FPO AP 96601-4700.

Commander, Cruiser Destroyer Group 3, Unit 25065, FPO AP 96601-4702.

Commander, Cruiser Destroyer Group 5, Unit 25066, FPO AP 96601-4703.

Commander Third Fleet, FPO AP 96601-6001.

Commander Seventh Fleet, FPO AP 96601-6003.

Commander, Amphibious Group 1, Unit 25093, FPO AP 96601-6006.

Commanding General, 3D Marine Division FMF, Unit 35880, FPO AP 96602-5880.

Commanding General, 1st Marine Aircraft Wing, Unit 37101, FPO AP 96603-7101.

Commanding Officer, U.S. Naval Dental Center (Okinawa JA), Unit 38450, FPO AP 96604-8450.

Officer in Charge, Medical Treatment Facility, USNS Mercy (TAH 19), FPO AP 96672-4090.

[FR Doc. 95-20417 Filed 8-16-95; 8:45 am]

BILLING CODE 5000-04-F

DEPARTMENT OF ENERGY**Federal Energy Regulatory Commission****North Canal Waterworks; Notice of Availability of Environmental Assessment****[Project No. 5906-005 Massachusetts]**

August 11, 1995.

In accordance with the National Environmental Policy Act of 1969 and the Federal Energy Regulatory Commission's (Commission's) Regulations, 18 CFR Part 380 (Order 486, 52 FR 47897), the Commission's Office of Hydropower Licensing has reviewed a license surrender application for the North Canal Waterworks Project, No. 5906-005. The North Canal Waterworks Project is located on the Merrimack River in the City of Lawrence, Essex County, Massachusetts. The licensee is applying for a surrender of the license because the project is no longer economically viable. An Environmental Assessment (EA) was prepared for the application. The EA finds that approving the application would not constitute a major federal action significantly affecting the quality of the human environment.

Copies of the EA are available for review in the Public Reference Branch, Room 3104, of the Commission's offices at 941 North Capitol Street, N.E., Washington, D.C. 20426.

Linwood A. Watson, Jr.,*Acting Secretary.*

[FR Doc. 95-20368 Filed 8-16-95; 8:45 am]

BILLING CODE 6717-01-M

ENVIRONMENTAL PROTECTION AGENCY**[FRL-5278-5]****Proposed Settlement Agreement, Clean Air Act Petition for Review****AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Notice of proposed settlement; request for public comment.

SUMMARY: In accordance with section 113(g) of the Clean Air Act, as amended ("Act"), notice is hereby given of a proposed settlement agreement in the following case: *Western States Petroleum Association v. Environmental Protection Agency*, No. 95-70034 (9th Cir.). These petitions for review were filed under § 307(b) of the Act, 42 U.S.C. 7607(b), contesting certain aspects of EPA's interim approval of the

Washington State title V program of November 9, 1994.

For a period of thirty (30) days following the date of publication of this notice, the Agency will receive written comments relating to the proposed settlement agreement from persons who were not named as parties or intervenors to the litigation in question. EPA or the Department of Justice may withhold or withdraw consent to the proposed agreement if the comments disclose facts or circumstances that indicate that such agreement is inappropriate, improper, inadequate, or inconsistent with the requirements of the Act.

A copy of the proposed settlement agreement is available from Phyllis J. Cochran, Air and Radiation Division (2344), Office of General Counsel, U.S. Environmental Protection Agency, 401 M Street, S.W., Washington, D.C. 20460, (202) 260-7606. Written comments should be sent to Adan Schwartz, Esq. at the above address and must be submitted on or before September 18, 1995.

Dated: August 8, 1995.

Gary Guzy,*Acting Assistant Administrator (General Counsel).*

[FR Doc. 95-20425 Filed 8-16-95; 8:45 am]

BILLING CODE 6560-50-M

[FRL-5278-6]**Acid Rain Program: Draft Nitrogen Oxide Compliance Plans****AGENCY:** Environmental Protection Agency (EPA).**ACTION:** Notice of draft compliance plans and public comment period.

SUMMARY: The U.S. Environmental Protection Agency is issuing for comment nitrogen oxides (NO_x) compliance plans, which amend previously issued final Phase I Acid Rain Permits, for 10 utility units at 3 plants in accordance with the Acid Rain Program regulations (40 CFR parts 72 and 76).

DATES: Comments on draft NO_x compliance plans must be received no later than September 18, 1995 or 30 days after the publication date of a similar notice in local newspapers.

ADDRESSES: *Administrative records.* The administrative record for the NO_x compliance plans, except information protected as confidential, may be viewed during normal operating hours at the following locations: EPA Region 7 Library, 726 Minnesota Ave., Kansas City, KS 66101 or St. Louis County Air Pollution Control, 111 South Meramec,

Clayton, MO, 63105 or Missouri Dept. of Natural Resources, Jefferson State Office Building, Jefferson City, MO 65102.

Comments. Send comments to the following address: William A. Spratlin, Director, Air and Toxics Division, EPA Region 7 (address above). Submit comments in duplicate and identify the NO_x compliance plan to which the comments apply, the commenter's name, address, and telephone number, and the commenter's interest in the matter and affiliation, if any, to the owners and operators of the unit(s) covered by the compliance plan. All timely comments will be considered, except comments on aspects of the permit other than the NO_x compliance plan and comments not relevant to the compliance plan.

Hearings. To request a public hearing, state the issues proposed to be raised in the hearing. EPA may schedule a hearing if EPA finds that it will contribute to the decision-making process by clarifying significant issues affecting a NO_x compliance plan.

FOR FURTHER INFORMATION CONTACT: Jon Knodel, (913) 551-7622, EPA Region 7.

SUPPLEMENTARY INFORMATION: EPA proposes to approve NO_x averaging plans under which units will comply with the applicable emission limitations under 40 CFR 76.10, for the following utility plants:

Region 7

Labadie in Missouri: units 1, 2, 3, and 4 will each comply with a NO_x averaging plan for 1996-1999. For each year under the plan, the actual annual average emission rate for NO_x for each of these units shall not exceed the alternative contemporaneous annual emission limitation of 0.31 lbs/MMBtu, and the actual annual heat input for units 1, 2, 3, and 4 shall not be less than the annual heat input limits of 25,000,000 MMBtu, 30,000,000 MMBtu, 27,000,000 MMBtu, and 33,000,000 MMBtu, respectively. The other units designated in this plan are Meramec units 1, 2, 3, and 4, and Rush Island units 1 and 2. The designated representative is Paul A. Agathen.

Meramec in Missouri: units 1, 2, 3, and 4 will each comply with a NO_x averaging plan for 1996-1999. For each year under the plan, the actual annual average emission rate for NO_x for each of these units shall not exceed the alternative contemporaneous annual emission limitation of 0.90 lbs/MMBtu for units 1 and 2, and 1.00 lbs/MMBtu for units 3 and 4. The actual annual heat input for units 1, 2, 3, and 4 shall not be greater than the annual heat input limits of 6,000,000 MMBtu, 4,000,000