

effect in order to qualify or to remain qualified for participation in the National Flood Insurance Program.

These modified elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities.

These modified elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

The changes in base flood elevations are in accordance with 44 CFR 65.4.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part

10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 65

Flood insurance, Floodplains, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 65 is amended to read as follows:

**PART 65—[AMENDED]**

1. The authority citation for part 65 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 65.4 [Amended]**

2. The tables published under the authority of § 65.4 are amended as follows:

State and county	Location	Dates and name of newspaper where notice was published	Chief executive officer of community	Effective date of modification	Community No.
Illinois: Winnebago (FEMA Docket No. 7137).	Village of Machesney Park.	May 10, 1995, May 17, 1995, <i>The Park Journal</i> .	Mr. Steve Kuhn, President of the Village of Machesney Park, 300 Machesney Road, Machesney Park, Illinois 61111.	May 1, 1995 .....	171009 A
New York: Monroe (FEMA Docket No. 7137).	Town of Greece .....	April 27, 1995, May 4, 1995, <i>The Greece Post</i> .	Mr. Roger Boily, Supervisor of the Town of Greece, 2505 West Ridge Road, Rochester, New York 14626.	April 21, 1995 .....	360417 E

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: November 1, 1995.

Richard T. Moore,

Associate Director for Mitigation.

[FR Doc. 95-27658 Filed 11-7-95; 8:45 am]

BILLING CODE 6718-04-P

**44 CFR Part 67**

**Final Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency (FEMA).

**ACTION:** Final rule.

**SUMMARY:** Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base

flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**EFFECTIVE DATE:** The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

**ADDRESSES:** The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each

community. The respective addresses are listed in the table below.

**FOR FURTHER INFORMATION CONTACT:** Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street, SW., Washington, DC 20472, (202) 646-2756.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of

ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the Federal Register.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

**National Environmental Policy Act**

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

**Regulatory Flexibility Act**

The Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

**Regulatory Classification**

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

**Executive Order 12612, Federalism**

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

**Executive Order 12778, Civil Justice Reform**

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

**List of Subjects in 44 CFR Part 67**

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 67.11 [Amended]**

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
<b>FLORIDA</b>	
<b>St. Cloud (City), Osceola County (FEMA Docket No. 7138)</b>	
<i>East Lake Tohopekaliga:</i>	
In the vicinity of the intersection of Montana Avenue and Second Avenue .....	*58
Approximately 1,400 feet east of the intersection of Cypress Street and Oregon Avenue .....	*62
<b>Maps available for inspection at the St. Cloud Planning Department, 2901 17th Street, St. Cloud, Florida.</b>	
<b>GEORGIA</b>	
<b>Cook County (unincorporated areas) (FEMA Docket No. 7138)</b>	
<i>Bear Creek:</i>	
Approximately 1.1 miles downstream of East Sixth Street in the City of Adel .....	*214
At a point approximately 1,000 feet upstream of the confluence of Giddens Mill Creek .....	*230
<i>Giddens Mill Creek:</i>	
At confluence with Bear Creek .....	*230
Approximately 325 feet upstream of Elm Street .....	*231
<b>Maps available for inspection at the County Commissioner's Office, 212 North Parrish Street, Adel, Georgia.</b>	
<b>Fayette County (unincorporated areas) (FEMA Docket No. 7138)</b>	
<i>Morning Creek:</i>	
Approximately 0.72 mile upstream of the confluence with Flint River .....	*788
Approximately 250 feet upstream of the County boundary .....	*843
<i>Broadnax Creek:</i>	
At the confluence with Morning Creek .....	*841
Approximately 1,300 feet upstream of the upstream County boundary .....	*841
<i>Tar Creek:</i>	
At the confluence with Whitewater Creek .....	*846
Approximately 0.66 mile upstream of Rivers Road .....	*926
<i>Sandy Creek:</i>	
At the confluence with Whitewater Creek .....	*808
Approximately 150 feet upstream of Adams Road .....	*882
<i>Sandy Creek Tributary:</i>	
At the confluence with Sandy Creek ..	*824
At a point approximately 0.33 mile upstream of the confluence with Sandy Creek .....	*824

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
<i>Flat Creek:</i>	
At a point approximately 0.53 mile upstream of Smoke Rise Terrace ..	*856
At a point approximately 0.24 mile downstream of Pendleton Trail .....	*910
<i>Line Creek:</i>	
Approximately 0.9 mile downstream of Rockaway Road .....	*746
Approximately 0.46 mile downstream of Rockaway Road .....	*750
Approximately 300 feet upstream of the confluence of Trickum Creek ...	*872
Approximately 500 feet upstream of Johnson Road .....	*894
<i>Trickum Creek:</i>	
Approximately 200 feet upstream of the confluence with Line Creek .....	*872
Approximately 200 feet upstream of County boundary .....	*919
<i>Ginger Cake Creek:</i>	
At the confluence with Whitewater Creek .....	*793
Approximately 0.44 mile upstream of Brogdon Road .....	*889
<i>Perry Creek:</i>	
At the confluence with Whitewater Creek .....	*780
At State Route 92 (Lee Street) .....	*876
<i>Whitewater Creek:</i>	
At a point approximately 350 feet downstream of State Route 85 .....	*750
Approximately 500 feet downstream of confluence of Whitewater Creek Tributary .....	*873
<i>South Camp Creek:</i>	
At confluence with Whitewater Creek ..	*759
Approximately 0.73 mile upstream of the confluence with Whitewater Creek .....	*759
<b>Maps available for inspection at the Fayette County Engineering Department, 140 Stonewall Avenue West, Fayetteville, Georgia.</b>	
<b>Fayetteville (city), Fayette County (FEMA Docket No. 7138)</b>	
<i>Ginger Cake Creek:</i>	
At Lanier Avenue .....	*813
Approximately 50 feet downstream of Fayetteville Waterworks dam .....	*821
<i>Perry Creek:</i>	
At upstream side of State Route 92 (Lee Street) .....	*878
Approximately 100 feet upstream of State Route 92 (Lee Street) .....	*878
<b>Maps available for inspection at the Fayetteville Engineering Department, 240 East Lanier Avenue, Fayetteville, Georgia.</b>	
<b>Peachtree City (city), Fayette County (FEMA Docket No. 7138)</b>	
<i>Flat Creek:</i>	
Approximately 250 feet downstream of Lake Kedron Dam .....	*808
Approximately .53 mile upstream of Smoke Rise Terrace .....	*856
<i>Gin Branch:</i>	
At the confluence with Flat Creek .....	*841
Approximately 400 feet downstream of Peachtree Parkway .....	*841
<i>South Camp Creek:</i>	
Approximately 1,100 feet upstream of E.A. Brown Dam .....	*787
Approximately 100 feet upstream of Spear Road .....	*847

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
<p><b>Maps available for inspection</b> at the Peachtree City Engineering Department, 151 Willow Bend Road, Peachtree City, Georgia.</p> <p><b>Tyrone (town), Fayette County (FEMA Docket No. 7138)</b></p> <p><i>Trickum Creek:</i> Approximately 1,300 feet upstream of the confluence with Line Creek ..... Approximately 0.52 mile downstream of Kirkley Road .....</p> <p><i>Flat Creek:</i> Approximately 0.40 mile upstream of Dogwood Trace .....</p> <p>Approximately 125 feet upstream of Swanson Drive .....</p> <p><b>Maps available for inspection</b> at the Building Official's Office, 881 Senoia Road, Tyrone, Georgia.</p>	
<b>ILLINOIS</b>	
<p><b>Central City (village), Marion County (FEMA Docket No. 7130)</b></p> <p><i>Crooked Creek:</i> Approximately 1,400 feet downstream of Illinois Central Railroad .....</p> <p>Approximately 2,700 feet upstream of new U.S. Route 51 .....</p> <p><b>Maps available for inspection</b> at the Village Hall, 141 North Harrison, Centralia, Illinois.</p>	
<b>MINNESOTA</b>	
<p><b>Alvarado (city), Marshall County (FEMA Docket No. 7140)</b></p> <p><i>Snake River:</i> At downstream corporate limits (State Route 1) .....</p> <p>At upstream corporate limits (approximately 0.6 mile upstream of State Route 1) .....</p> <p><b>Maps available for inspection</b> at the Alvarado City Hall, Marshall Street, Alvarado, Minnesota.</p>	
<b>PENNSYLVANIA</b>	
<p><b>German (township), Fayette County (FEMA Docket No. 7149)</b></p> <p><i>Monongahela River:</i> At confluence of Antram Run .....</p> <p>At upstream corporate limits .....</p> <p><b>Maps available for inspection</b> at the German Township Building, R.D. #1, Box 287, McClellandtown, Pennsylvania.</p>	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: November 1, 1995.

Richard T. Moore,

Associate Director for Mitigation.

[FR Doc. 95-27659 Filed 11-7-95; 8:45 am]

BILLING CODE 6718-04-P

**FEDERAL COMMUNICATIONS COMMISSION**

**47 CFR Part 73**

[MM Docket No. 95-129; RM-8673]

**Radio Broadcasting Services; Colchester, IL**

**AGENCY:** Federal Communications Commission.

**ACTION:** Final rule.

\*876 **SUMMARY:** The Commission, at the request of Sharon K. Bryan, allots Channel 281A at Colchester, Illinois, as the community's first local aural transmission service. See 60 FR 40812, August 10, 1995. Channel 281A can be allotted to Colchester in compliance with the Commission's minimum distance separation requirements with a site restriction of 12.2 kilometers (7.6 miles) northwest to avoid a short-spacing to the licensed site of Station WMOS(FM), Channel 280A, Quincy, Illinois. The coordinates for Channel 281A at Colchester are North Latitude 40-31-26 and West Longitude 90-51-08. With this action, this proceeding is terminated.

\*895

\*878

\*927

\*465

\*469

**DATES:** Effective December 18, 1995. The window period for filing applications will open on December 18, 1995 and close on January 18, 1996.

**FOR FURTHER INFORMATION CONTACT:** Sharon P. McDonald, Mass Media Bureau, (202) 418-2180.

**SUPPLEMENTARY INFORMATION:** This is a synopsis of the Commission's *Report and Order*, MM Docket No. 95-129, adopted October 23, 1995, and released November 2, 1995. The full text of this Commission decision is available for inspection and copying during normal business hours in the FCC Reference Center (Room 239), 1919 M Street, NW., Washington, DC. The complete text of this decision may also be purchased from the Commission's copy contractors, International Transcription Service, Inc., (202) 857-3800, 2100 M Street, NW., Suite 140, Washington, DC 20037.

List of Subjects in 47 CFR Part 73  
Radio broadcasting.

Part 73 of title 47 of the Code of Federal Regulations is amended as follows:

**PART 73—[AMENDED]**

1. The authority citation for part 73 continues to read as follows:

Authority: Sections 303, 48 Stat., as amended, 1082; 47 U.S.C. 154, as amended.

**§ 73.202 [Amended]**

2. Section 73.202(b), the Table of FM Allotments under Illinois, is amended by adding Colchester, Channel 281A.

Federal Communications Commission.

John A. Karousos,

Chief, Allocations Branch, Policy and Rules Division, Mass Media Bureau.

[FR Doc. 95-27575 Filed 11-7-95; 8:45 am]

BILLING CODE 6712-01-F

**DEPARTMENT OF COMMERCE**

**National Oceanic and Atmospheric Administration**

**50 CFR Part 672**

[Docket No. 950206041-5041-01; I.D. 110195A]

**Groundfish of the Gulf of Alaska; Pacific Cod for Processing by the Inshore Component in the Central Regulatory Area**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Modification of a closure.

**SUMMARY:** NMFS is opening directed fishing for Pacific cod by vessels catching Pacific cod for processing by the inshore component in the Central Regulatory Area of the Gulf of Alaska (GOA). This action is necessary to use the total allowable catch (TAC) for Pacific cod in this area.

**EFFECTIVE DATE:** 12 noon, Alaska local time (A.l.t.), November 7, 1995, until 12 midnight, A.l.t., December 31, 1995.

**FOR FURTHER INFORMATION CONTACT:** Andrew N. Smoker, 907-586-7228.

**SUPPLEMENTARY INFORMATION:** The groundfish fishery in the GOA exclusive economic zone is managed by NMFS according to the Fishery Management Plan for Groundfish of the Gulf of Alaska (FMP) prepared by the North Pacific Fishery Management Council under authority of the Magnuson Fishery Conservation and Management Act. Fishing by U.S. vessels is governed by regulations implementing the FMP at 50 CFR parts 620 and 672.

In accordance with § 672.20(c)(1)(ii)(B), the allocation of Pacific cod for the inshore component in the Central Regulatory Area of the GOA was established by the final 1995 harvest specifications of groundfish (60 FR 8470, February 14, 1995) as 41,085 metric tons (mt). The directed fishery for Pacific cod by vessels catching Pacific cod for processing by the inshore component in the Central Regulatory