

- (A) Customer order number;
- (B) Manufacturer's name and product code;
- (C) Factory reel number and year of manufacture;
- (D) Gauge of conductors and pair size of wire;

(E) Length of wire; and

(F) RUS designation letter "K."

(3) When CCSR and NMR aerial service wires are shipped in coils the following provisions shall apply:

(i) The diameter of the coil shall be large enough to prevent damage to the wire from coiling or uncoiling;

(ii) The nominal length of the wire in a coil shall be 305 meters (1,000 feet). No coil shall be less than 290 meters (950 feet) long or more than 460 meters (1,500 feet) long; however, 25 percent of the total number of coils may be less than 305 meters (1,000 feet);

(iii) The coils of wire shall be wound securely with strong tape in four separate evenly spaced places;

(iv) The coils may be protected from damage by wrapping the coil with heavy paper, burlap, or other suitable material accepted by RUS prior to its use. The use of the heavy paper, burlap, or other suitable means of protection shall be at the option of the manufacturer unless specified by the end user; and

(v) Each coil shall be tagged with the following information:

(A) Customer order number;

(B) Manufacturer's name and product code;

(C) Year of manufacture;

(D) Gauge of conductors and pair size of wire;

(E) Length of wire; and

(F) RUS designation letter "K."

(4) In lieu of wrapping the coil with heavy paper, burlap, or other suitable material, the coil may be packaged in a moisture resistant carton.

(5) When the coils are shipped in moisture resistant cartons, each carton shall be marked with the information specified in paragraphs (f)(3)(v)(A) through (f)(3)(v)(F) of this section.

(6) Other methods of shipment may be used if accepted by RUS prior to their use.

(7) When NMR aerial service wire is shipped, the ends of the wire shall be sealed in accordance with ANSI/ICEA S-89-648-1993, paragraph 9.2.

Dated: December 19, 1995.

Jill Long Thompson,

Under Secretary, Rural Economic and Community Development.

[FR Doc. 95-31453 Filed 12-28-95; 8:45 am]

BILLING CODE 3410-15-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

21 CFR Part 888

[Docket No. 95N-0176]

Orthopedic Devices: Classification, Reclassification, and Codification of Pedicle Screw Spinal Systems; Extension of Comment Period

AGENCY: Food and Drug Administration, HHS.

ACTION: Proposed rule; extension of comment period.

SUMMARY: The Food and Drug Administration (FDA) is extending to March 4, 1996, the comment period for the proposed rule that published in the Federal Register of October 4, 1995 (60 FR 51946). The document proposed to classify certain unclassified preamendments pedicle screw spinal systems into class II (special controls), and to reclassify certain postamendments pedicle screw spinal systems from class III (premarket approval) to class II. FDA is taking this action in response to several requests for an extension to assure adequate time for preparation of comments.

DATES: Written comments by March 4, 1996.

ADDRESSES: Submit written comments to the Dockets Management Branch (HFA-305), Food and Drug Administration, 12420 Parklawn Dr., rm. 1-23, Rockville, MD 20857.

FOR FURTHER INFORMATION CONTACT: Mark N. Melkerson, Center for Devices and Radiological Health (HFZ-410), Food and Drug Administration, 9200 Corporate Blvd., Rockville, MD 20850, 301-594-2036.

SUPPLEMENTARY INFORMATION: In the Federal Register of October 4, 1995 (60 FR 51946), FDA published a proposed rule to classify certain unclassified preamendments pedicle screw spinal systems into class II (special controls), and to reclassify certain postamendments pedicle screw spinal systems from class III (premarket approval) to class II. FDA is proposing to place certain pedicle screw spinal systems in class II because the agency believes that sufficient information exists to establish special controls to provide reasonable assurance of its safety and effectiveness.

Interested persons were invited to comment by January 2, 1996. FDA received several requests to extend the comment period, including a request from a United States District Court

Judge presiding over product liability actions concerning orthopedic bone screw products. The court requested that FDA allow a 60-day extension because court orders relating to the disclosure of certain information about pedicle screws may make it difficult for parties involved in the litigation to submit relevant information to FDA by January 2, 1996.

Because FDA wants to provide adequate time for the submission of all relevant information related to these important public health issues, FDA is extending the comment period for 60 days. Accordingly, FDA finds under section 520(d) of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 360j(d)) that there is good cause for such an extension.

Interested persons may, on or before March 4, 1996, submit to Dockets Management Branch (address above) written comments regarding this proposal. Two copies of any comments are to be submitted, except that individuals may submit one copy. Comments are to be identified with the docket number found in brackets in the heading of this document. Received comments may be seen in the office above between 9 a.m. and 4 p.m., Monday through Friday.

Dated: December 21, 1995.

Joseph A. Levitt,

Deputy Director for Regulations Policy, Center for Devices and Radiological Health.

[FR Doc. 95-31460 Filed 12-28-95; 8:45 am]

BILLING CODE 4160-01-F

DEPARTMENT OF TRANSPORTATION

Coast Guard

33 CFR Parts 62 and 66

[CGD 94-091]

RIN 2115-AF14

Conformance of Uniform State Waterways Marking System and Western Rivers Marking System with the United States Aids to Navigation System and the Maritime Buoyage System of the International Association of Lighthouse Authorities

AGENCY: Coast Guard, DOT.

ACTION: Advance notice of proposed rulemaking and request for comments.

SUMMARY: The Coast Guard is considering changes that would bring the Uniform State Waterways Marking System (USWMS) and the Western Rivers Marking System (WRMS) more into conformance with the U.S. Aids to Navigation System (USATONS) and the