

State and county	Location	Dates and name of newspaper where notice was published	Chief executive officer of community	Effective date of modification	Community No.
Walla Walla ...	Unincorporated Areas.	January 7, 1999, January 14, 1999, Walla Walla Union-Bulletin.	The Honorable Charles Maiden, Chairman, Walla Walla County, Board of Commissioners, P.O. Box 1506, Walla Walla, Washington 99362.	December 8, 1998	530194

(Catalog of Federal Domestic Assistance No. 83.100, "Food Insurance")

Dated: February 26, 1999.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 99-5765 Filed 3-8-99; 8:45 am]

BILLING CODE 6718-04-M

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (email) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base

flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act.

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act.

The Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. No regulatory flexibility analysis has been prepared.

Regulatory Classification.

This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of

September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism.

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform.

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
MINNESOTA	
Blue Earth County (Unincorporated Areas) (FEMA Docket No. 7267)	
<i>Minnesota River:</i>	
Approximately 1.25 miles downstream of downstream county boundary	*769
Approximately 3.7 miles upstream of confluence of Minneopa Creek	*787
<i>Blue Earth River:</i>	
At Mankato corporate limits ..	*785
Approximately 1.06 miles upstream of U.S. Highway 169	*785

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
<p>Maps available for inspection at the Blue Earth County Government Center, 410 South Fifth Street, Mankato, Minnesota.</p>		<p>Nicollet County (Unincorporated Areas) (FEMA Docket No. 7267)</p>		<p>Maps available for inspection at the Bensalem Township Building, Office of Building and Planning, 2400 Byberry Road, Bensalem, Pennsylvania.</p>	
<p>Courtland (City), Nicollet County (FEMA Docket No. 7267)</p> <p><i>Minnesota River:</i> At the downstream corporate limits *800 At the upstream corporate limits *804</p>		<p><i>Minnesota River:</i> At the downstream county boundary *748 Approximately 0.20 mile upstream of the Chicago & North Western Railroad *807</p> <p>Maps available for inspection at the Nicollet County Courthouse, 501 South Minnesota Avenue, St. Peter, Minnesota.</p>		<p>Middletown (Township), Bucks County (FEMA Docket No. 7255)</p> <p><i>Chub Run:</i> At upstream side of Gillam Avenue *196 Approximately 90 feet upstream of Gillam Avenue ... *196</p>	
<p>Maps available for inspection at the Courtland City Recreation Hall, Council Chambers/Clerks Office, 300 Railroad Street, Courtland, Minnesota.</p>		<p>North Mankato (City), Nicollet County (FEMA Docket No. 7267)</p>		<p><i>Neshaminy Creek:</i> At downstream corporate limits *23 At upstream corporate limits *86</p>	
<p>Kasota (City), Le Sueur County (FEMA Docket No. 7267)</p> <p><i>Minnesota River:</i> Approximately 325 feet downstream of confluence of Shanaska Creek *764 Approximately 1,800 feet upstream of the confluence with the Minnesota River along Shanaska Creek *764 Approximately 1.06 miles upstream of confluence of Shanaska Creek *765</p>		<p><i>Minnesota River:</i> Approximately 0.9 mile upstream of U.S. Highway 14 *777 Approximately 2 miles upstream of U.S. Highway 169 *786</p> <p>Maps available for inspection at the North Mankato City Hall, 1001 Belgrade Avenue, North Mankato, Minnesota.</p>		<p><i>Queen Anne Creek:</i> Approximately 750 feet downstream of Oxford Valley Road *71 Approximately 650 feet downstream of Oxford Valley Road *71</p> <p>Maps available for inspection at the Middletown Township Hall, 2140 Trenton Road, Levittown, Pennsylvania.</p>	
<p>Maps available for inspection at the Kasota City Hall, 200 North Webster, Kasota, Minnesota.</p>		<p>St. Peter (City), Nicollet County (FEMA Docket No. 7267)</p> <p><i>Minnesota River:</i> Approximately 1,500 feet downstream of State Highway 99 *759 At the upstream corporate limits *765</p>		<p>Perkasie (Borough), Bucks County (FEMA Docket No. 7255)</p> <p><i>East Branch Perkiomen Creek:</i> Downstream corporate limit .. *308 Approximately 1,300 feet upstream of East Callowhill Road *31</p>	
<p>Le Sueur (City), Le Sueur County (FEMA Docket No. 7267)</p> <p><i>Minnesota River:</i> Approximately 0.47 mile upstream of downstream corporate limits *742 Upstream corporate limits *748</p>		<p>Maps available for inspection at the City of St. Peter Public Works Department, St. Julian Street, St. Peter, Minnesota.</p>		<p>Maps available for inspection at the Perkasie Borough Hall, 311 South Ninth Street, Perkasie, Pennsylvania</p>	
<p>Maps available for inspection at the Le Sueur City Hall, 203 South 2nd Street, Le Sueur, Minnesota.</p>		<p>MISSISSIPPI</p>		<p>TENNESSEE</p>	
<p>Le Sueur County (Unincorporated Areas) (FEMA Docket No. 7267)</p> <p><i>Minnesota River:</i> At downstream county boundary *740 Approximately 0.25 mile downstream from upstream county boundary *770</p> <p><i>White Water Creek:</i> At upstream Waterville corporate limits *1,013 Approximately 1,300 feet upstream from upstream Waterville corporate limits *1,016</p>		<p>Jackson (City), Hinds, Rankin, and Madison Counties (FEMA Docket No. 7267)</p> <p><i>White Oak Creek:</i> Approximately 739 feet upstream of Old Canton Road *284 Approximately 230 feet upstream of Illinois Central Railroad *313</p> <p>Maps available for inspection at the Department of Public Works, 200 South President Street, Jackson, Mississippi.</p>		<p>Gordonsville (Town), Smith County (FEMA Docket No. 7263)</p> <p><i>Caney Fork River:</i> At the confluence of Mullherrin Creek *489 Approximately 0.3 mile upstream of the confluence of Hickman Creek *493</p> <p><i>Mullherrin Creek:</i> Approximately 25 feet upstream of Southern Railway *489 Approximately 1,100 feet upstream of State Route 53/Carthage Road *490</p> <p><i>Hickman Creek:</i> At the confluence with Caney Fork River *492 Approximately 1.2 miles upstream of Southern Railway *493</p>	
<p>Maps available for inspection at the Le Sueur County Planning and Zoning Administration, Environmental Services Building, 88 South Park, Le Center, Minnesota.</p>		<p>Bensalem (Township), Bucks County (FEMA Docket No. 7255)</p> <p><i>Neshaminy Creek:</i> Approximately 200 feet downstream of Old Lincoln Highway *49 Just downstream of Old Lincoln Highway *49</p>		<p>Maps available for inspection at the Gordonsville City Hall, 63 East Main Street, Gordonsville, Tennessee.</p>	
		<p>PENNSYLVANIA</p>			

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Smith County (Unincorporated Areas) (FEMA Docket No. 7263)	
<i>Caney Fork River:</i>	
At the confluence of Mulherrin Creek	*489
Approximately 0.53 mile upstream of the confluence of Hickman Creek	*493
<i>Mulherrin Creek:</i>	
Approximately 25 feet upstream of Southern Railway	*489
Approximately 1,250 feet upstream of State Route 53/Carthage Road	*490
<i>Hickman Creek:</i>	
At the confluence with Caney Fork River	*492
Approximately 1.2 miles upstream of Southern Railway	*493
Maps available for inspection at the Smith County Executive's Office, 122 Turner High Circle, Carthage, Tennessee.	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: March 2, 1999.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 99-5764 Filed 3-8-99; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATE: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the FIRM is available for inspection as indicated in the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (e-mail) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR Part 67.

FEMA has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR Part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director for Mitigation certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is amended to read as follows:

PART 67—[AMENDED]

1. The authority citation for Part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD)
Arkansas	
Washington County (and Incorporated Areas) (FEMA Docket No. 7262)	
<i>Scull Creek:</i>	
Approximately 250 feet upstream of confluence with Mud Creek	*1,179
Approximately 1,650 feet upstream of Sycamore Street	*1,294
Approximately 650 feet upstream of College Avenue	*1,399
<i>Clabber Creek Tributary C-2:</i>	
At confluence with Clabber Creek	*1,161
Approximately 2,200 feet upstream of confluence with Clabber Creek	*1,201
<i>Hamestring Creek Tributary HS2:</i>	
Approximately 200 feet upstream of confluence with Hamestring Creek	*1,192
Approximately 3,200 feet upstream of confluence with Hamestring Creek	*1,237
<i>Clabber Creek Tributary C-1:</i>	