

requirements of the FTZ Act and Board's regulations are satisfied, and that the proposal is in the public interest;

Now, therefore, the Board hereby orders:

The application to reorganize FTZ 126 under the alternative site framework is approved, subject to the FTZ Act and the Board's regulations, including Section 400.28, to the Board's standard 2,000-acre activation limit for the overall general-purpose zone project, to a five-year ASF sunset provision for magnet sites that would terminate authority for Sites 1, 4, 5, 7-14 and 17 if not activated by August 31, 2015, and to a three-year ASF sunset provision for usage-driven sites that would terminate authority for Sites 2, 3, 15-16 and 18-19 if no foreign-status merchandise is admitted for a bona fide customs purpose by August 31, 2013.

Signed at Washington, DC, this 19th day of August 2010.

Ronald K. Lorentzen,

Deputy Assistant Secretary for Import Administration, Alternate Chairman, Foreign-Trade Zones Board.

Attest:

Andrew McGilvray,

Executive Secretary.

[FR Doc. 2010-21573 Filed 8-27-10; 8:45 am]

BILLING CODE P

DEPARTMENT OF COMMERCE

Foreign-Trade Zones Board

Foreign-Trade Zone 43—Battle Creek, MI; Site Renumbering Notice

Foreign-Trade Zone 43 was approved by the FTZ Board on October 19, 1978 (Board Order 138, 43 FR 50233, 10/27/78), and expanded on December 27, 1990 (Board Order 496, 56 FR 675, 1/8/91), January 3, 1992 (Board Order 554, 57 FR 1143, 1/10/92 and Board Order 555, 57 FR 1143, 1/10/92), and June 20, 1997 (Board Order 897, 62 FR 36044, 7/3/97 and Board Order 898, 62 FR 36043, 7/3/97).

FTZ 43 currently consists of 5 "sites" totaling 1,820 acres in the Battle Creek, Michigan area. The current update does not alter the physical boundaries that have previously been approved, but instead involves an administrative renumbering that separates certain non-contiguous sites for record-keeping purposes.

Under this revision, the site list for FTZ 43 will be as follows: Site 1 (1,710 acres)—within the Fort Custer Industrial Park, Battle Creek; Site 2 (21 acres)—Columbia West Industrial Park, Battle Creek; Site 3 (23 acres)—6677 Beatrice

Drive in Texas Township (Kalamazoo County); Site 4 (22 acres)—8250 Logistic Drive, Zeeland Township (Ottawa County), some 20 miles southwest of Grand Rapids; Site 5 (30 acres)—located within the 120-acre St. Joseph River Harbor Development Area adjacent to Lake Michigan in Benton Harbor (Berrien County), some 50 miles east of Battle Creek; Site 7 (14 acres)—72100 Highway M-40 South, Lawton (Van Buren County); and Site 8 (50,000 sq. ft.)—located at 1609 Parnall Road, Jackson (approved on a temporary basis until 1/31/11).

For further information, contact Elizabeth Whiteman at *Elizabeth.Whiteman@trade.gov* or (202) 482-0473.

Dated: August 25, 2010.

Andrew McGilvray,

Executive Secretary.

[FR Doc. 2010-21572 Filed 8-27-10; 8:45 am]

BILLING CODE P

DEPARTMENT OF DEFENSE

National Security Agency

Notice of Intent To Grant an Exclusive License; Doar, Pekuin, Sall Limited Liability Company

AGENCY: National Security Agency, DoD.

ACTION: Notice.

SUMMARY: The National Security Agency hereby gives notice of its intent to grant Doar, Pekuin, Sall Limited Liability Company a revocable, non-assignable, exclusive, license to practice the following Government-Owned invention as described in U.S. Patent No. 6,404,407 entitled "Ridge laser with oxidized strain-compensated superlattice of group III-V semiconductor." The invention is assigned to the United States Government as represented by the National Security Agency.

DATES: Anyone wishing to object to the grant of this license has fifteen (15) days from the publication date of this notice to file written objections along with any supporting evidence, if any.

ADDRESSES: Written objections are to be filed with the National Security Agency Technology Transfer Program, 9800 Savage Road, Suite 6541, Fort George G. Meade, MD 20755-6541.

FOR FURTHER INFORMATION CONTACT: Marian T. Roche, Director, Technology Transfer Program, 9800 Savage Road, Suite 6541, Fort George G. Meade, MD 20755-6541, telephone (443) 479-9569.

Dated: August 25, 2010.

Mitchell S. Bryman,

Alternate OSD Federal Register Liaison Officer, Department of Defense.

[FR Doc. 2010-21540 Filed 8-27-10; 8:45 am]

BILLING CODE 5001-06-P

DELAWARE RIVER BASIN COMMISSION

Notice of Commission Meeting and Public Hearing

Notice is hereby given that the Delaware River Basin Commission will hold an informal conference followed by a public hearing on Wednesday, September 15, 2010. The hearing will be part of the Commission's regular business meeting. The conference session and business meeting both are open to the public and will be held at the West Trenton Volunteer Fire Company, located at 40 West Upper Ferry Road, West Trenton, New Jersey.

The conference among the commissioners and staff will begin at 10:30 a.m. and will consist of: A report by staff on the year's progress in implementing the 2004 Basin Plan; a report by a representative of the U.S. Army Corps of Engineers on the regional sediment management planning process; and a presentation by a representative of the U.S. Environmental Protection Agency on the Delaware Basin Source Water Collaborative Forum to take place on March 10, 2011.

The subjects of the public hearing to be held during the 1:30 p.m. business meeting include the dockets listed below:

1. *Upper Southampton Municipal Authority, D-1965-023 CP-2.* An application for the renewal of a groundwater withdrawal project to supply the docket holder's water supply distribution system from existing Wells Nos. 3, 7, and 9. The docket holder requests an allocation of 13.53 million gallons per month (mgm). The project wells were constructed in the Stockton Formation and are located in the Southampton and Mill Creek Watersheds in Upper Southampton Township, Bucks County, Pennsylvania, in the Southeastern Pennsylvania Ground Water Protected Area (GWPA).

2. *Abington Township, D-1973-191 CP-4.* An application for renewal of the Abington Township Wastewater Treatment Plant (WWTP). The existing WWTP will continue to discharge treated effluent at an annual average flow of 3.91 million gallons per day (mgd) to Sandy Run, a tributary of the Wissahickon Creek, which drains to the

Schuylkill River. The facility is located in Upper Dublin Township, Montgomery County, Pennsylvania.

3. *Lower Moreland Township Authority, D-1987-052 CP-3*. An application for the renewal of an existing 0.279 mgd discharge from the Chapel Hill WWTP to an unnamed tributary of Southampton Creek at River Mile 109.75-16.1-0.71-0.5 (Delaware River-Pennypack Creek-Southampton Creek-UNT). The Chapel Hill WWTP is located in Lower Moreland Township, Montgomery County, Pennsylvania.

4. *Manwalamink Water Company, D-1989-050 CP-5*. An application for renewal of a groundwater withdrawal project to continue to supply up to 15 mgm of groundwater to the public water supply system from existing Wells Nos. 1, 2, 3, 5, and 6. Wells Nos. 1 and 2 are completed in the Pleistocene alluvial sand and gravel aquifer. Wells Nos. 3, 5, and 6 are completed in the Ridgeley-Coeymans Formation. The project is located in the Shawnee Creek and Delaware River watersheds in Smithfield Township, Monroe County, Pennsylvania within the drainage area of the section of the non-tidal Delaware River known as the Middle Delaware, which is classified as Special Protection Waters.

5. *Waste Management of Pennsylvania, D-1991-090-2*. An application for the renewal of a surface water withdrawal project to continue to supply 6 mgm of water to the applicant's landfill operations from the existing Intake on Manor Lake. The project is located in the Delaware River Watershed in Tullytown and Falls townships, Bucks County, Pennsylvania.

6. *Dan Schantz Farm and Greenhouses, D-1999-014-2*. An application for the renewal of a groundwater withdrawal project to continue the withdrawal of up to 3.57 mgm of water for irrigation and potable water supply from eight existing wells located in the Brunswick Formation. The project is located in the Hosensach-Indian Creek Watershed in Lower Milford Township, Lehigh County, Pennsylvania in the Southeastern Pennsylvania Ground Water Protected Area.

7. *Borough of Palmerton, D-1964-028 CP-2*. An application for approval of an upgrade of the existing Palmerton Borough WWTP. The upgrade includes replacing the existing contact stabilization activated sludge treatment system with a sequencing batch reactor (SBR) treatment system. No increase in the design annual average flow of 0.75 mgd is proposed. The WWTP will continue to discharge to the

Aquashicola Creek, a tributary of the Lehigh River, and is located within the drainage area of the section of the non-tidal Delaware River known as the Lower Delaware, which is classified as Special Protection Waters. The facility is located in the Borough of Palmerton, Carbon County, Pennsylvania.

8. *Upper Gwynedd Township, D-1991-088 CP-6*. An application for approval of a modification of the Upper Gwynedd Township WWTP by the addition of a Biomag™ treatment process. The process entails adding magnetite to the aeration tanks in order to enhance solids settling and BOD and nutrient removal. The WWTP will continue to treat an average annual flow of 5.7 mgd and discharge treated sewage effluent to the Wissahickon Creek, a tributary of the Schuylkill River. The facility is located in Upper Gwynedd Township, Montgomery County, Pennsylvania.

9. *Plumstead Township, D-1997-033 CP-3*. An application to approve the addition of new Well No. LG-6 to the applicant's 11 existing wells and to increase the applicant's total groundwater withdrawal allocation from all wells from 15.31 million gallons per 30 days (mg/30 days) to 23.02 mgm. The project wells are located in the Brunswick Group, Lockatong Formation, and Stockton Formation in Plumstead Township, Bucks County, Pennsylvania within four subbasins of the Southeastern Pennsylvania Ground Water Protected Area: Tohickon-Deep Run, Tohickon-Geddes-Cabin Runs, Pine Run, and North Branch Neshaminy Creek.

10. *Borough of Bryn Athyn, D-2008-013 CP-3*. An application for approval to modify the existing 0.08 mgd New Church WWTP. Modifications include the addition of an equalization tank and a sludge holding tank, to be incorporated into the existing treatment design. The New Church WWTP will continue to discharge to an unnamed Tributary of Huntingdon Valley Creek at River Mile 109.75-12.02-1.11-0.17 (Delaware River-Pennypack Creek-Huntingdon Valley Creek-UNT) in Bryn Athyn Borough, Montgomery County, Pennsylvania. The project is located in the Southeastern Pennsylvania Ground Water Protected Area.

11. *Premcor Refining Group, D-2009-023-1*. An application for approval to increase the dredging depth of the facility's Entrance Channel and Turning Basin by five feet (to a new depth of -37 ft. MLW) and of the Pier Berthing Area by three feet (to a new depth of -40 ft. MLW). Approximately 650,000 cubic yards of new material will be dredged to allow for larger ships to

traverse and dock at the facility. The project is located in Water Quality Zone 5 of the Delaware River at River Mile 61.8, in Delaware City, New Castle County, Delaware.

12. *Naval Surface Warfare Center, Carderock Division, Ship Systems Engineering Station, D-2009-003-1*. An application for approval of a surface water withdrawal of up to 1,147.25 mgm from an existing surface water intake to be used for once-through non-contact cooling of land-based test sites (LBTS) for ship systems associated with the Naval Surface Warfare Center, Carderock Division, Ship Systems Engineering Station (NSWCCD-SSES). The project intake is located in the Navy Reserve Basin, which is connected by a channel to the Schuylkill River, one-half mile upstream of the confluence of the Schuylkill and Delaware rivers. The Navy Reserve Basin is located in the City of Philadelphia, Pennsylvania, in the Schuylkill River Watershed.

13. *City of Dover, D-2009-014 CP-1*. An application for approval of an existing 0.360 mgd discharge of cooling tower blowdown from Outfalls Nos. 004 and 005 from the applicant's McKee Run Electric Generating Station. The project outfalls are located at River Mile 23.70-14.36-0.34 (Delaware River-Saint Jones River-McKee Run) in the City of Dover, Kent County, Delaware.

14. *Reading Area Water Authority—Maiden Creek, D-2010-009 CP-1*. An application for approval of an existing 4.3 mgd discharge from the Maiden Creek Water Filtration Plant (WFP). The discharge consists of filter backwash, pump seal water, chlorine analyses, and diesel generator cooling water from the WFP. Modifications to the backwash treatment process are proposed that will not increase the capacity of the WFP. The project discharges to Maiden Creek at River Mile 92.47-85.63-0.24 (Delaware River-Schuylkill River-Maiden Creek) in Ontelaunee Township, Berks County, Pennsylvania.

15. *Friesland Campino Domo, D-2010-010-1*. An application for approval of an existing groundwater withdrawal project to supply up to 31.95 mg/30 days of water to the applicant's vitamin production facility from existing Wells No. 1 and 2. The project is located in the Lower Walton Formation in the West Branch Delaware River Watershed in the Town of Delhi, Delaware County, New York, within the drainage area of the section of the non-tidal Delaware River known as the Upper Delaware, which is classified as Special Protection Waters.

16. *Schuylkill County Municipal Authority—Deer Lake, D-2010-019 CP-1*. An application for approval to

expand the existing Deer Lake WWTP from a hydraulic design of 0.229 mgd to 1.0 mgd. Treated wastewater will continue to discharge to Pine Creek at River Mile 92.47–106.75–2.35 (Delaware River-Schuylkill River-Pine Creek) via Outfall No. 001, in West Brunswick Township, Schuylkill County, Pennsylvania.

17. *Gloucester County Utilities Authority—Pitman Golf Course, D-2010-029 CP-1*. An application for approval to construct and operate the 0.2 mgd Pitman Golf Course (PGC) WWTP. Effluent limits for the PGC WWTP will be based upon a 0.1 mgd discharge, the requested irrigation flow required at the PGC to avoid an increase in withdrawal from New Jersey Critical Water Supply Area 2. The PGC WWTP will receive flow from the Chestnut Branch Interceptor, an existing component of the wastewater collection system for the Gloucester County Utilities Authority (GCUA) WWTP, which discharges to Water Quality Zone 4 in the tidal Delaware River. After treatment, the effluent will be spray-irrigated on the Pitman Golf Course, located in Mantua Township, Gloucester County, New Jersey. Excess wastewater withdrawn from the Interceptor will be returned to the Interceptor for treatment at the GCUA's 27 mgd WWTP located in West Deptford, Gloucester County, New Jersey.

In addition to the standard business meeting items, consisting of adoption of the Minutes of the Commission's May 5 and July 14, 2010 business meetings, announcements of upcoming meetings and events, a report on hydrologic conditions, reports by the Executive Director and the Commission's General Counsel, public hearings on water withdrawal and discharge projects, and public dialogue, the business meeting also will include a public hearing on a resolution concerning delegation of DRBC review of the Southport Marine Terminal project and consideration by the Commission of its proposal (published in February and March of 2010) to amend water charging rates.

Draft dockets scheduled for public hearing on September 15, 2010 can be accessed through the Notice of Commission Meeting and Public Hearing on the Commission's Web site, drbc.net, ten days prior to the meeting date. Additional public records relating to the dockets may be examined at the Commission's offices. Please contact William Muszynski at 609-883-9500, extension 221, with any docket-related questions.

Note that conference items are subject to change and items scheduled for

hearing are occasionally postponed to allow more time for the Commission to consider them. Please check the Commission's Web site, drbc.net, closer to the meeting date for changes that may be made after the deadline for filing this notice.

Individuals who wish to comment for the record on a hearing item or to address the Commissioners informally during the public dialogue portion of the meeting are asked to sign up in advance by contacting Ms. Paula Schmitt of the Commission staff, at paula.schmitt@drbc.state.nj.us or by phoning Ms. Schmitt at 609-883-9500 ext. 224.

Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the informational meeting, conference session or hearings should contact the Commission Secretary directly at 609-883-9500 ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate your needs.

Dated: August 24, 2010.

Pamela M. Bush,

Commission Secretary.

[FR Doc. 2010-21505 Filed 8-27-10; 8:45 am]

BILLING CODE 6360-01-P

DEPARTMENT OF EDUCATION

Notice of Submission for OMB Review

AGENCY: Department of Education.

ACTION: Comment request.

SUMMARY: The Acting Director, Information Collection Clearance Division, Regulatory Information Management Services, Office of Management invites comments on the submission for OMB review as required by the Paperwork Reduction Act of 1995 (Pub. L. 104-13).

DATES: Interested persons are invited to submit comments on or before September 29, 2010.

ADDRESSES: Written comments should be addressed to the Office of Information and Regulatory Affairs, Attention: Education Desk Officer, Office of Management and Budget, 725 17th Street, NW., Room 10222, New Executive Office Building, Washington, DC 20503, be faxed to (202) 395-5806 or e-mailed to oira_submission@omb.eop.gov with a cc: to ICDocketMgr@ed.gov. Please note that written comments received in response to this notice will be considered public records.

SUPPLEMENTARY INFORMATION: Section 3506 of the Paperwork Reduction Act of 1995 (44 U.S.C. Chapter 35) requires that the Office of Management and Budget (OMB) provide interested Federal agencies and the public an early opportunity to comment on information collection requests. The OMB is particularly interested in comments which: (1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility; (2) Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used; (3) Enhance the quality, utility, and clarity of the information to be collected; and (4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology.

Dated: August 24, 2010.

Stephanie Valentine,

Acting Director, Information Collection Clearance Division, Regulatory Information Management Services, Office of Management.

Office of Postsecondary Education

Type of Review: Reinstatement.

Title of Collection: Financial Report for Grantees under the Title III Part A, Title III Part B, and the Title V Program Endowment Activities and Endowment Challenge Grant Program.

OMB Control Number: 1840-0564.

Agency Form Number(s): N/A.

Frequency of Responses: Annually.

Affected Public: Not-for-profit institutions.

Total Estimated Number of Annual Responses: 500.

Total Estimated Annual Burden Hours: 1,500.

Abstract: This financial reporting form will be utilized for Title III Part A, Title III Part B and Title V Program Endowment Activities and Title III Part C Endowment Challenge Grant Program. The purpose of this Annual Financial Report is to have the grantees report annually the kind of investments that have been made, the income earned and spent, and whether any part of the Endowment Fund Corpus has been spent. This information allows us to give technical assistance and determine whether the grantee has complied with the statutory and regulatory investment requirements.

Requests for copies of the information collection submission for OMB review