provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

*Minutes*: Minutes will be available by writing or calling Melyssa P. Noe at the address and phone number listed above. Minutes will also be available at the following Web site: http://www.oakridge.doe.gov/em/ssab/minutes.htm.

Issued at Washington, DC, on December 14, 2011.

# LaTanya R. Butler,

Acting Deputy Committee Management Officer.

[FR Doc. 2011-32505 Filed 12-19-11: 8:45 am]

BILLING CODE 6450-01-P

#### **DEPARTMENT OF ENERGY**

## Environmental Management Site-Specific Advisory Board, Northern New Mexico

**AGENCY:** Department of Energy. **ACTION:** Notice of Open Meeting.

SUMMARY: This notice announces a meeting of the Environmental Management Site-Specific Advisory Board (EM SSAB), Northern New Mexico. The Federal Advisory Committee Act (Pub. L. 92–463, 86 Stat. 770) requires that public notice of this meeting be announced in the Federal Register.

**DATES:** Wednesday, January 25, 2012, 1 p.m.–7 p.m.

ADDRESSES: NNMCAB Offices, 96 Cities of Gold Road, Suite 3, Pojoaque, New Mexico 87506.

## FOR FURTHER INFORMATION CONTACT:

Menice Santistevan, Northern New Mexico Citizens' Advisory Board (NNMCAB), 1660 Old Pecos Trail, Suite B, Santa Fe, NM 87505. Phone (505) 995–0393; Fax (505) 989–1752 or Email: msantistevan@doeal.gov.

**SUPPLEMENTARY INFORMATION:** Purpose of the Board: The purpose of the Board is to make recommendations to DOE–EM and site management in the areas of environmental restoration, waste management, and related activities.

# Tentative Agenda

1 p.m. Call to Order by Co-Deputy Designated Federal Officers (DDFO), Ed Worth and Lee Bishop. Establishment of a Quorum: Roll Call and Excused Absences, Karen Erickson.

Welcome and Introductions, Ralph Phelps.

Approval of Agenda and November 30, 2011, Meeting Minutes.

1:30 p.m. Public Comment Period. 1:45 p.m. Old Business.

- Written Reports.
- · Other Items.

2 p.m. New Business, Ralph Phelps.2:30 p.m. Items from DDFOs, Ed Worth and Lee Bishop.

- Definition of One Contaminant (as requested).
- Other Items.

3 p.m. Break.

3:15 p.m. Presentation on Environmental Cleanup.

4:30 p.m. Discussion on Draft Recommendation(s) to DOE, Ralph Phelps.

5 p.m. Dinner Break.

6 p.m. Public Comment Period.

6:15 p.m. Consideration and Action on Draft Recommendation(s) to the DOE, Ralph Phelps.

6:30 p.m. Wrap up and Comments from Board Members.

7 p.m. Adjourn, Lee Bishop and Ed Worth.

Public Participation: The EM SSAB, Northern New Mexico, welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Menice Santistevan at least seven days in advance of the meeting at the telephone number listed above. Written statements may be filed with the Board either before or after the meeting. Individuals who wish to make oral statements pertaining to agenda items should contact Menice Santistevan at the address or telephone number listed above. Requests must be received five days prior to the meeting and reasonable provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

Minutes: Minutes will be available by writing or calling Menice Santistevan at the address or phone number listed above. Minutes and other Board documents are on the Internet at: http://www.nnmcab.org/.

Issued at Washington, DC on December 14, 2011.

#### LaTanya R. Butler,

Acting Deputy Committee Management Officer.

[FR Doc. 2011–32535 Filed 12–19–11; 8:45 am]

BILLING CODE 6405-01-P

#### **DEPARTMENT OF ENERGY**

## **Environmental Management Site-Specific Advisory Board, Portsmouth**

**AGENCY:** Department of Energy (DOE). **ACTION:** Notice of Open Meeting.

SUMMARY: This notice announces a meeting of the Environmental Management Site-Specific Advisory Board (EM SSAB), Portsmouth. The Federal Advisory Committee Act (Pub. L. 92–463, 86 Stat. 770) requires that public notice of this meeting be announced in the Federal Register.

**DATES:** Thursday, January 5, 2012, 6 p.m.

**ADDRESSES:** Ohio State University, Endeavor Center, 1862 Shyville Road, Piketon, Ohio 45661.

FOR FURTHER INFORMATION CONTACT: Joel Bradburne, Deputy Designated Federal Officer, Department of Energy Portsmouth/Paducah Project Office, Post Office Box 700, Piketon, Ohio 45661. Phone (740) 897–3822. email: Joel.Bradburne@lex.doe.gov.

## SUPPLEMENTARY INFORMATION:

Purpose of the Board: The purpose of the Board is to make recommendations to DOE–EM and site management in the areas of environmental restoration, waste management, and related activities.

# **Tentative Agenda**

- Call to Order, Introductions, Review of Agenda.
  - Approval of December Minutes.
- Deputy Designated Federal Officer's Comments.
  - Federal Coordinator's Comments.
  - Liaisons' Comments.
  - Presentation:
- Site Characterization, Habitat and Land Use Mapping and Data/Wildlife Management Plan—Summary of Year 1 Field Work and Data Collection, Bob Eichenberg and Rob Wiley, Ohio University.
  - Information Portfolio, Karen Price.
- FLUOR B&W Community Commitment Plan Update, Jerry Schneider.
  - Administrative Issues:
  - Subcommittee Updates.
  - Public Comments.
  - Final Comments from the Board.

• Adjourn.

Public Participation: The meeting is open to the public. The EM SSAB, Portsmouth, welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Joel Bradburne at least seven days in advance of the meeting at the phone number listed above. Written statements may be filed with the Board either before or after the meeting. Individuals who wish to make oral statements pertaining to agenda items should contact Joel Bradburne at the address or telephone number listed above. Requests must be received five days prior to the meeting and reasonable provision will be made to include the presentation in the agenda. The Deputy Designated Federal Officer is empowered to conduct the meeting in a fashion that will facilitate the orderly conduct of business. Individuals wishing to make public comments will be provided a maximum of five minutes to present their comments.

*Minutes:* Minutes will be available by writing or calling Joel Bradburne at the address and phone number listed above. Minutes will also be available at the following Web site: http://www.ports-ssab.energy.gov/.

Issued at Washington, DC on December 14, 2011.

#### LaTanva R. Butler,

Acting Deputy Committee Management Officer.

[FR Doc. 2011–32539 Filed 12–19–11; 8:45 am] BILLING CODE 6450–01–P

# **DEPARTMENT OF ENERGY**

# Office of Energy Efficiency and Renewable Energy

[Case No. CAC-036]

Decision and Order Granting a Waiver to LG Electronics U.S.A., Inc. From the Department of Energy Commercial Package Air Conditioner and Heat Pump Test Procedures

**AGENCY:** Office of Energy Efficiency and Renewable Energy, Department of Energy.

**ACTION:** Decision and Order.

**SUMMARY:** This notice publishes the U.S. Department of Energy's (DOE) Decision and Order in Case No. CAC–036, which grants LG Electronics U.S.A., Inc. (LG) a waiver from the existing DOE test procedures applicable to commercial package air-source central air

conditioners and heat pumps. The waiver is applicable to the LG Multi V III variable refrigerant flow (VRF) multisplit commercial heat pumps specified in LG's July 22, 2011 petition for waiver. As a condition of this waiver, LG must use the alternate test procedure set forth in this notice to test and rate its Multi V III VRF multi-split commercial heat pumps.

**DATES:** This Decision and Order is effective December 20, 2011.

FOR FURTHER INFORMATION CONTACT: Dr. Michael G. Raymond, U.S. Department of Energy, Building Technologies Program, Mailstop EE–2J, 1000 Independence Avenue SW., Washington, DC 20585–0121. Telephone: (202) 586–9611. Email: Michael.Raymond@ee.doe.gov.

Ms. Elizabeth Kohl, U.S. Department of Energy, Office of the General Counsel, Mail Stop GC–71, Forrestal Building, 1000 Independence Avenue SW., Washington, DC 20585–0103.
Telephone: (202) 586–7796. Email: mailto:Elizabeth.Kohl@hq.doe.gov.

SUPPLEMENTARY INFORMATION: DOE issues notice of this Decision and Order in accordance with Title 10 of the Code of Federal Regulations (10 CFR) 431.401(f)(4). In this Decision and Order, DOE grants LG a waiver from the existing DOE commercial package air conditioner and heat pump test procedures for the basic models of its Multi V III VRF multi-split equipment specified in its July 22, 2011 petition for waiver. DOE also requires the use of AHRI 1230 with Addendum 1 as the alternative test procedure for these basic models.

Today's decision requires LG to make representations concerning the energy efficiency of this equipment consistent with the provisions and restrictions of the alternate test procedure in the Decision and Order below, and the representations must fairly disclose the test results. (42 U.S.C. 6314(d)) The same standard applies to distributors, retailers, and private labelers when making representations of the energy efficiency of this equipment. *Id.* 

Issued in Washington, DC, on December 14, 2011.

### Kathleen B. Hogan,

Deputy Assistant Secretary for Energy Efficiency, Energy Efficiency and Renewable Energy.

#### **Decision and Order**

In the Matter of: LG Electronics U.S.A., Inc. (LG) (Case No. CAC-036).

Background

Title III, Part C of the Energy Policy and Conservation Act of 1975 (EPCA),

Public Law 94–163 (42 U.S.C. 6311–6317), established the Energy Conservation Program for certain industrial equipment, which includes commercial air conditioning equipment, the focus of this decision and order.<sup>1</sup>

Part C specifically includes definitions (42 U.S.C. 6311), test procedures (42 U.S.C. 6314), labeling provisions (42 U.S.C. 6315), energy conservation standards (42 U.S.C 6313), and the authority to require information and reports from manufacturers (42 U.S.C. 6316). With respect to test procedures, Part C authorizes the Secretary of Energy (the Secretary) to prescribe test procedures that are reasonably designed to produce results that measure energy efficiency, energy use, and estimated annual operating costs, and that are not unduly burdensome to conduct. (42 U.S.C. 6314(a)(2))

For commercial package airconditioning and heating equipment, EPCA provides that "the test procedures shall be those generally accepted industry testing procedures or rating procedures developed or recognized by the Air-Conditioning and Refrigeration Institute [ARI] or by the American Society of Heating, Refrigerating and Air-Conditioning Engineers [ASHRAE], as referenced in ASHRAE/IES Standard 90.1 and in effect on June 30, 1992." (42 U.S.C. 6314(a)(4)(A)) Under 42 U.S.C. 6314(a)(4)(B), if the industry test procedure for commercial package airconditioning and heating equipment is amended, EPCA directs the Secretary to amend the corresponding DOE test procedure unless the Secretary determines, by rule and based on clear and convincing evidence, that such a modified test procedure does not meet the statutory criteria set forth in 42 U.S.C. 6314(a)(2) and (3).

On December 8, 2006, DOE published a final rule adopting test procedures for commercial package air-conditioning and heating equipment, effective January 8, 2007. 71 FR 71340. Table 1 to Title 10 of the Code of Federal Regulations (10 CFR) 431.96 directs manufacturers of commercial package air conditioning and heating equipment to use the appropriate procedure when measuring energy efficiency of this equipment. For commercial package airsource equipment with capacities between 65,000 and 760,000 Btu/h, ARI Standard 340/360-2004 is the applicable test procedure.

DOE's regulations for covered products and equipment permit a person to seek a waiver from the test

<sup>&</sup>lt;sup>1</sup>For editorial reasons, upon codification in the U.S. Code, Part C was re-designated Part A–1.