# **ANNUAL BURDEN ESTIMATES**

Instrument	Total number of respondents	Total number of responses per respondent	Average burden hours per response	Total burden hours	Annual burden hours
Youth in Crisis Form	47,175	1	.23	10,850	3,617
NRS Live Chat Form	29,679		.65	19,291	6,430

# *Estimated Total Annual Burden Hours:* 10,047.

Comments: The Department specifically requests comments on (a) whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information shall have practical utility; (b) the accuracy of the agency's estimate of the burden of the proposed collection of information; (c) the quality, utility, and clarity of the information to be collected; and (d) ways to minimize the burden of the collection of information on respondents, including through the use of automated collection techniques or other forms of information technology. Consideration will be given to comments and suggestions submitted within 60 days of this publication.

*Authority:* Section 331 of the Runaway and Homeless Youth Act authorizes the award of grants for the National Communication System for Runaway and Homeless Youth (34 U.S.C. 11231).

#### Mary B. Jones,

ACF/OPRE Certifying Officer. [FR Doc. 2022–14341 Filed 7–5–22; 8:45 am] BILLING CODE 4182–04–P

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

# Food and Drug Administration

[Docket No. FDA-2022-N-0008]

## Request for Nominations on Public Advisory Panels of the Medical Devices Advisory Committee

**AGENCY:** Food and Drug Administration, Health and Human Services (HHS). **ACTION:** Notice.

**SUMMARY:** The Food and Drug Administration (FDA) is requesting that any industry organizations interested in participating in the selection of nonvoting industry representatives to serve on certain panels of the Medical Devices Advisory Committee (MDAC or Committee) in the Center for Devices and Radiological Health (CDRH) notify FDA in writing. FDA is also requesting nominations for nonvoting industry representatives to serve on certain device panels of the MDAC in the CDRH. A nominee may either be selfnominated or nominated by an organization to serve as a nonvoting industry representative. Nominations will be accepted for current and upcoming vacancies effective with this notice.

**DATES:** Any industry organization interested in participating in the selection of an appropriate nonvoting member to represent industry interests must send a letter stating that interest to the FDA by August 5, 2022 (see sections I and II of this document for further details). Concurrently, nomination materials for prospective candidates should be sent to FDA by August 5, 2022.

**ADDRESSES:** All statements of interest from industry organizations interested in participating in the selection process of nonvoting industry representative nomination should be sent to Margaret Ames (see FOR FURTHER INFORMATION **CONTACT**). All nominations for nonvoting industry representatives should be submitted electronically by accessing the FDA Advisory Committee Membership Nomination Portal: https:// www.accessdata.fda.gov/scripts/ FACTRSPortal/FACTRS/index.cfm or by mail to Advisory Committee Oversight and Management Staff, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 32, Rm. 5103, Silver Spring, MD 20993-0002. Information about becoming a member of an FDA advisory committee can also be obtained by visiting FDA's website at https:// www.fda.gov/AdvisoryCommittees/ default.htm.

# FOR FURTHER INFORMATION CONTACT:

Margaret Ames, Center for Devices and Radiological Health, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 66, Rm. 5213, Silver Spring, MD 20993, 301–796–5960, email: *margaret.ames@fda.hhs.gov.* 

**SUPPLEMENTARY INFORMATION:** The Agency is requesting nominations for nonvoting industry representatives to the panels listed in the table in this document.

#### I. Medical Devices Advisory Committee

The Committee reviews and evaluates data on the safety and effectiveness of marketed and investigational devices and makes recommendations for their regulation. The panels engage in a number of activities to fulfill the functions the Federal Food, Drug, and Cosmetic Act (FD&C Act) envisions for device advisory panels. With the exception of the Medical Devices Dispute Resolution Panel, each panel, according to its specialty area, advises the Commissioner of Food and Drugs (the Commissioner) regarding recommended classification or reclassification of devices into one of three regulatory categories; advises on any possible risks to health associated with the use of devices; advises on formulation of product development protocols; reviews premarket approval applications for medical devices; reviews guidelines and guidance documents; recommends exemption of certain devices from the application of portions of the FD&C Act; advises on the necessity to ban a device; and responds to requests from the Agency to review and make recommendations on specific issues or problems concerning the safety and effectiveness of devices. With the exception of the Medical Devices Dispute Resolution Panel, each panel, according to its specialty area, may also make appropriate recommendations to the Commissioner on issues relating to the design of clinical studies regarding the safety and effectiveness of marketed and investigational devices. The Committee also provides recommendations to the Commissioner or designee on complexity categorization of in vitro diagnostics under the Clinical Laboratory Improvement Amendments of 1988.

Panels	Function
Clinical Chemistry and Clinical Toxicology Devices Panel	Reviews and evaluates data concerning the safety and effectiveness of marketed and investigational in vitro devices for use in clinical laboratory medicine, including clinical toxicology, clinical chemistry, endocrinology and oncology and makes ap- propriate recommendations to the Commissioner of Food and Drugs.
Immunology Devices Panel	Reviews and evaluates data concerning the safety and effectiveness of marketed and investigational in vitro devices for use in clinical laboratory medicine, including oncology, immunology, and allergy and makes appropriate recommendations to the Commissioner of Food and Drugs.
Gastroenterology-Urology Devices Panel	Reviews and evaluates data concerning the safety and effectiveness of marketed and investigational gastroenterology, urology, and nephrology devices and makes appropriate recommendations to the Commissioner of Food and Drugs.
General Hospital and Personal Use Devices Panel	Reviews and evaluates data concerning the safety and effectiveness of marketed and investigational general hospital, infection control and personal use devices and makes appropriate recommendations to the Commissioner of Food and Drugs.
Ophthalmic Devices Panel	Reviews and evaluates data concerning the safety and effectiveness of marketed and investigational devices for use in the eye and makes appropriate rec- ommendations to the Commissioner of Food and Drugs.

#### **II. Qualifications**

Persons nominated for the device panels should be full-time employees of firms that manufacture products that would come before the panel, or consulting firms that represent manufacturers, or have similar appropriate ties to industry.

#### **III. Selection Procedure**

Any industry organization interested in participating in the selection of an appropriate nonvoting member to represent industry interests should send a letter stating that interest to the FDA contact (see FOR FURTHER INFORMATION **CONTACT**) within 30 days of publication of this document (see DATES). Within the subsequent 30 days, FDA will send a letter to each organization that has expressed an interest, attaching a complete list of all such organizations, and a list of all nominees along with their current résumés. The letter will also state that it is the responsibility of the interested organizations to confer with one another and to select a candidate, within 60 days after the receipt of the FDA letter, to serve as the nonvoting member to represent industry interests for a particular device panel. The interested organizations are not bound by the list of nominees in selecting a candidate. However, if no individual is selected within 60 days, the Commissioner will select the nonvoting member to represent industry interests.

#### **IV. Application Procedure**

Individuals may self-nominate and/or an organization may nominate one or more individuals to serve as a nonvoting industry representative. Nomination must include a current, complete résumé or curriculum vitae for each nominee, including current business address and telephone number, email address if available, and a signed copy

of the Acknowledgement and Consent form available at the FDA Advisory **Committee Membership Nomination** Portal (see ADDRESSES) within 30 days of publication of this document (see **DATES**). Nominations must also specify the advisory panel for which the nominee is recommended. Nominations must also acknowledge that the nominee is aware of the nomination unless self-nominated. FDA will forward all nominations to the organizations expressing interest in participating in the selection process for the particular device panels listed in the table. (Persons who nominate themselves as nonvoting industry representatives will not participate in the selection process).

FDA seeks to include the views of women and men, members of all racial and ethnic groups, and individuals with and without disabilities on its advisory committees and, therefore, encourages nominations of appropriately qualified candidates from these groups.

This notice is issued under the Federal Advisory Committee Act (5 U.S.C. app. 2) and 21 CFR part 14, relating to advisory committees.

Dated: June 30, 2022.

## Lauren K. Roth,

Associate Commissioner for Policy. [FR Doc. 2022–14359 Filed 7–5–22; 8:45 am] BILLING CODE 4164–01–P

## DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration [Docket No. FDA-2020-E-2086]

## Determination of Regulatory Review Period for Purposes of Patent Extension; VYEPTI

**AGENCY:** Food and Drug Administration, Health and Human Services (HHS).

#### **ACTION:** Notice.

**SUMMARY:** The Food and Drug Administration (FDA or the Agency) has determined the regulatory review period for VYEPTI and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of an application to the Director of the U.S. Patent and Trademark Office (USPTO), Department of Commerce, for the extension of a patent which claims that human biological product. **DATES:** Anyone with knowledge that any of the dates as published (see SUPPLEMENTARY INFORMATION) are incorrect may submit either electronic or written comments and ask for a redetermination by September 6, 2022. Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period by January 3, 2023. See "Petitions" in the SUPPLEMENTARY INFORMATION section for more information.

ADDRESSES: You may submit comments as follows. Please note that late, untimely filed comments will not be considered. Electronic comments must be submitted on or before September 6, 2022. The *https://www.regulations.gov* electronic filing system will accept comments until 11:59 p.m. Eastern Time at the end of September 6, 2022. Comments received by mail/hand delivery/courier (for written/paper submissions) will be considered timely if they are postmarked or the delivery service acceptance receipt is on or before that date.

### Electronic Submissions

Submit electronic comments in the following way:

• Federal eRulemaking Portal: https://www.regulations.gov. Follow the