

one resulting in a 10.5-mile-long transmission line and the other resulting in a 4.5-mile-long transmission line; and (7) appurtenant facilities. The estimated average annual generation of the Pond Peak Project would be 1,051,200 megawatt-hours.

Applicant Contact: Matthew Shapiro, Pond Peak Energy Storage, LLC, 424 West Pueblo, Suite A, Boise, Idaho 83702; phone: (208) 246-9925.

FERC Contact: Khatoon Melick, (202) 502-8433, khatoon.melick@ferc.gov.

Deadline for filing comments, motions to intervene, competing applications (without notices of intent), or notices of intent to file competing applications: 60 days from the issuance of this notice. Competing applications and notices of intent must meet the requirements of 18 CFR 4.36.

The Commission strongly encourages electronic filing. Please file comments, motions to intervene, notices of intent, and competing applications using the Commission's eFiling system at <https://ferconline.ferc.gov/FERCONline.aspx>. Commenters can submit brief comments up to 6,000 characters, without prior registration, using the eComment system at <https://ferconline.ferc.gov/QuickComment.aspx>. You must include your name and contact information at the end of your comments. For assistance, please contact FERC Online Support at FERCONlineSupport@ferc.gov, (866) 208-3676 (toll free), or (202) 502-8659 (TTY). In lieu of electronic filing, you may submit a paper copy. Submissions sent via the U.S. Postal Service must be addressed to: Kimberly D. Bose, Secretary, Federal Energy Regulatory Commission, 888 First Street NE, Room 1A, Washington, DC 20426. Submissions sent via any other carrier must be addressed to: Kimberly D. Bose, Secretary, Federal Energy Regulatory Commission, 12225 Wilkins Avenue, Rockville, Maryland 20852. The first page of any filing should include docket number P-15228-000.

More information about this project, including a copy of the application, can be viewed or printed on the "eLibrary" link of Commission's website at <https://www.ferc.gov/ferc-online/elibrary/overview>. Enter the docket number (P-15228) in the docket number field to access the document. For assistance, contact FERC Online Support.

Dated: August 18, 2022.

Kimberly D. Bose,
Secretary.

[FR Doc. 2022-18234 Filed 8-23-22; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Project/Docket No. CP22-493-000]

Tennessee Gas Pipeline Company, L.L.C.; Notice of Waiver Period for Water Quality Certification Application

On July 22, 2022, Tennessee Gas Pipeline Company, L.L.C. submitted to the Federal Energy Regulatory Commission (Commission) a copy of its application for a Clean Water Act section 401(a)(1) water quality certification filed with Tennessee Department of Environment and Conservation, in conjunction with the above captioned project. Pursuant to 40 CFR 121.6 and section 157.22 of the Commission's regulations,¹ we hereby notify the Tennessee Department of Environment and Conservation of the following:

Date of Receipt of the Certification Request: July 22, 2022.

Reasonable Period of Time to Act on the Certification Request: July 22, 2023.

If the Tennessee Department of Environment and Conservation fails or refuses to act on the water quality certification request on or before the above date, then the agency certifying authority is deemed waived pursuant to section 401(a)(1) of the Clean Water Act, 33 U.S.C. 1341(a)(1).

Dated: August 18, 2022.

Kimberly D. Bose,
Secretary.

[FR Doc. 2022-18233 Filed 8-23-22; 8:45 am]

BILLING CODE 6717-01-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OAR-2022-0706; FRL-10098-01-OAR]

Proposed Information Collection Request; Comment Request; Production, Import, Export, Recycling, Destruction, Transshipment, and Feedstock Use of Ozone-Depleting Substances (Renewal)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: The Environmental Protection Agency is planning to submit an information collection request (ICR), "Production, Import, Export, Recycling, Destruction, Transshipment, and Feedstock Use of Ozone-Depleting

Substances" (EPA ICR No. 1432.38, OMB Control No. 2060-0170) to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. Before doing so, EPA is soliciting public comments on specific aspects of the proposed information collection as described below. This is a proposed extension of the ICR, which is currently approved through April 30, 2023. An Agency may not conduct or sponsor and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number.

DATES: Comments must be submitted on or before October 24, 2022.

ADDRESSES: Submit your comments, referencing Docket ID No. EPA-HQ-OAR-2022-0706, online using www.regulations.gov (our preferred method), by email to a-and-r-docket@epa.gov or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Avenue NW, Washington, DC 20460.

EPA's policy is that all comments received will be included in the public docket without change including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute.

FOR FURTHER INFORMATION CONTACT:

Robert Burchard, Stratospheric Protection Division, (6205A), Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 343-9126; email address: burchard.robart@epa.gov.

SUPPLEMENTARY INFORMATION:

Supporting documents which explain in detail the information that EPA will be collecting are available in the public docket for this ICR. The docket can be viewed online at www.regulations.gov or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit <http://www.epa.gov/dockets>.

Pursuant to section 3506(c)(2)(A) of the Paperwork Reduction Act, EPA is soliciting comments and information to enable it to: (i) evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the Agency, including whether the information will have practical utility; (ii) evaluate the accuracy of the Agency's estimate of the

¹ 18 CFR 157.22.

burden of the proposed collection of information, including the validity of the methodology and assumptions used; (iii) enhance the quality, utility, and clarity of the information to be collected; and (iv) minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses. EPA will consider the comments received and amend the ICR as appropriate. The final ICR package will then be submitted to OMB for review and approval. At that time, EPA will issue another **Federal Register** document to announce the submission of the ICR to OMB and the opportunity to submit additional comments to OMB.

Abstract: This ICR covers provisions under the Montreal Protocol on Substances that Deplete the Ozone Layer (Montreal Protocol) and Title VI of the CAA that establish limits on total U.S. production, import, and export of class I and class II ozone-depleting substances (or controlled substances). Production and import of class I controlled substances (chlorofluorocarbons and others) was phased out in the United States. The phaseout includes exceptions for essential uses, critical uses of methyl bromide, quarantine and pre-shipment uses of methyl bromide, previously used material, and material that will be transformed or destroyed. There are also regulations that restrict the use of class II controlled substances and require a gradual reduction in the production and consumption of these chemicals leading to their eventual phaseout. The class II controlled substance phaseout regulations include exceptions for previously used material and material that will be transformed or destroyed.

Form numbers: 5900–137, 5900–136, 5900–149, 5900–150, 5900–153, 5900–151, 5900–199, 5900–202, 5900–200, 5900–201, 5900–205, 5900–155, 5900–140, 5900–144, 5900–142, 5900–141, 5900–148, 5900–147, 5900–473, 5900–138, 5900–139, 5900–152, 5900–472, 5900–154, 5900–146.

Respondents/affected entities: Producers, importers, exporters, and certain users of ozone-depleting substances; methyl bromide applicators, distributors, and end users including commodity storage and quarantine users.

Respondent's obligation to respond: Mandatory (CAA sections 114, 603(b), and 604(d)(6)).

Estimated number of respondents: 1,174 (total).

Frequency of response: Quarterly, annually, and as needed.

Total estimated burden: 3,022 hours (per year). Burden is defined at 5 CFR 1320.03(b).

Total estimated cost: \$375,086 (per year), includes \$8,250 annualized capital or operation & maintenance costs.

Changes in estimates: There is an increase of 82 hours in the total estimated respondent burden compared with the ICR currently approved by OMB. This increase is a result of updated assumptions associated with recordkeeping requirements that are more consistent with other ICRs that cover similar recordkeeping activities (e.g., the HFC Allowance Allocation Program ICR, OMB Control No. 2060–0734).

Cynthia A. Newberg,

Director, Stratospheric Protection Division.

[FR Doc. 2022–18284 Filed 8–23–22; 8:45 am]

BILLING CODE 6560–50–P

ENVIRONMENTAL PROTECTION AGENCY

[FRL–10085–01–R4]

Public Water System Supervision Program Revision for the State of Georgia

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice of intended approval.

SUMMARY: Notice is hereby given that the State of Georgia is revising its approved Public Water System Supervision Program. Georgia has adopted drinking water regulations for the Lead and Copper Rule Minor Revisions, Public Notification Rule, Radionuclides Rule, Arsenic and Clarifications to Compliance and New Source Contaminants Monitoring Rule, Stage 2 Disinfectants and Disinfection Byproducts Rule, Long Term 2 Enhanced Surface Water Treatment Rule, Ground Water Rule, Lead and Copper Rule Short-Term Regulatory Revisions and Clarifications, and Revised Total Coliform Rule. The Environmental Protection Agency (EPA) has determined that Georgia's regulations are no less stringent than these Federal rules and the revisions otherwise meet applicable Safe Drinking Water Act requirements. Therefore, the EPA intends to approve these revisions to the State of Georgia's Public Water System Supervision Program.

DATES: Any interested person may request a public hearing. A request for a public hearing must be submitted by

September 23, 2022, to the Regional Administrator at the following address: U.S. Environmental Protection Agency, Region 4, Atlanta Federal Center, 61 Forsyth Street SW, Atlanta, Georgia 30303. The Regional Administrator may deny frivolous or insubstantial requests for a hearing. However, if a substantial request for a public hearing is made by September 23, 2022, a public hearing will be held. If no timely and appropriate request for a hearing is received and the Regional Administrator does not elect to hold a hearing on his own motion, this determination shall become final on September 23, 2022. Any request for a public hearing shall include the following information: the name, address, and telephone number of the individual, organization, or other entity requesting a hearing; a brief statement of the requesting person's interest in the Regional Administrator's determination and a brief statement of the information that the requesting person intends to submit at such hearing; and the signature of the individual making the request, or, if the request is made on behalf of an organization or other entity, the signature of a responsible official of the organization or other entity.

ADDRESSES: Documents relating to this determination are available for inspection between the hours of 9:00 a.m. and 4:00 p.m., Monday through Friday (excluding legal holidays), at the following location: Macon Conference Room, 3rd Floor Tower Building, Atlanta Federal Center, 61 Forsyth Street SW, Atlanta, Georgia 30303. Those intending to view documents should contact Dale Froneberger, EPA Region 4, by telephone at (404) 562–9446 at least 24 hours prior to arriving to coordinate viewing.

FOR FURTHER INFORMATION CONTACT: Dale Froneberger, EPA Region 4, Safe Drinking Water Branch, by telephone at (404) 562–9446, or by email at froneberger.dale@epa.gov.

SUPPLEMENTARY INFORMATION: The State of Georgia has submitted requests that the EPA approve revisions to the State's Safe Drinking Water Act Public Water System Supervision Program to include the authority to implement and enforce the Lead and Copper Rule Minor Revisions, Public Notification Rule, Radionuclides Rule, Arsenic and Clarifications to Compliance and New Source Contaminants Monitoring Rule, Stage 2 Disinfectants and Disinfection Byproducts Rule, Long Term 2 Enhanced Surface Water Treatment Rule, Ground Water Rule, Lead and Copper Rule Short-Term Regulatory Revisions and Clarifications, and