• Does not have federalism implications as specified in Executive Order 13132 (64 FR 43255, August 10, 1999);

• Is not subject to Executive Order 13045 (62 FR 19885, April 23, 1997) because it approves a State program;

• Is not a significant regulatory action subject to Executive Order 13211 (66 FR 28355, May 22, 2001); and

• Is not subject to requirements of section 12(d) of the National Technology Transfer and Advancement Act of 1995 (15 U.S.C. 272 note) because application of those requirements would be inconsistent with the Clean Air Act.

In addition, the SIP is not proposing to apply on any Indian reservation land or in any other area where the EPA or an Indian Tribe has demonstrated that a Tribe has jurisdiction. In those areas of Indian country, the rulemaking does not have Tribal implications and it will not impose substantial direct costs on Tribal governments or preempt Tribal law as specified by Executive Order 13175 (65 FR 67249, November 9, 2000).

Executive Order 12898 (Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, 59 FR 7629, February16, 1994) directs Federal agencies to identify and address "disproportionately high and adverse human health or environmental effects' of their actions on minority populations and low-income populations to the greatest extent practicable and permitted by law. EPA defines environmental justice (EJ) as "the fair treatment and meaningful involvement of all people regardless of race, color, national origin, or income with respect to the development, implementation, and enforcement of environmental laws, regulations, and policies." EPA further defines the term "fair treatment" to mean that "no group of people should bear a disproportionate burden of environmental harms and risks. including those resulting from the negative environmental consequences of industrial, governmental, and commercial operations or programs and policies.

The NJDEP evaluated environmental justice as part of its SIP submittal even though the CAA and applicable implementing regulations neither prohibit nor require an evaluation. The EPA's evaluation of the NJDEP's environmental justice considerations is described above in the section titled, "Environmental Justice

Considerations." The analysis was done for the purpose of providing additional context and information about this rulemaking to the public, not as a basis of the action. The EPA is taking action under the CAA on bases independent of New Jersey's evaluation of environmental justice. In addition, there is no information in the record upon which this decision is based that is inconsistent with the stated goal of E.O. 12898 of achieving environmental justice for people of color, low-income populations, and Indigenous peoples.

List of Subjects in 40 CFR Part 52

Environmental protection, Air pollution control, Incorporation by reference, Intergovernmental relations, Sulfur dioxide, Reporting and recordkeeping requirements.

Authority: 42 U.S.C. 7401 et seq.

Lisa Garcia,

Regional Administrator, Region 2. [FR Doc. 2024–14268 Filed 6–28–24; 8:45 am] BILLING CODE 6560–50–P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 180

[EPA-HQ-OPP-2024-0059; FRL-11682-05-OCSPP]

Receipt of a Pesticide Petition Filed for Residues of Pesticide Chemicals in or on Various Commodities (May 2024)

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice of filing of petition and request for comment.

SUMMARY: This document announces the Agency's receipt of an initial filing of a pesticide petition requesting the establishment or modification of regulations for residues of pesticide chemicals in or on various commodities. **DATES:** Comments must be received on or before July 31, 2024.

ADDRESSES: Submit your comments, identified by docket identification (ID) number EPA-HQ-OPP-2024-0059, through the *Federal eRulemaking Portal* at *https://www.regulations.gov*. Follow the online instructions for submitting comments. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Additional instructions on commenting and visiting the docket, along with more information about dockets generally, is available at *https://www.epa.gov/dockets*.

FOR FURTHER INFORMATION CONTACT: Dan Rosenblatt, Registration Division (RD) (7505T), main telephone number: (202) 566–2875, email address: *RDFRNotices@epa.gov.* The mailing address for each contact person is Office of Pesticide Programs, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460–0001. As part of the mailing address, include the contact person's name, division, and mail code. The division to contact is listed at the end of each application summary.

SUPPLEMENTARY INFORMATION:

I. General Information

A. Does this action apply to me?

You may be potentially affected by this action if you are an agricultural producer, food manufacturer, or pesticide manufacturer. The following list of North American Industrial Classification System (NAICS) codes is not intended to be exhaustive, but rather provides a guide to help readers determine whether this document applies to them. Potentially affected entities may include:

Crop production (NAICS code 111).Animal production (NAICS code

112).

• Food manufacturing (NAICS code 311).

• Pesticide manufacturing (NAICS code 32532).

B. What should I consider as I prepare my comments for EPA?

1. Submitting CBI. Do not submit this information to EPA through *regulations.gov* or email. Clearly mark the part or all of the information that vou claim to be CBI. For CBI information in a disk or CD-ROM that vou mail to EPA, mark the outside of the disk or CD–ROM as CBI and then identify electronically within the disk or CD-ROM the specific information that is claimed as CBI. In addition to one complete version of the comment that includes information claimed as CBI, a copy of the comment that does not contain the information claimed as CBI must be submitted for inclusion in the public docket. Information so marked will not be disclosed except in accordance with procedures set forth in 40 CFR part 2.

2. Tips for preparing your comments. When preparing and submitting your comments, see the commenting tips at https://www.epa.gov/dockets/ comments.html.

3. *Environmental justice*. EPA seeks to achieve environmental justice, the fair treatment and meaningful involvement of any group, including minority and/or low-income populations, in the development, implementation, and enforcement of environmental laws, regulations, and policies. To help address potential environmental justice issues, the Agency seeks information on any groups or segments of the population who, as a result of their location, cultural practices, or other factors, may have atypical or disproportionately high and adverse human health impacts or environmental effects from exposure to the pesticides discussed in this document, compared to the general population.

II. What action is the Agency taking?

EPA is announcing receipt of a pesticide petition filed under section 408 of the Federal Food, Drug, and Cosmetic Act (FFDCA), 21 U.S.C. 346a, requesting the establishment or modification of regulations in 40 CFR part 180 for residues of pesticide chemicals in or on various food commodities. The Agency is taking public comment on the request before responding to the petitioner. EPA is not proposing any particular action at this time. EPA has determined that the pesticide petition described in this document contains data or information prescribed in FFDCA section 408(d)(2), 21 U.S.C. 346a(d)(2); however, EPA has not fully evaluated the sufficiency of the submitted data at this time or whether the data supports granting of the pesticide petition. After considering the public comments, EPA intends to evaluate whether and what action may be warranted. Additional data may be needed before EPA can make a final determination on this pesticide petition.

Pursuant to 40 CFR 180.7(f), a summary of the petition that is the subject of this document, prepared by the petitioner, is included in a docket EPA has created for this rulemaking. The docket for this petition is available at *https://www.regulations.gov*.

As specified in FFDCA section 408(d)(3), 21 U.S.C. 346a(d)(3), EPA is publishing notice of the petition so that the public has an opportunity to comment on this request for the establishment or modification of regulations for residues of pesticides in or on food commodities. Further information on the petition may be obtained through the petition summary referenced in this unit.

A. Notice of Filing—Amended Tolerance Exemptions for Inerts (Except PIPS)

PP IN-11865. EPA-HQ-OPP-2024-0190. RegGuide (P.O. Box 2226, 509 Tower Valley Drive, Hillsboro, MO 63050) on behalf of Stratacor, Inc. (6 Christopher Court, Novato, CA 94947), requests to amend an exemption from the requirement of a tolerance for residues of choline chloride (CAS Reg. No. 67-48-1) by adding its use as an inert ingredient (adjuvant) in pesticide formulations under 40 CFR 180.930. The petitioner believes no analytical method is needed because it is not required for an exemption from the requirement of a tolerance. *Contact:* RD.

B. Notice of Filing—Amended Tolerances for Non-Inerts

PP 3E9077. EPA-HQ-OPP-2023-0554. The Interregional Research Project Number 4 (IR-4), IR-4 Project Headquarters, North Carolina State University, 1730 Varsity Drive, Suite 210, Venture IV, Raleigh, NC 27606, requests to amend 40 CFR 180.462 by removing the established tolerances for the residues of pyridate including its metabolites and degradates, O-(6-chloro-3-phenyl-4-pyridazinyl)-S-octylcarbonothioate, and its metabolites, 6chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenylpyridazine-4-ol, calculated as the stoichiometric equivalent of pyridate, in or on the commodities: Brassica, head and stem, subgroup 5A at 0.03 parts per million (ppm); cabbage at 0.03 ppm; corn, field, grain at 0.03 ppm; corn, pop, grain at 0.03 ppm; peppermint, tops at 0.20 ppm; and spearmint, tops at 0.20 ppm. Contact: RD.

C. Notice of Filing—New Tolerances for Non-Inerts

1. PP 2F8995. EPA-HQ-OPP-2022-0594. Nufarm Limited, C/O Nufarm Americas, Inc. 4020 Aerial Center Parkway, Suite 101 Morrisville, NC 27560, requests to establish a tolerance in 40 CFR part 180 for residues of the herbicide dichlorprop-P, (R)-2-(2,4dichlorophenoxy)propionic acid in or on Amaranth, grain, forage at 50 ppm; amaranth, grain, hay at 80 ppm; amaranth, grain, straw at 40 ppm; amaranth, purple, forage at 50 ppm; amaranth, purple, hay at 80 ppm; amaranth, purple, straw at 40 ppm; baby corn, forage at 0.06 ppm; baby corn, stover at 0.15 ppm; barley, hay at 40 ppm; barley, straw at 15 ppm; barley, subgroup 15-22B at 0.3 ppm; buckwheat, hay at 40 ppm; buckwheat, straw at 15 ppm; buckwheat, tartary, hay at 40 ppm; buckwheat, tartary, straw at 15 ppm; canarygrass, annual, hay at 40 ppm; canarygrass, annual, straw at 15 ppm; cañihua, forage at 50 ppm; cañihua, hay at 80 ppm; cañihua, straw at 40 ppm; chia, forage at 50 ppm; chia, hay at 80 ppm; chia, straw at 40 ppm; corn, field, forage at 0.01 ppm; corn, field, stover at 0.01 ppm; corn, field, subgroup 15-22C at 0.01 ppm; corn, pop, stover at 0.01 ppm; corn, sweet, forage at 0.06 ppm; corn, sweet, stover at 0.15 ppm; corn, sweet, subgroup 15-22D at 0.01 ppm; cramcram, forage at 50 ppm; cram-cram, hay

at 80 ppm; cram-cram, straw at 40 ppm; fonio, black, forage at 0.02 ppm; fonio, black, stover at 0.09 ppm; fonio, white, forage at 0.02 ppm; fonio, white, stover at 0.09 ppm; huauzontle, grain, forage at 50 ppm; huauzontle, grain, hay at 80 ppm; huauzontle, grain, straw at 40 ppm; inca wheat, forage at 50 ppm; inca wheat, hay at 80 ppm; inca wheat, straw at 40 ppm; job's tears, forage at 0.02 ppm; job's tears, stover at 0.09 ppm; millet, barnyard, forage at 0.02 ppm; millet, barnyard, hay at 0.02 ppm; millet, barnvard, straw at 0.09 ppm; millet, finger, forage at 0.02 ppm; millet, finger, hay at 0.02 ppm; millet, finger, straw at 0.09 ppm; millet, foxtail, forage at 0.02 ppm; millet, foxtail, hay at 0.02 ppm; millet, foxtail, straw at 0.09 ppm; millet, little, forage at 0.02 ppm; millet, little, hay at 0.02 ppm; millet, little, straw at 0.09 ppm; millet, pearl, forage at 0.02 ppm; millet, pearl, hay at 0.02 ppm; millet, pearl, straw at 0.09 ppm; millet, proso, forage at 0.02 ppm; millet, proso, hay at 0.02 ppm; millet, proso, straw at 0.09 ppm; oat, forage at 40 ppm; oat, hay at 40 ppm; oat, straw at 15 ppm; oat, Abyssinian, forage at 40 ppm; oat, Abyssinian, hay at 40 ppm; oat, Abyssinian, straw at 15 ppm; oat, common, forage at 40 ppm; oat, common, hay at 40 ppm; oat, common, straw at 15 ppm; oat, naked, forage at 40 ppm; oat, naked, hay at 40 ppm; oat, naked, straw at 15 ppm; oat, sand, forage at 40 ppm; oat, sand, hay at 40 ppm; oat, sand, straw at 15 ppm; prince's-feather, forage at 50 ppm; prince's-feather, hay at 80 ppm; prince's-feather, straw at 40 ppm; psyllium, forage at 50 ppm; psyllium, hay at 80 ppm; psyllium, straw at 40 ppm; psyllium, blond, forage at 50 ppm; psyllium, blond, hay at 80 ppm; psyllium, blond, straw at 40 ppm; quinoa, forage at 50 ppm; quinoa, hay at 80 ppm; quinoa, straw at 40 ppm; rye, forage at 50 ppm; rye, hay at 80 ppm; rye, straw at 40 ppm; sorghum, grain, and millet, subgroup 15–22E at 0.01 ppm; sorghum, grain, forage at 0.02 ppm; sorghum, grain, stover at 0.09 ppm; soybean, forage at 0.05 ppm; soybean, hay at 0.03 ppm; soybean, seed at 0.01 ppm; teff, forage at 0.02 ppm; teff, hay at 0.02 ppm; teff, straw at 0.09 ppm; teosinte, forage at 0.01 ppm; teosinte, stover at 0.01 ppm; triticale, forage at 50 ppm; triticale, hay at 80 ppm; triticale, straw at 40 ppm; wheat, forage at 50 ppm; wheat, germ at 0.2 ppm; wheat, hay at 80 ppm; wheat, straw at 40 ppm; wheat, subgroup 15– 22A at 0.1 ppm; wheat, club, forage at 50 ppm; wheat, club, hay at 80 ppm; wheat, club, straw at 40 ppm; wheat, common, forage at 50 ppm; wheat,

common, hay at 80 ppm; wheat, common, straw at 40 ppm; wheat, durum, forage at 50 ppm; wheat, durum, hay at 80 ppm; wheat, durum, straw at 40 ppm; wheat, einkorn, forage at 50 ppm; wheat, einkorn, hay at 80 ppm; wheat, einkorn, straw at 40 ppm; wheat, emmer, forage at 50 ppm; wheat, emmer, hay at 80 ppm; wheat, emmer, straw at 40 ppm; wheat, macha, forage at 50 ppm; wheat, macha, hay at 80 ppm; wheat, macha, straw at 40 ppm; wheat, oriental, forage at 50 ppm; wheat, oriental, hay at 80 ppm; wheat, oriental, straw at 40 ppm; wheat, Persian, forage at 50 ppm; wheat, Persian, hay at 80 ppm; wheat, Persian, straw at 40 ppm; wheat, Polish, forage at 50 ppm; wheat, Polish, hay at 80 ppm; wheat, Polish, straw at 40 ppm; wheat, poulard, forage at 50 ppm; wheat, poulard, hay at 80 ppm; wheat, poulard, straw at 40 ppm; wheat, shot, forage at 50 ppm; wheat, shot, hay at 80 ppm; wheat, shot, straw at 40 ppm; wheat, spelt, forage at 50 ppm; wheat, spelt, hay at 80 ppm; wheat, spelt, straw at 40 ppm; wheat, timopheevi, forage at 50 ppm; wheat, timopheevi, hay at 80 ppm; wheat, timopheevi, straw at 40 ppm; wheat, vavilovi, forage at 50 ppm; wheat, vavilovi, hay at 80 ppm; wheat, vavilovi, straw at 40 ppm; wheat, wild einkorn, forage at 50 ppm; wheat, wild einkorn, hay at 80 ppm; wheat, wild einkorn, straw at 40 ppm; wheat, wild emmer, forage at 50 ppm; wheat, wild emmer, hay at 80 ppm; wheat, wild emmer, straw at 40 ppm; wheatgrass, intermediate, forage at 50 ppm; wheatgrass, intermediate, hay at 80 ppm; wheatgrass, intermediate, straw at 40 ppm; cattle, fat at 0.15 ppm; cattle, kidney at 1.0 ppm; cattle, liver at 0.05 ppm; cattle, meat at 0.01 ppm; cattle, meat byproducts at 1.0 ppm; egg at 0.01 ppm; goat, fat at 0.15 ppm; goat, kidney at 1.0 ppm; goat, liver at 0.05 ppm; goat, meat at 0.01 ppm; goat, meat byproducts at 1.0 ppm; hog, fat at 0.15 ppm; hog, kidney at 1.0 ppm; hog, liver at 0.05 ppm; hog, meat at 0.01 ppm; hog, meat byproducts at 1.0 ppm; horse, fat at 0.15 ppm; horse, kidney at 1.0 ppm; horse, liver at 0.05 ppm; horse, meat at 0.01 ppm; horse, meat byproducts at 1.0 ppm; milk at 0.01 ppm; poultry, fat at 0.01 ppm; poultry, liver at 0.01 ppm; poultry, meat at 0.01 ppm; poultry, meat byproducts at 0.01 ppm; sheep, fat at 0.15 ppm; sheep, kidney at 1.0 ppm; sheep, liver at 0.05 ppm; sheep, meat at 0.01 ppm; and sheep, meat byproducts at 1.0 ppm. A high-performance liquid chromatography employing tandem mass spectrometric detection (HPLC-MS/MS) is used to measure and

evaluate the chemical dichlorprop-P. *Contact:* RD.

2. PP3E9077. EPA-HQ-OPP-2023-0554. The IR-4 Project Headquarters, North Carolina State University, 1730 Varsity Drive, Venture IV, Suite 210, Raleigh, NC 27606, requests to establish tolerances in 40 CFR 180.462 for residues of the herbicide pyridate, O-(6chloro-3-phenyl-4-pyridazinyl)-S-octylcarbonothioate, and its metabolites, 6chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenylpyridazine-4-ol, calculated as the stoichiometric equivalent of pyridate, in or on the raw agricultural commodities: Mint, dried leaves at 15 ppm; mint, fresh leaves at 3 ppm; field corn subgroup 15–22C at 0.03 ppm; kohlrabi at 0.03 ppm; and vegetable, brassica, head and stem, group 5-16 at 0.03 ppm. A HPLC–MS/MS residue analytical method was used for the determination of pyridate and CL 9673 in crops. Contact: RD.

3. PP3E9080. EPA-HQ-OPP-2024-0140. The IR-4, North Carolina State University, 1730 Varsity Drive, Venture IV, Suite 210, Raleigh, NC 27606, proposing, pursuant to section 408(d) of the FFDCA, 21 U.S.C. 346a(d), requests to amend 40 CFR 180.712 by establishing a new tolerance for residues of the fungicide inpyrfluxam, including its metabolites and degradates, (3-(difluoromethyl)-N-[(R)-2,3-dihydro-1,1,3-trimethyl-1H-inden-4-yl]-1methyl-1H-pyrazole-4-carboxamide) in or on the raw agricultural plant commodity: Vegetable, cucurbit, group 9, at 0.15 ppm. An independently validated analytical method has been submitted for determining inpyrfluxam residues with appropriate sensitivity in all crop commodities for which tolerances are being requested. Contact: RD.

4. *PP 3F9067*. EPA–HQ–OPP–2023– 0596. Bayer CropScience LP, 800 N. Lindbergh Blvd., St. Louis, MO 63167, requests to establish a tolerance in 40 CFR part 180 for residues of the insecticide ethiprole, 5-amino-1-[2,6dichloro-4-(trifluoromethyl) phenyl]-4-(ethylsulfinyl)-1H-pyrazole-3carbonitrile in or on sugarcane at 0.1 ppm. A HPLC–MS/MS method is used to measure and evaluate the chemical ethiprole. *Contact:* RD.

5. *PP 3F9068.* EPA–HQ–OPP–2023– 0537. BASF Corporation, 26 Davis Drive, P.O. Box 13528, Research Triangle Park, North Carolina 27709, requests to establish a tolerance in 40 CFR part 180 for residues of the herbicide, topramezone, in or on cottonseed, subgroup 20C at 0.03 ppm and cotton, gin byproducts at 0.9 ppm. A HPLC–MS/MS is used to measure and evaluate the chemical topramezone. *Contact:* RD.

6. PP 3F9085. EPA-HQ-OPP-2024-0217. The American Spice Trade Association, 1101 17th Street NW, Suite 700, Washington DC 20036, requests to establish tolerances in 40 CFR part 180 for residues of the insecticide, acetamiprid, in or on pepper, black at 0.1 ppm; and spices from Codex crop group spices, seed that overlap with spices in Crop Group 19: Ambrette, seed; angelica, seed; angelica, daharian, seed; anise, seed; annatto, seed; candlebush; caraway, black, seed; caraway, seed; celery, seed; chervil, seed; chinese nutmeg tree; coriander, seed; cubeb, seed; culantro, seed; cumin, seed; dill, seed; fennel, seed; fennel flower, seed; fenugreek, seed; grains of paradise, seed; guarana; honewort, seed; lovage, seed; mahaleb; malabar tamarind; milk thistle; mustard, black, seed; mustard, brown, seed; mustard, white, seed; nutmeg; poppy seed; sesame seed; wattle seed at 2.0 ppm. The GC/ECD, HPLC/UV, GC-MS/ MS, and HPLC–MS/MS methods are used to measure and evaluate the chemical acetamiprid. Contact: RD.

D. Notice of Filing—New Tolerances for Non-Inerts

1. PP 2F8995.EPA-HQ-OPP-2022-0594.Nufarm Limited, C/O Nufarm Americas, Inc. 4020 Aerial Center Parkway, Suite 101 Morrisville, NC 27560, requests to establish a tolerance in 40 CFR part 180 for residues of the herbicide dichlorprop-P, (R)-2-(2,4dichlorophenoxy)propionic acidin or onamaranth, grain, forage at 50 ppm; amaranth, grain, hay at 80 ppm; amaranth, grain, straw at 40 ppm; amaranth, purple, forage at 50 ppm; amaranth, purple, hay at 80 ppm; amaranth, purple, straw at 40 ppm; baby corn, forage at 0.06 ppm; baby corn, stover at 0.15 ppm; barley, hay at 40 ppm; barley, straw at 15 ppm; barley, subgroup 15-22B at 0.3 ppm; buckwheat, hay at 40 ppm; buckwheat, straw at 15 ppm; buckwheat, tartary, hay at 40 ppm; buckwheat, tartary, straw at 15 ppm; canarygrass, annual, hay at 40 ppm; canarygrass, annual, straw at 15 ppm; cañihua, forage at 50 ppm; cañihua, hay at 80 ppm; cañihua, straw at 40 ppm; chia, forage at 50 ppm; chia, hay at 80 ppm; chia, straw at 40 ppm; corn, field, forage at 0.01 ppm; corn, field, stover at 0.01 ppm; corn, field, subgroup 15-22C at 0.01 ppm; corn, pop, stover at 0.01 ppm; corn, sweet, forage at 0.06 ppm; corn, sweet, stover at 0.15 ppm; corn, sweet, subgroup 15-22D at 0.01 ppm; cramcram, forage at 50 ppm; cram-cram, hay at 80 ppm; cram-cram, straw at 40 ppm;

fonio, black, forage at 0.02 ppm; fonio, black, stover at 0.09 ppm; fonio, white, forage at 0.02 ppm; fonio, white, stover at 0.09 ppm; huauzontle, grain, forage at 50 ppm; huauzontle, grain, hay at 80 ppm; huauzontle, grain, straw at 40 ppm; inca wheat, forage at 50 ppm; inca wheat, hay at 80 ppm; inca wheat, straw at 40 ppm; job's tears, forage at 0.02 ppm; job's tears, stover at 0.09 ppm; millet, barnyard, forage at 0.02 ppm; millet, barnyard, hay at 0.02 ppm; millet, barnyard, straw at 0.09 ppm; millet, finger, forage at 0.02 ppm; millet, finger, hay at 0.02 ppm; millet, finger, straw at 0.09 ppm; millet, foxtail, forage at 0.02 ppm; millet, foxtail, hay at 0.02 ppm; millet, foxtail, straw at 0.09 ppm; millet, little, forage at 0.02 ppm; millet, little, hay at 0.02 ppm; millet, little, straw at 0.09 ppm; millet, pearl, forage at 0.02 ppm; millet, pearl, hay at 0.02 ppm; millet, pearl, straw at 0.09 ppm; millet, proso, forage at 0.02 ppm; millet, proso, hay at 0.02 ppm; millet, proso, straw at 0.09 ppm; oat, forage at 40 ppm; oat, hay at 40 ppm; oat, straw at 15 ppm; oat, abyssinian, forage at 40 ppm; oat, abyssinian, hay at 40 ppm; oat, abyssinian, straw at 15 ppm; oat, common, forage at 40 ppm; oat, common, hay at 40 ppm; oat, common, straw at 15 ppm; oat, naked, forage at 40 ppm; oat, naked, hay at 40 ppm; oat, naked, straw at 15 ppm; oat, sand, forage at 40 ppm; oat, sand, hay at 40 ppm; oat, sand, straw at 15 ppm; prince's-feather, forage at 50 ppm; prince's-feather, hay at 80 ppm; prince's-feather, straw at 40 ppm; psyllium, forage at 50 ppm; psyllium, hay at 80 ppm; psyllium, straw at 40 ppm; psyllium, blond, forage at 50 ppm; psyllium, blond, hay at 80 ppm; psyllium, blond, straw at 40 ppm; quinoa, forage at 50 ppm; quinoa, hay at 80 ppm; quinoa, straw at 40 ppm; rye, forage at 50 ppm; rye, hay at 80 ppm; rye, straw at 40 ppm; sorghum, grain, and millet, subgroup 15–22E at 0.01 ppm; sorghum, grain, forage at 0.02 ppm; sorghum, grain, stover at 0.09 ppm; soybean, forage at 0.05 ppm; soybean, hay at 0.03 ppm; soybean, seed at 0.01 ppm; teff, forage at 0.02 ppm; teff, hay at 0.02 ppm; teff, straw at 0.09 ppm; teosinte, forage at 0.01 ppm; teosinte, stover at 0.01 ppm; triticale, forage at 50 ppm; triticale, hay at 80 ppm; triticale, straw at 40 ppm; wheat, forage at 50 ppm; wheat, germ at 0.2 ppm; wheat, hay at 80 ppm; wheat, straw at 40 ppm; wheat, subgroup 15-22A at 0.1 ppm; wheat, club, forage at 50 ppm; wheat, club, hay at 80 ppm; wheat, club, straw at 40 ppm; wheat, common, forage at 50 ppm; wheat, common, hay at 80 ppm; wheat,

common, straw at 40 ppm; wheat, durum, forage at 50 ppm; wheat, durum, hay at 80 ppm; wheat, durum, straw at 40 ppm; wheat, einkorn, forage at 50 ppm; wheat, einkorn, hay at 80 ppm; wheat, einkorn, straw at 40 ppm; wheat, emmer, forage at 50 ppm; wheat, emmer, hay at 80 ppm; wheat, emmer, straw at 40 ppm; wheat, macha, forage at 50 ppm; wheat, macha, hay at 80 ppm; wheat, macha, straw at 40 ppm; wheat, oriental, forage at 50 ppm; wheat, oriental, hay at 80 ppm; wheat, oriental, straw at 40 ppm; wheat, Persian, forage at 50 ppm; wheat, Persian, hay at 80 ppm; wheat, Persian, straw at 40 ppm; wheat, Polish, forage at 50 ppm; wheat, Polish, hay at 80 ppm; wheat, Polish, straw at 40 ppm; wheat, poulard, forage at 50 ppm; wheat, poulard, hay at 80 ppm; wheat, poulard, straw at 40 ppm; wheat, shot, forage at 50 ppm; wheat, shot, hay at 80 ppm; wheat, shot, straw at 40 ppm; wheat, spelt, forage at 50 ppm; wheat, spelt, hay at 80 ppm; wheat, spelt, straw at 40 ppm; wheat, timopheevi, forage at 50 ppm; wheat, timopheevi, hay at 80 ppm; wheat, timopheevi, straw at 40 ppm; wheat, vavilovi, forage at 50 ppm; wheat, vavilovi, hay at 80 ppm; wheat, vavilovi, straw at 40 ppm; wheat, wild einkorn, forage at 50 ppm; wheat, wild einkorn, hay at 80 ppm; wheat, wild einkorn, straw at 40 ppm; wheat, wild emmer, forage at 50 ppm; wheat, wild emmer, hay at 80 ppm; wheat, wild emmer, straw at 40 ppm; wheatgrass, intermediate, forage at 50 ppm; wheatgrass, intermediate, hay at 80 ppm; wheatgrass, intermediate, straw at 40 ppm; cattle, fat at 0.15 ppm; cattle, kidney at 1.0 ppm; cattle, liver at 0.05 ppm; cattle, meat at 0.01 ppm; cattle, meat byproducts at 1.0 ppm; egg at 0.01 ppm; goat, fat at 0.15 ppm; goat, kidney at 1.0 ppm; goat, liver at 0.05 ppm; goat, meat at 0.01 ppm; goat, meat byproducts at 1.0 ppm; hog, fat at 0.15 ppm; hog, kidney at 1.0 ppm; hog, liver at 0.05 ppm; hog, meat at 0.01 ppm; hog, meat byproducts at 1.0 ppm; horse, fat at 0.15 ppm; horse, kidney at 1.0 ppm; horse, liver at 0.05 ppm; horse, meat at 0.01 ppm; horse, meat byproducts at 1.0 ppm; milk at 0.01 ppm; poultry, fat at 0.01 ppm; poultry, liver at 0.01 ppm; poultry, meat at 0.01 ppm; poultry, meat byproducts at 0.01 ppm; sheep, fat at 0.15 ppm; sheep, kidney at 1.0 ppm; sheep, liver at 0.05 ppm; sheep, meat at 0.01 ppm; and sheep, meat byproducts at 1.0 ppm. AHPLC-MS/MSis used to measure and evaluate the chemicaldichlorprop-P. Contact:RD.

2. *PP 3E9060*. EPA–HQ–OPP–2024– 0176. USDA Foreign Agriculture Service, 1400 Independence Ave., Washington, DC 20250, requests to establish a tolerance in 40 CFR part 180 for residues of the fungicide, fluopyram (*N*-[2-[3-chloro-5-(trifluoromethyl)-2pyridinyl] ethyl]-2-(trifluoromethyl) benzamide), in or on mango at 1 ppm. A HPLC–MS/MS is used to measure and evaluate the chemical fluopyram. *Contact:* RD.

3. PP 3E9077. EPA-HQ-OPP-2023-0554. The IR-4 Project Headquarters, North Carolina State University, 1730 Varsity Drive, Venture IV, Suite 210, Raleigh, NC 27606, requests to establish tolerances in 40 CFR 180.462 for residues of the herbicide pyridate, O-(6chloro-3-phenyl-4-pyridazinyl)-S-octylcarbonothioate, and its metabolites, 6chloro-3-phenyl-pyridazine-4-ol and conjugates of 6-chloro-3-phenylpyridazine-4-ol, calculated as the stoichiometric equivalent of pyridate, in or on the raw agricultural commodities: Mint, dried leaves at 15 ppm; mint, fresh leaves at 3 ppm; field corn subgroup 15–22C at 0.03 ppm; kohlrabi at 0.03 ppm; and vegetable, brassica, head and stem, group 5–16 at 0.03 ppm. A HPLC-MS/MS residue analytical method was used for the determination of pyridate and CL 9673 in crops. Contact: RD.

4. PP 3E9080. EPA-HQ-OPP-2024-0140. The IR–4, North Carolina State University, 1730 Varsity Drive, Venture IV, Suite 210, Raleigh, NC 27606, proposing, pursuant to section 408(d) of the FFDCA, 21 U.S.C. 346a(d), requests to amend 40 CFR 180.712 by establishing a new tolerance for residues of the fungicide inpyrfluxam, including its metabolites and degradates, (3-(difluoromethyl)-N-[(R)-2,3-dihydro-1,1,3-trimethyl-1H-inden-4-yl]-1methyl-1H-pyrazole-4-carboxamide) in or on the raw agricultural plant commodity: Vegetable, cucurbit, group 9, at 0.15 ppm. An independently validated analytical method has been submitted for determining inpyrfluxam residues with appropriate sensitivity in all crop commodities for which tolerances are being requested. Contact: RD.

5. *PP 3F9067*. EPA–HQ–OPP–2023– 0596. Bayer CropScience LP, 800 N. Lindbergh Blvd., St. Louis, MO 63167, requests to establish a tolerance in 40 CFR part 180 for residues of the insecticide ethiprole, 5-amino-1-[2,6dichloro-4-(trifluoromethyl) phenyl]-4-(ethylsulfinyl)-1*H*-pyrazole-3carbonitrile in or on sugarcane at 0.1 ppm. A HPLC–MS/MS method is used to measure and evaluate the chemical ethiprole. *Contact:* RD.

6. *PP 3F9068.* EPA–HQ–OPP–2023– 0537. BASF Corporation, 26 Davis Drive, P.O. Box 13528, Research Triangle Park, North Carolina 27709, requests to establish a tolerance in 40 CFR part 180 for residues of the herbicide, topramezone, in or on cottonseed, subgroup 20C at 0.03 ppm and cotton, gin byproducts at 0.9 ppm. A HPLC–MS/MS is used to measure and evaluate the chemical topramezone.*Contact:* RD.

7. PP 3F9075. EPA-HQ-OPP-2024-0187. BASF Corporation, 26 Davis Drive, P.O. Box 13528, Research Triangle Park, NC 27709, requests to establish a tolerance in 40 CFR part 180 for residues of the fungicide, boscalid (3-pyridinecarboxamide, 2-chloro-N-(4'chloro[1,1'-biphenyl]-2-yl)), in or on cereal grain, field corn subgroup 15-22C at 0.2 ppm; cereal grain, sweet corn subgroup 15-22D at 0.2 ppm; corn, field forage at 20.0 ppm; corn, sweet forage at 20.0 ppm; corn, pop, forage at 20.0 ppm; corn, field stover at 50.0 ppm; corn, sweet, stover at 50.0 ppm; corn, pop, stover at 50.0 ppm.

In addition, the petition includes the request to modify the expression of the existing tolerances for indirect or inadvertent residues of boscalid (3pyridinecarboxamide, 2-chloro-N-(4'chloro[1,1'-biphenyl]-2-yl)) in or on grain, cereal, group 15 at 0.2 ppm to grain, cereal, group 15, except corn at 0.2 ppm; grain, cereal, forage, fodder and straw, group 16, forage at 2.0 ppm to grain, cereal, forage, fodder and straw, group 16, forage, except corn forage at 2.0 ppm; and grain, cereal, forage, fodder and straw, group 16, stover at 1.5 ppm to grain, cereal, forage, fodder and straw, group 16, stover, except corn stover at 1.5 ppm. Liquid chromatography tandem mass spectrometry is used to measure and evaluate the chemical boscalid. Contact: RD.

8. PP 3F9085. EPA-HQ-OPP-2024-0217. The American Spice Trade Association, 1101 17th Street NW, Suite 700, Washington, DC 20036, requests to establish tolerances in 40 CFR part 180 for residues of the insecticide, acetamiprid, in or on pepper, black at 0.1 ppm; and spices from Codex crop group spices, seed that overlap with spices in Crop Group 19: Ambrette, seed; angelica, seed; angelica, daharian, seed; anise, seed; annatto, seed; candlebush; caraway, black, seed; caraway, seed; celery, seed; chervil, seed; chinese nutmeg tree; coriander, seed: cubeb. seed: culantro. seed: cumin, seed; dill, seed; fennel, seed; fennel flower, seed; fenugreek, seed; grains of paradise, seed; guarana; honewort, seed; lovage, seed; mahaleb; malabar tamarind; milk thistle; mustard, black, seed; mustard, brown, seed; mustard, white, seed; nutmeg; poppy seed; sesame seed; wattle seed at 2.0

ppm. The GC/ECD, HPLC/UV, GC–MS/ MS and HPLC–MS/MS methods are used to measure and evaluate the chemical acetamiprid.*Contact:* RD.

Authority: 21 U.S.C. 346a.

Dated: June 24, 2024.

Kimberly Smith,

Acting Director, Information Technology and Resources Management Division, Office of Pesticide Programs.

[FR Doc. 2024–14408 Filed 6–28–24; 8:45 am] BILLING CODE 6560–50–P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 2

[ET Docket No. 24–121, DA 24–396; FR ID 227746]

Expanded Federal Use of the Non-Federal FSS and MSS Bands

AGENCY: Federal Communications Commission.

ACTION: Proposed rule.

SUMMARY: In this document, the Office of Engineering and Technology opens a new docket and seeks comment on ways to potentially expand Federal access to non-Federal, including commercial, satellite services.

DATES: Interested parties may file comments on or before July 31, 2024; and reply comments on or before August 30, 2024. All filings must refer to ET Docket No. 24–121.

ADDRESSES: Pursuant to sections 1.415 and 1.419 of the Commission's rules, 47 CFR 1.415, 1.419, interested parties may file comments on or before the dates provided in the **DATES** section of this Proposed Rule. Comments may be filed using the Commission's Electronic Comment Filing System (ECFS). You may submit comments, identified by ET Docket No. 24–121 and referencing this public notice, by any of the following methods:

• *Electronic Filers:* Comments may be filed electronically using the internet by accessing the ECFS: *https://www.fcc.gov/ecfs/.*

• *Paper Filers:* Parties who choose to file by paper must file an original and one copy of each filing.

• Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by First-Class or overnight U.S. Postal Service mail. All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission.

• All hand-delivered or messengerdelivered paper filings for the Commission's Secretary are accepted between 8:00 a.m. and 4:00 p.m. at 9050 Junction Drive, Annapolis Junction, MD 20701. All hand deliveries must be held together with rubber bands or fasteners. Any envelopes and boxes must be disposed of before entering the building.

• Commercial overnight deliveries (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9050 Junction Drive, Annapolis Junction, MD 20701.

• U.S. Postal Service First-Class, Express, and Priority mail must be addressed to Secretary, Federal Communications Commission, 45 L Street NE, Washington, DC 20554.

• *People with Disabilities:* Contact the Commission to request reasonable accommodations (accessible format documents, sign language interpreters, CART, etc.) by email: *FCC504@fcc.gov* or phone: 202–418–0530 or TTY: 202–418–0432.

• Availability of Documents: Comments and *ex parte* submissions will be available via ECFS. Documents will be available electronically in ASCII, Microsoft Word, and/or Adobe Acrobat.

FOR FURTHER INFORMATION CONTACT:

Nicholas Oros of the Office of Engineering and Technology, at *Nicholas.Oros@fcc.gov* or 202–418– 0636.

SUPPLEMENTARY INFORMATION: This is a summary of the Office of Engineering and Technology's Public Notice in ET Docket No. 24–121, DA 24–396, released April 26, 2024. The full text of this document is available for public inspection at the following internet address: https://www.fcc.gov/document/oet-seeks-comment-expanded-federal-use-non-federal-bands.

Initial Regulatory Flexibility Act Analysis. The 2013 NPRM (FCC 13–65, 78 FR 39200) and 2021 FNPRM (FCC 21–44, 86 FR 30860) included Initial Regulatory Flexibility Analyses (IRFA) pursuant to 5 U.S.C. 603, exploring the potential impact on small entities of the Commission's proposals. The Office of Engineering and Technology invite parties to file comments on the IRFAs in light of this request for supplemental comments.

Paperwork Reduction Act Analysis. This document does not contain any new or modified information collection requirements subject to the Paperwork Reduction Act of 1995, Public Law 104– 13. Thus, it does not contain any new or modified information collection burden for small business concerns with fewer than 25 employees, pursuant to the Small Business Paperwork Relief Act of 2002, Public Law 107–198, see 44 U.S.C. 3506(c)(4).