

that unrecoverable loss of those portions of the system is extremely improbable. The design must provide an alternative source of electrical power for the time required to restore the minimum electrical power generation capability required for safe flight and landing. The applicant may exclude unrecoverable loss of all engines when showing compliance with this requirement.

(b) Regardless of any electrical generation and distribution system recovery capability shown under paragraph (a) of these special conditions, sufficient electrical system capability must be provided to:

(1) Allow time to descend, with all engines inoperative, at the speed that provides the best glide distance, from the maximum operating altitude to the top of the engine restart envelope; and

(2) Subsequently allow multiple start attempts of the engines and auxiliary power unit (APU). The design must provide this capability in addition to the electrical capability required by existing part 25 requirements related to operation with all engines inoperative.

(c) The airplane emergency electrical power system must be designed to supply:

(1) Electrical power required for immediate safety, which must continue to operate without the need for crew action following the loss of the normal electrical power, for a duration sufficient to allow reconfiguration to provide a non-time-limited source of electrical power.

(2) Electrical power required for continued safe flight and landing for the maximum diversion time.

(d) If the applicant uses APU-generated electrical power to satisfy the requirements of these special conditions, and if reaching a suitable runway for landing is beyond the capacity of the battery systems, then the APU must be able to be started under any foreseeable flight condition prior to the depletion of the battery or the restoration of normal electrical power, whichever occurs first. Flight test must demonstrate this capability at the most critical condition.

(1) The applicant must show that the APU will provide adequate electrical power for continued safe flight and landing.

(2) The AFM must incorporate non-normal procedures that direct the pilot to take appropriate actions to activate the APU after loss of normal engine-driven generated electrical power.

(e) As part of showing compliance with these special conditions, the tests to demonstrate loss of all normal electrical power must also take into account the following:

(1) The assumption that the failure condition occurs during night instrument meteorological conditions (IMC) at the most critical phase of the flight, relative to the worst possible electrical power distribution and equipment-loads-demand condition.

(2) After the un-restorable loss of normal engine generator power, the airplane engine restart capability is provided, and operations continued in IMC.

(3) The airplane is demonstrated to be capable of continued safe flight and landing. The length of time must be computed based on the maximum diversion time capability for which the airplane is being certified. The applicant must account for airspeed reductions resulting from the associated failure or failures.

(4) The airplane must provide adequate indication of loss of normal electrical power to direct the pilot to the non-normal procedures, and the AFM must incorporate non-normal procedures that will direct the pilot to take appropriate actions.

Issued in Kansas City, Missouri, on July 29, 2024.

Patrick R. Mullen,

Manager, Technical Policy Branch, Policy and Standards Division, Aircraft Certification Service.

[FR Doc. 2024-16979 Filed 8-1-24; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Docket No. FAA-2023-2254; Airspace Docket No. 23-ASO-51]

RIN 2120-AA66

Amendment of Class E Airspace; Asheville, NC

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of Proposed Rulemaking (NPRM).

SUMMARY: This action proposes to amend Class E airspace extending upward from 700 feet above the surface for Mission Hospitals, Asheville, NC, as new instrument approach procedures have been designed for Mission Hospitals. This action would also update the coordinates for Mission Hospitals.

DATES: Comments must be received on or before September 16, 2024.

ADDRESSES: Send comments identified by FAA Docket No. FAA-2023-2254

and Airspace Docket No. 23-ASO-51 using any of the following methods:

* *Federal eRulemaking Portal:* Go to www.regulations.gov and follow the online instructions for sending your comments electronically.

* *Mail:* Send comments to Docket Operations, M-30; U.S. Department of Transportation, 1200 New Jersey Avenue SE, Room W12-140, West Building Ground Floor, Washington, DC 20590-0001.

* *Hand Delivery or Courier:* Take comments to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except for Federal holidays.

* *Fax:* Fax comments to Docket Operations at (202) 493-2251.

Docket: Background documents or comments received may be read at www.regulations.gov at any time. Follow the online instructions for accessing the docket or go to the Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except for Federal holidays.

FAA Order JO 7400.11H Airspace Designations and Reporting Points and subsequent amendments can be viewed online at www.faa.gov/air_traffic/publications/. You may also contact the Rules and Regulations Group, Office of Policy, Federal Aviation Administration, 800 Independence Avenue SW, Washington, DC 20591; telephone: (202) 267-8783.

FOR FURTHER INFORMATION CONTACT:

Scott Stuart, Operations Support Group, Eastern Service Center, Federal Aviation Administration, 1701 Columbia Avenue, College Park, GA 30337; telephone: (404) 305-5926.

SUPPLEMENTARY INFORMATION:

Authority for This Rulemaking

The FAA's authority to issue rules regarding aviation safety is found in Title 49 of the United States Code. Subtitle I, Section 106 describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the agency's authority. This rulemaking is promulgated under the authority described in Subtitle VII, Part A, Subpart I, Section 40103. Under that section, the FAA is charged with prescribing regulations to assign the use of airspace necessary to ensure the safety of aircraft and the efficient use of airspace. This regulation is within the scope of that authority, as it would

amend Class E airspace for Mission Hospital, Asheville, NC.

Comments Invited

The FAA invites interested persons to participate in this rulemaking by submitting written comments, data, or views. Comments are specifically invited on the overall regulatory, aeronautical, economic, environmental, and energy-related aspects of the proposal. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. To ensure the docket does not contain duplicate comments, commenters should submit only one time if comments are filed electronically, or commenters should send only one copy of written comments if comments are filed in writing.

The FAA will file in the docket all comments it receives, as well as a report summarizing each substantive public contact with FAA personnel concerning this proposed rulemaking. Before acting on this proposal, the FAA will consider all comments it receives on or before the closing date for comments. The FAA will consider comments filed after the comment period has closed if it is possible to do so without incurring expense or delay. The FAA may change this proposal in light of the comments it receives.

Privacy: In accordance with 5 U.S.C. 553(c), DOT solicits comments from the public to better inform its rulemaking process. DOT posts these comments, without edit, including any personal information the commenter provides, to www.regulations.gov, as described in the system of records notice (DOT/ALL-14 FDMS), which can be reviewed at www.dot.gov/privacy.

Availability of Rulemaking Documents

An electronic copy of this document may be downloaded through the internet at www.regulations.gov. Recently published rulemaking documents can also be accessed through the FAA's web page at www.faa.gov/air_traffic/publications/airspace_amendments/.

You may review the public docket containing the proposal, any comments received, and any final disposition in person in the Dockets Operations office (see **ADDRESSES** section for address, phone number, and hours of operations). An informal docket may also be examined during regular business hours at the office of the Eastern Service Center, Federal Aviation

Administration, Room 210, 1701 Columbia Ave., College Park, GA 30337.

Incorporation by Reference

Class E airspace designations are published in paragraph 6005 of FAA Order JO 7400.11, Airspace Designations and Reporting Points, which is incorporated by reference in 14 CFR 71.1 on an annual basis. This document proposes to amend the current version of that order, FAA Order JO 7400.11H, Airspace Designations and Reporting Points, dated August 11, 2023, and effective September 15, 2023. FAA Order JO 7400.11H is publicly available as listed in the **ADDRESSES** section of this document. These amendments will be published in the next update to FAA Order JO 7400.11.

FAA Order JO 7400.11H lists Class A, B, C, D, and E airspace areas, air traffic service routes, and reporting points.

The Proposal

This action proposes to amend 14 CFR part 71 by amending Class E airspace extending upward from 700 feet above the surface for Mission Hospitals, Asheville, NC, by relocating the center point of the Class E airspace extending upward from 700 feet above the surface within a 6-mile radius of Mission Hospitals. Additionally, this action would also delete the Point in Space Coordinates for St. Josephs-Mission Hospital and use Mission Hospitals as a reference to accommodate Class E airspace requirements. Controlled airspace is necessary for the safety and management of instrument flight rules (IFR) operations in the area.

Regulatory Notices and Analyses

The FAA has determined that this proposed regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore: (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a Regulatory Evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this proposed rule, when promulgated, will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

Environmental Review

This proposal would be subject to an environmental analysis in accordance with FAA Order 1050.1F, "Environmental Impacts: Policies and Procedures," prior to any FAA final regulatory action.

Lists of Subjects in 14 CFR Part 71

Airspace, Incorporation by reference, Navigation (air).

The Proposed Amendment

In consideration of the foregoing, the Federal Aviation Administration proposes to amend 14 CFR part 71 as follows:

PART 71—DESIGNATION OF CLASS A, B, C, D, AND E AIRSPACE AREAS; AIR TRAFFIC SERVICE ROUTES; AND REPORTING POINTS

■ 1. The authority citation for 14 CFR part 71 continues to read as follows:

Authority: 49 U.S.C. 106(f), 106(g); 40103, 40113, 40120; E.O. 10854, 24 FR 9565, 3 CFR, 1959–1963 Comp., p. 389.

§ 71.1 [Amended]

■ 2. The incorporation by reference in 14 CFR 71.1 of Federal Aviation Administration Order JO 7400.11H, Airspace Designations and Reporting Points, dated August 11, 2023, and effective September 15, 2023, is amended as follows:

Paragraph 6005 Class E Airspace Areas Extending Upward From 700 Feet or More Above the Surface of the Earth.

* * * * *

ASO NC E5 Asheville, NC [AMENDED]

Asheville Regional Airport, NC
(Lat. 35°26'10" N, long. 82°32'30" W)
Mission Hospitals, NC
(Lat. 35°34'31" N, long. 82°32'55" W)

That airspace extending upward from 700 feet above the surface within 6 miles on each side of Runway 16/34 centerline, extending 17 miles north and 21 miles south of the Asheville Regional Airport, and that airspace within a 6-mile radius of Mission Hospitals.

* * * * *

Issued in College Park, Georgia, on July 25, 2024.

Andreese C. Davis,

Manager, Airspace & Procedures Team South, Eastern Service Center, Air Traffic Organization.

[FR Doc. 2024–17023 Filed 8–1–24; 8:45 am]

BILLING CODE 4910–13–P