

§ 262.16 Conditions for exemption for a small quantity generator that accumulates hazardous waste.

(b) * * *

(1) *Accumulation limit.* The quantity of acute hazardous waste accumulated on site never exceeds 1 kilogram (2.2 pounds) and the quantity of non-acute hazardous waste accumulated on site never exceeds 6,000 kilograms (13,200 pounds);

* * * * *

■ 5. Section 262.17 is amended by revising (a)(8)(i) to read as follows:

§ 262.17 Conditions for exemption for a large quantity generator that accumulates hazardous waste.

(a) * * *

(8) * * *

(i) *Notification for closure of a waste accumulation unit.* A large quantity generator must perform one of the following when closing a waste accumulation unit, but not all waste accumulation units:

(A) Place a notice in the operating record within 30 days after closure identifying the location of the unit within the facility (if the waste accumulation unit is subsequently reopened, the generator may remove the notice from the operating record); or

(B) Meet the closure performance standards of paragraph (a)(8)(iii) of this section for container, tank, and containment building waste accumulation units or paragraph (a)(8)(iv) of this section for drip pads and notify EPA following the procedures in paragraph (a)(8)(ii)(B) of this section for the waste accumulation unit.

* * * * *

PART 266—STANDARDS FOR THE MANAGEMENT OF SPECIFIC HAZARDOUS WASTES AND SPECIFIC TYPES OF HAZARDOUS WASTE MANAGEMENT FACILITIES

■ 6. The authority for part 266 continues to read as follows:

Authority: 42 U.S.C. 1006, 2002(a), 3001–3009, 3014, 3017, 6905, 6906, 6912, 6921, 6922, 6924–6927, 6934, and 6937.

■ 7. Section 266.508 is amended by revising paragraph (a)(2)(ii) to read as follows:

§ 266.508 Shipping non-creditable hazardous waste pharmaceuticals from a healthcare facility or evaluated hazardous waste pharmaceuticals from a reverse distributor.

(a) * * *

(2) * * *

(ii) A healthcare facility shipping non-creditable hazardous waste

pharmaceuticals must write the word “PHRM” or “PHARMS” in Item 13 of EPA Form 8700–22. A healthcare facility may also include the applicable EPA hazardous waste numbers (*i.e.*, hazardous waste codes) in Item 13 of EPA Form 8700–22.

* * * * *

[FR Doc. 2024–28802 Filed 12–10–24; 8:45 am]

BILLING CODE 6560–50–P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

49 CFR Part 571

[Docket No. NHTSA–2023–0021]

RIN 2127–AM37

Federal Motor Vehicle Safety Standards; Automatic Emergency Braking Systems for Light Vehicles; Correction

AGENCY: National Highway Traffic Safety Administration (NHTSA), Department of Transportation (DOT).

ACTION: Final rule; response to petitions for reconsideration; correction.

SUMMARY: This document corrects a November 26, 2024 final rule partially granting petitions for reconsideration of a May 9, 2024, final rule that adopted Federal Motor Vehicle Safety Standard (FMVSS) No. 127, “Automatic Emergency Braking for Light Vehicles,” which requires automatic emergency braking (AEB), pedestrian automatic emergency braking (PAEB), and forward collision warning (FCW) systems on all new light vehicles. This document corrects a typographical error in the amendatory instructions.

DATES: Effective January 27, 2025.

ADDRESSES: Correspondence related to this rule should refer to the docket number set forth above (NHTSA–2023–0021) and be submitted to the Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue SE, Washington, DC 20590.

FOR FURTHER INFORMATION CONTACT: For technical issues: Mr. Markus Price, Office of Crash Avoidance Standards, Telephone: (202) 366–1810, Facsimile: (202) 366–7002. For legal issues: Mr. Eli Wachtel, Office of the Chief Counsel, Telephone: (202) 366–2992, Facsimile: (202) 366–3820. The mailing address for these officials is: National Highway Traffic Safety Administration, 1200 New Jersey Avenue SE, Washington, DC 20590.

SUPPLEMENTARY INFORMATION: In FR Doc. 2024–27349 appearing on page 93199 in the **Federal Register** of Tuesday, November 26, 2024, the following correction is made:

§ 571.127 [Corrected]

■ On page 93220, in the first column, in part 571, in amendment 2.b, the instruction “Revising S5.1.1(a)(3) and (4), S5.1.1(b)(2), S5.1.3, and S8.3.3(g).” is corrected to read “Revising S5.1.1(a)(3) and (4), S5.1.1(b)(1), S5.1.3, and S8.3.3(g).”.

Issued in Washington, DC, under authority delegated in 49 CFR 1.95 and 501.8.

Raymond R. Posten,

Associate Administrator, Rulemaking.

[FR Doc. 2024–28998 Filed 12–10–24; 8:45 am]

BILLING CODE P

DEPARTMENT OF THE INTERIOR

Fish and Wildlife Service

50 CFR Part 29

[Docket No. FWS–HQ–NWRS–2019–0017; FF09R50000–XXX–FVRS3451900000]

RIN 1018–BD78

Permitting of Rights-of-Way Across National Wildlife Refuges and Other U.S. Fish and Wildlife Service-Administered Lands

AGENCY: Fish and Wildlife Service, Interior.

ACTION: Final rule.

SUMMARY: We, the U.S. Fish and Wildlife Service (Service), are revising our process for permitting of rights-of-way across National Wildlife Refuge System lands and other Service-administered lands. By aligning Service processes more closely with those of other Department of the Interior bureaus, to the extent practicable and consistent with applicable law, we will reduce the amount of time the Service requires to process applications for rights-of-way across Service-managed lands. We will require a preapplication meeting and use of a standard application, allow electronic submission of applications, and provide the Service with additional flexibility, as appropriate, to determine the fair market value or fair market rental value of rights-of-way across Service-managed lands. Additionally, we are implementing new permit terms and conditions and other regulatory changes.

DATES: This rule is effective January 10, 2025.