

RECREATIONAL PILOT AND PRIVATE PILOT KNOWLEDGE TEST GUIDE





RECREATIONAL PILOT AND PRIVATE PILOT KNOWLEDGE TEST GUIDE

1999

U.S. DEPARTMENT OF TRANSPORTATION **FEDERAL AVIATION ADMINISTRATION**

Flight Standards Service

PREFACE

FAA-G-8082-17, Recreational Pilot and Private Pilot Knowledge Test Guide, provides information for obtaining authorization to take the recreational pilot or private pilot knowledge tests. Appendix 1 provides lists of reference materials and subject matter knowledge codes, and a list of computer testing designees (CTD's).

Changes to the subject matter knowledge codes will be published in AC 60-25, Reference Materials and Subject Matter Knowledge Codes for Airman Knowledge Testing.

The current Flight Standards Service airman training and testing material, questions banks, and subject matter knowledge codes for all airman certificates and ratings can be obtained from the Regulatory Support Division, AFS-600, home page on the Internet.

The Regulatory Support Division's Internet address is: http://www.mmac.jccbi.gov/afs/afs600

FAA-G-8082-17 supersedes Advisory Circular (AC) 61-117, dated 1995, and can be purchased from the Superintendent of Documents, U.S. Government Printing Office (GPO), Washington, DC 20402-9325, or from U.S. Government Bookstores located in major cities throughout the United States. For an explanation of why the Recreational Pilot and Private Pilot Knowledge Test Guide was taken out of the AC system, refer to AC 60-29, Renumbering of Airman Training and Testing Publications.

Comments regarding this guide should be sent to the Federal Aviation Administration, Airman Testing Standards Branch, AFS-630, Attn: Private Pilot Certification Area Manager, P.O. Box 25082, Oklahoma City, OK 73125.

CONTENTS

Preface	iii
Contents	v
Introduction	1
Knowledge Test Eligibility Requirements	
Knowledge Areas on the Tests	
Descriptions of the Tests	
Process for Taking a Knowledge Test	
Use of Test Aids and Materials	
Cheating or Other Unauthorized Conduct	
Validity of Airman Test Reports	
Retesting Procedures	
Sample Test Questions and Answers:	
Recreational Pilot—Airplane (RPA)	5
Recreational Pilot—Rotorcraft/Helicopter (RPH)	
Recreational Pilot—Rotorcraft/Gyroplane (RPG)	
Private Pilot—Airplane/Recreational Pilot—Transition (PAT)	
Private Pilot—Helicopter/Recreational Pilot–Transition (PHT)	
Private Pilot—Gyroplane/Recreational Pilot—Transition (PGT)	
Private Pilot—Airplane (PAR)	
Private Pilot—Rotorcraft/Helicopter (PRH)	
Private Pilot—Rotorcraft/Gyroplane (PRG)	
Private Pilot—Glider (PGL)	
Private Pilot—Balloon–Hot Air (PBH)	
Private Pilot—Balloon–Gas (PBG)	
Private Pilot—Lighter -Than-Air-Airship (PLA)	
APPENDIX 1	
List of Reference Materials and Subject Matter Knowledge Codes Computer Testing Designees	
APPENDIX 2	
FIGURE 1.—Time Conversion Table	2-1
FIGURE 2.—Gyroplane Rotor Blade Position	
Figure 3.—VOR	

RECREATIONAL PILOT AND PRIVATE PILOT KNOWLEDGE TEST GUIDE

Introduction

What is required to become a skilled and effective recreational pilot or private pilot? Although some individuals possess more knowledge and skills than others, no one is a natural-born pilot. Competent pilots become so through study, training, and experience.

This knowledge test guide will answer most of your questions about taking a recreational pilot or private pilot knowledge test by covering the following areas: knowledge test eligibility requirements; knowledge areas on the tests; descriptions of the tests; process for taking a knowledge test; use of test aids and materials; cheating or other unauthorized conduct; validity of Airman Test Reports; and retesting procedures.

This guide will help in preparing you to take one or all of the following tests.

- → Recreational Pilot—Airplane
- Recreational Pilot—Rotorcraft/Helicopter
- → Recreational Pilot—Rotorcraft/Gyroplane
- → Private Pilot—Airplane/Recreational Pilot—Transition
- → Private Pilot—Helicopter/Recreational Pilot—Transition
- → Private Pilot—Gyroplane/Recreational Pilot—Transition
- → Private Pilot—Airplane
- → Private Pilot—Rotorcraft/Helicopter
- → Private Pilot—Rotorcraft/Gyroplane
- → Private Pilot—Glider
- → Private Pilot—Balloon–Hot Air
- → Private Pilot—Balloon–Gas
- → Private Pilot—Lighter-Than-Air-Airship

This guide is not offered as an easy way to obtain the necessary information for passing the knowledge tests. Rather, the intent of this guide is to define and narrow the field of study to the required knowledge areas included in the tests.

KNOWLEDGE TEST ELIGIBILITY REQUIREMENTS

If you are pursuing a recreational pilot or private pilot certificate, you should review: Title 14 of the Code of Federal Regulations (14 CFR) part 61, section 61.23, Medical Certificates: Requirements and Duration; 14 CFR section 61.35, Knowledge Test: Prerequisites and Passing Grades; and 14 CFR section 61.83, Eligibility Requirements for Student Pilot, for detailed information pertaining to prerequisites and eligibility.

If you are pursuing a recreational pilot certificate, you should review 14 CFR section 61.96, Applicability and Eligibility Requirements: General, for additional detailed information pertaining to eligibility.

If you are pursuing a private pilot certificate, you should review 14 CFR section 61.103, Eligibility Requirements: General, for additional detailed information pertaining to eligibility.

KNOWLEDGE AREAS ON THE TESTS

Recreational pilot and private pilot tests are comprehensive because they must test your knowledge in many subject areas.

If you are pursuing a recreational pilot certificate or added rating, you should review 14 CFR section 61.97, Aeronautical Knowledge, for the knowledge areas on the tests.

If you are pursuing a private pilot certificate or added rating, you should review 14 CFR section 61.105, Aeronautical Knowledge, for the knowledge areas on the tests.

DESCRIPTIONS OF THE TESTS

All test questions are the objective, multiple-choice type. Each question can be answered by the selection of a single response. Each test question is independent of other questions; therefore, a correct response to one does not depend upon, or influence, the correct response to another.

The following tests each contain 50 questions, and you are allowed 2 hours to complete each test.

- → Recreational Pilot—Airplane
- → Recreational Pilot—Rotorcraft/Helicopter
- → Recreational Pilot—Rotorcraft/Gyroplane

The following tests each contain 30 questions, and you are allowed 1.5 hours to complete each test.

- → Private Pilot—Airplane/Recreational Pilot—Transition
- → Private Pilot—Helicopter/Recreational Pilot—Transition
- Private Pilot—Gyroplane/Recreational Pilot—Transition

The following tests each contain 60 questions, and you are allowed 2.5 hours to complete each test.

- → Private Pilot—Airplane
- → Private Pilot—Rotorcraft/Helicopter
- → Private Pilot—Rotorcraft/Gyroplane
- → Private Pilot—Glider
- → Private Pilot—Balloon–Hot Air
- → Private Pilot—Balloon–Gas
- → Private Pilot—Lighter-Than-Air-Airship

Communication between individuals through the use of words is a complicated process. In addition to being an exercise in the application and use of aeronautical knowledge, a knowledge test is also an exercise in communication since it involves the use of the written language. Since the tests involve written rather than spoken words, communication between the test writer and the person being tested may become a difficult matter if care is not exercised by both parties. Consequently, considerable effort is expended to write each question in a clear, precise manner. Make sure you carefully read the instructions given with each test, as well as the statements in each test item.

When taking a test, keep the following points in mind:

• Answer each question in accordance with the latest regulations and guidance publications.

- Read each question carefully before looking at the possible answers. You should clearly understand the problem before attempting to solve it.
- After formulating an answer, determine which choice corresponds with that answer. The answer chosen should completely resolve the problem.
- From the answers given, it may appear that there is more than one possible answer; however, there is only one answer that is correct and complete. The other answers are either incomplete, erroneous, or represent common misconceptions.
- If a certain question is difficult for you, it is best to mark it for review and proceed to the next question. After you answer the less difficult questions, return to those which you marked for review and answer them. The review marking procedure will be explained to you prior to starting the test. Although the computer should alert you to unanswered questions, make sure every question has an answer recorded. This procedure will enable you to use the available time to maximum advantage.
- When solving a calculation problem, select the answer closest to your solution. The problem has been checked with various types of calculators; therefore, if you have solved it correctly, your answer will be closer to the correct answer than any of the other choices.

PROCESS FOR TAKING A KNOWLEDGE TEST

The Federal Aviation Administration (FAA) has available hundreds of computer testing centers worldwide. These testing centers offer the full range of airman knowledge tests including military competence, instrument foreign pilot, and pilot examiner predesignated tests. Refer to appendix 1 of this guide for a list of computer testing designees (CTD's).

The first step in taking a knowledge test is the registration process. You may either call the central 1-800 numbers (refer to appendix 1 for 1-800 numbers) or simply use the walk-in basis. If you choose to use the 1-800 number to register, you will need to select a testing center, schedule a test date, and make financial arrangements for test payment. You may register for tests several weeks in advance, and you may cancel your appointment according to the CTD's cancellation policy. If you do not follow the CTD's cancellation policies, you could be subject to a cancellation fee.

The next step in taking a knowledge test is providing proper identification. You should determine what knowledge test prerequisites are necessary before going to the computer testing center. Your instructor or local Flight Standards District Office (FSDO) can assist you with what documentation to take to the testing facility. Testing center personnel will not begin the test until your identification is verified. A limited number of tests do not require authorization.

Acceptable forms of authorization:

- A certificate of graduation or a statement of accomplishment certifying the satisfactory completion of the ground school portion of a course from an FAA-certificated pilot school.
- A certificate of graduation or a statement of accomplishment certifying the satisfactory completion of the ground school portion of a course from an agency such as a high school, college, adult education program, U.S. Armed Force, ROTC Flight Training School, or Civil Air Patrol.
- A written statement or logbook endorsement from an authorized instructor certifying that you have accomplished a ground training or home study course required for the rating sought and you are prepared for the knowledge test.
- Failed Airman Test Report, passing Airman Test Report, or expired Airman Test Report (pass or fail), provided that you still have the original Airman Test Report in your possession.

Before you take the actual test, you will have the option to take a sample test. The actual test is time limited; however, you should have sufficient time to complete and review your test.

Upon completion of the knowledge test, you will receive your Airman Test Report, with the testing center's embossed seal, which reflects your score.

The Airman Test Report lists the subject matter knowledge codes for questions answered incorrectly. The total number of subject matter knowledge codes shown on the Airman Test Report is not necessarily an indication of the total number of questions answered incorrectly. Appendix 1 contains a list of subject matter knowledge codes that refer to the knowledge areas. Study these knowledge areas to improve your understanding of the subject matter.

Your instructor is required to provide instruction on each of the knowledge areas listed on your Airman Test

Report and to complete an endorsement of this instruction. The Airman Test Report must be presented to the examiner prior to taking the practical test. During the oral portion of the practical test, the examiner is required to evaluate the noted areas of deficiency.

Should you require a duplicate Airman Test Report due to loss or destruction of the original, send a signed request accompanied by a check or money order for \$1 payable to the FAA. Your request should be sent to the Federal Aviation Administration, Airmen Certification Branch, AFS-760, P.O. Box 25082, Oklahoma City, OK 73125.

Use of test aids and materials

Airman knowledge tests require applicants to analyze the relationship between variables needed to solve aviation problems, in addition to testing for accuracy of a mathematical calculation. The intent is that all applicants are tested on concepts rather than rote calculation ability. It is permissible to use certain calculating devices when taking airman knowledge tests, provided they are used within the following guidelines. The term "calculating devices" is interchangeable with such items as calculators, computers, or any similar devices designed for aviation-related activities.

- 1. Guidelines for use of test aids and materials. The applicant may use test aids and materials within the guidelines listed below, if actual test questions or answers are not revealed.
- a. Applicants may use test aids, such as scales, straightedges, protractors, plotters, navigation computers, log sheets, and all models of aviation-oriented calculating devices that are directly related to the test. In addition, applicants may use any test materials provided with the test.
- b. Manufacturer's permanently inscribed instructions on the front and back of such aids listed in 1(a), e.g., formulas, conversions, regulations, signals, weather data, holding pattern diagrams, frequencies, weight and balance formulas, and air traffic control procedures are permissible.
- c. The test proctor may provide calculating devices to applicants and deny them use of their personal calculating devices if the applicant's device does not have a screen that indicates all memory has been erased. The test proctor must be able to determine

the calculating device's erasure capability. The use of calculating devices incorporating permanent or continuous type memory circuits without erasure capability are prohibited.

- d. The use of magnetic cards, magnetic tapes, modules, computer chips, or any other device upon which prewritten programs or information related to the test can be stored and retrieved are prohibited. Printouts of data will be surrendered at the completion of the test if the calculating device used incorporates this design feature.
- e. The use of any booklet or manual containing instructions related to the use of the applicant's calculating device is not permitted.
- f. Dictionaries are not allowed in the testing area.
- g. The test proctor makes the final determination relating to test materials and personal possessions that the applicant may take into the testing area.
- 2. Guidelines for dyslexic applicant's use of test aids and materials. A dyslexic applicant may request approval from the local Flight Standards District Office (FSDO) to take an airman knowledge test using one of the three options listed in preferential order:
- a. Option One. Use current testing facilities and procedures whenever possible.
- b. Option Two. Applicants may use Franklin Speaking Wordmaster® to facilitate the testing process. The Wordmaster® is a self-contained electronic thesaurus that audibly pronounces typed in words and presents them on a display screen. It has a built-in headphone jack for private listening. The headphone feature will be used during testing to avoid disturbing others.
- c. Option Three. Applicants who do not choose to use the first or second option may request a test proctor to assist in reading specific words or terms from the test questions and supplement material. In the interest of preventing compromise of the testing process, the test proctor should be someone who is non-aviation oriented. The test proctor will provide reading assistance only, with no explanation of words or terms. The Airman Testing Standards Branch, AFS-630, will assist in the selection of a test site and test proctor.

CHEATING OR OTHER UNAUTHORIZED CONDUCT

Computer testing centers must follow strict security procedures to avoid test compromise. These procedures are established by the FAA and are covered in FAA Order 8080.6, Conduct of Airman Knowledge Tests. The FAA has directed testing centers to terminate a test at any time a test proctor suspects a cheating incident has occurred. An FAA investigation will then be conducted. If the investigation determines that cheating or unauthorized conduct has occurred, then any airman certificate or rating that you hold may be revoked, and you will be prohibited for 1 year from applying for or taking any test for a certificate or rating under 14 CFR part 61.

Validity of Airman test reports

Airman Test Reports are valid for the 24-calendar month period preceding the month you complete the practical test. If the Airman Test Report expires before completion of the practical test, you must retake the knowledge test.

RETESTING PROCEDURES

If you receive a grade lower than a 70 percent and wish to retest, you must present the following to testing center personnel.

- failed Airman Test Report; and
- a written endorsement from an authorized instructor certifying that additional instruction has been given, and the instructor finds you competent to pass the test.

If you decide to retake the test in anticipation of a better score, you may retake the test after 30 days from the date your last test was taken. The FAA will not allow you to retake a passed test before the 30-day period has lapsed. Prior to retesting, you must give your current Airman Test Report to the test proctor. The last test taken will reflect the official score.

RECREATIONAL PILOT—AIRPLANE (RPA)

1. A recreational pilot acting as pilot in command must have in his/her personal possession while aboard the aircraft

- A—a current logbook endorsement to show that a flight review has been satisfactorily accomplished.
- B—the current and appropriate pilot and medical certificates.
- C—the pilot logbook to show recent experience requirements to serve as pilot in command have been met.

Answer B—Subject Matter Knowledge Code: A29.

2. One of the main functions of flaps during approach and landing is to

- A—decrease the angle of descent without increasing the airspeed.
- B—permit a touchdown at a higher indicated airspeed.
- C—increase the angle of descent without increasing the airspeed.

Answer C—Subject Matter Knowledge Code: H305.

3. A temperature inversion would most likely result in which weather condition?

- A—Clouds with extensive vertical development above an inversion aloft.
- B—Good visibility in the lower levels of the atmosphere and poor visibility above an inversion aloft.
- C—An increase in temperature as altitude is increased.

Answer C—Subject Matter Knowledge Code: 121.

4. When telephoning a weather briefing facility for preflight weather information, pilots should

- A—identify themselves as pilots.
- B—tell the number of hours they have flown within the preceding 90 days.
- C—state the number of occupants on board and the color of the aircraft.

Answer A—Subject Matter Knowledge Code: H320.

5. What action can a pilot take to aid in cooling an engine that is overheating during a climb?

- A—Reduce rate of climb and increase airspeed.
- B—Reduce climb speed and increase RPM.
- C—Increase climb speed and increase RPM.

Answer A—Subject Matter Knowledge Code: H307.

RECREATIONAL PILOT—ROTORCRAFT/HELICOPTER (RPH)

- 1. What exception, if any, permits a recreational pilot to act as pilot in command of an aircraft carrying a passenger for hire?
- A—If the passenger pays no more than the operating expenses.
- B—If a donation is made to a charitable organization for the flight.
- C—There is no exception.

Answer C—Subject Matter Knowledge Code: A29.

- 2. The lift differential that exists between the advancing main rotor blade and the retreating main rotor blade is known as
- A—transverse flow effect.
- B—dissymmetry of lift.
- C—hunting tendency.

Answer B—Subject Matter Knowledge Code: H71.

- 3. The amount of water vapor which air can hold depends on the
- A—dewpoint.
- B—air temperature.
- C—stability of the air.

Answer B—Subject Matter Knowledge Code: 124.

- 4. When telephoning a weather briefing facility for preflight weather information, pilots should state the
- A—full name and address of the pilot in command.
- B—intended route, destination, and type of aircraft.
- C—radio frequencies to be used.

Answer B—Subject Matter Knowledge Code: H320.

- 5. What action should the pilot take if engine failure occurs at altitude?
- A—Open the throttle as the collective pitch is raised.
- B—Reduce cyclic back stick pressure during turns.
- C—Lower the collective pitch control, as necessary, to maintain rotor RPM.

Answer C—Subject Matter Knowledge Code: H80.

RECREATIONAL PILOT—ROTORCRAFT/GYROPLANE (RPG)

1. A recreational pilot may fly as sole occupant of an aircraft at night while under the supervision of a flight instructor provided the flight or surface visibility is at least

A-3 miles.

B—4 miles.

C—5 miles.

Answer C—Subject Matter Knowledge Code: A29.

- 2. What precaution should be taken while taxiing a gyroplane?
- A—The cyclic stick should be held in the neutral position at all times.
- B—Avoid abrupt control movements when blades are turning.
- C—The cyclic stick should be held slightly aft of neutral at all times.

Answer B—Subject Matter Knowledge Code: H702.

- 3. What are characteristics of unstable air?
- A—Turbulence and good surface visibility.
- B—Turbulence and poor surface visibility.
- C—Nimbostratus clouds and good surface visibility.

Answer A—Subject Matter Knowledge Code: 125.

- 4. When telephoning a weather briefing facility for preflight weather information, pilots should state
- A—the full name and address of the formation commander.
- B—that they possess a current pilot certificate.
- C—whether they intend to fly VFR only.

Answer C—Subject Matter Knowledge Code: H320.

5. A below glide slope indication from a tri-color VASI is a

A—red light signal.

B—pink light signal.

C—green light signal.

Answer A—Subject Matter Knowledge Code: J03.

PRIVATE PILOT—AIRPLANE/RECREATIONAL PILOT-TRANSITION (PAT)

- 1. In addition to other preflight actions for a VFR flight away from the vicinity of the departure airport, regulations specifically require the pilot in command to
- A—review traffic control light signal procedures.
- B—check the accuracy of the navigation equipment and the emergency locator transmitter (ELT).
- C—determine runway lengths at airports of intended use and the aircraft's takeoff and landing distance data.

Answer C—Subject Matter Knowledge Code: B07.

- 2. While cruising at 9,500 feet MSL, the fuel/air mixture is properly adjusted. What will occur if a descent to 4,500 feet MSL is made without readjusting the mixture?
- A—The fuel/air mixture may become excessively lean.
- B—There will be more fuel in the cylinders than is needed for normal combustion, and the excess fuel will absorb heat and cool the engine.
- C—The excessively rich mixture will create higher cylinder head temperatures and may cause detonation.

Answer A—Subject Matter Knowledge Code: H307.

- 3. If a flight is made from an area of low pressure into an area of high pressure without the altimeter setting being adjusted, the altimeter will indicate
- A—the actual altitude above sea level.
- B—higher than the actual altitude above sea level.
- C—lower than the actual altitude above sea level.

Answer C—Subject Matter Knowledge Code: 122.

4. (Refer to appendix 2, figure 1.) An aircraft departs an airport in the eastern daylight time zone at 0945 EDT for a 2-hour flight to an airport located in the centeral daylight time zone. The landing should be at what coordinated universal time?

A-1345Z.

B—1445Z.

C—1545Z.

Answer C—Subject Matter Knowledge Code: H340.

- 5. How is engine operation controlled on an engine equipped with a constant-speed propeller?
- A—The throttle controls power output as registered on the manifold pressure gauge and the propeller control regulates engine RPM.
- B—The throttle controls power output as registered on the manifold pressure gauge and the propeller control regulates a constant blade angle.
- C—The throttle controls engine RPM as registered on the tachometer and the mixture control regulates the power output.

Answer A—Subject Matter Knowledge Code: H308.

PRIVATE PILOT—HELICOPTER/RECREATIONAL PILOT–TRANSITION (PHT)

1.	Under	r what condi	tions, if	any, may	y a pri	vate	e pilot
оре	erate a	helicopter	under	special	VFR	at	night
wit	hin Cla	ass D airspa	ice?				

- A—The helicopter must be fully instrument equipped and the pilot must be instrument rated.
- B—The flight visibility must be at least 1 mile.
- C—There are no conditions; regulations permit this.

Answer C—Subject Matter Knowledge Code: B09.

2. (Refer to appendix 2, figure 2.) During flight, if cyclic control pressure is applied which results in a maximum increase in pitch angle of the rotor blade at position A, the rotor disc will tilt

A—forward.

B—aft.

C—left.

Answer A—Subject Matter Knowledge Code: H71.

- 3. One weather phenomenon which will always occur when flying across a front is a change in the
- A—wind direction.
- B—type of precipitation.
- C—stability of the air mass.

Answer A—Subject Matter Knowledge Code: 127.

4. (Refer to appendix 2, figure 1.) An aircraft departs an airport in the central standard time zone at 0845 CST for a 2-hour flight to an airport located in the mountain standard time zone. The landing should be at what coordinated universal time?

A-1345Z.

B—1445Z.

C—1645Z.

Answer C—Subject Matter Knowledge Code: H340.

- 5. Which initial action should a pilot take prior to entering Class C airspace?
- A—Contact approach control on the appropriate frequency.
- B—Contact the tower and request permission to enter.
- C—Contact the FSS for traffic advisories.

Answer A—Subject Matter Knowledge Code: J11.

PRIVATE PILOT—GYROPLANE/RECREATIONAL PILOT-TRANSITION (PGT)

- 1. Except in Alaska, during what time period should lighted position lights be displayed on an aircraft?
- A—End of evening civil twilight to the beginning of morning civil twilight.
- B—1 hour after sunset to 1 hour before sunrise.
- C—Sunset to sunrise.

Answer C—Subject Matter Knowledge Code: B11.

- 2. If the pilot experiences ground resonance during rotor spin-up, what action should the pilot take?
- A—Taxi to a smooth area.
- B—Close the throttle and slowly raise the spin-up lever.
- C—Make a normal takeoff immediately.

Answer B—Subject Matter Knowledge Code: H709.

- 3. Individual forecasts for specific routes of flight can be obtained from which weather source?
- A—Transcribed Weather Broadcasts (TWEB's).
- B—Terminal Forecasts.
- C—Area Forecasts.

Answer A—Subject Matter Knowledge Code: 140.

- 4. (Refer to appendix 2, figure 1.) An aircraft departs an airport in the Pacific standard time zone at 1030 PST for a 4-hour flight to an airport located in the central standard time zone. The landing should be at what coordinated universal time?
- A-2030Z.
- B—2130Z.
- C-2230Z.

Answer C—Subject Matter Knowledge Code: H340.

- 5. When taking off or landing at an airport where heavy aircraft are operating, one should be particularly alert to the hazards of wingtip vortices because this turbulence tends to
- A—rise from a crossing runway into the takeoff or landing path.
- B—rise into the traffic pattern area surrounding the airport.
- C—sink into the flightpath of aircraft operating below the aircraft generating the turbulence.

Answer C—Subject Matter Knowledge Code: J27.

PRIVATE PILOT—AIRPLANE (PAR)

- 1. The three takeoffs and landings that are required to act as pilot in command at night must be done during the time period from
- A—sunset to sunrise.
- B—1 hour after sunset to 1 hour before sunrise.
- C—the end of evening civil twilight to the beginning of morning civil twilight.

Answer B—Subject Matter Knowledge Code: A20.

- 2. In what flight condition is torque effect the greatest in a single-engine airplane?
- A—Low airspeed, high power, high angle of attack.
- B—Low airspeed, low power, low angle of attack.
- C—High airspeed, high power, high angle of attack.

Answer A—Subject Matter Knowledge Code: H300.

- 3. The wind at 5,000 feet AGL is southwesterly while the surface wind is southerly. This difference in direction is primarily due to
- A—stronger pressure gradient at higher altitudes.
- B—friction between the wind and the surface.
- C—stronger Coriolis force at the surface.

Answer B—Subject Matter Knowledge Code: 123.

- 4. (Refer to appendix 2, figure 3, illustration 1.) The VOR receiver has the indications shown. What is the aircraft's position relative to the station?
- A—North.
- B—East.
- C—South.

Answer C—Subject Matter Knowledge Code: H348.

- 5. The most effective method of scanning for other aircraft for collision avoidance during nighttime hours is to use
- A—regularly spaced concentration on the 3-, 9-, and 12-o'clock positions.
- B—a series of short, regularly spaced eye movements to search each 30-degree sector.
- C—peripheral vision by scanning small sectors and utilizing offcenter viewing.

Answer C—Subject Matter Knowledge Code: H63.

PRIVATE PILOT—ROTORCRAFT/HELICOPTER (PRH)

1. No person may begin a flight in a rotorcraft under VFR unless there is enough fuel to fly to the first point of intended landing and, assuming normal cruising speed, to fly thereafter for at least

A—20 minutes.

B—30 minutes.

C—1 hour.

Answer A—Subject Matter Knowledge Code: B09.

- 2. During forward cruising flight at constant airspeed and altitude, the individual rotor blades, when compared to each other, are operating
- A—with increased lift on the retreating blade.
- B—with a decreasing angle of attack on the advancing blade.
- C—at unequal airspeed, unequal angles of attack, and equal lift moment.

Answer C—Subject Matter Knowledge Code: H71.

3. Which conditions result in the formation of frost?

- A—The temperature of the collecting surface is at or below freezing when small droplets of moisture fall on the surface.
- B—The temperature of the collecting surface is at or below the dewpoint of the adjacent air and the dewpoint is below freezing.
- C—The temperature of the surrounding air is at or below freezing when small drops of moisture fall on the collecting surface.

Answer B—Subject Matter Knowledge Code: 124.

4. (Refer to appendix 2, figure 3, illustration 3.) The VOR receiver has the indications shown. What is the aircraft's position relative to the station?

A—East.

B—Southeast.

C—West.

Answer B—Subject Matter Knowledge Code: H348.

- 5. Under what condition, if any, may pilots fly through a restricted area?
- A—When flying on airways with an ATC clearance.
- B—With the controlling agency's authorization.
- C—Regulations do not allow this.

Answer B—Subject Matter Knowledge Code: J09.

PRIVATE PILOT—ROTORCRAFT/GYROPLANE (PRG)

- 1. A special VFR clearance authorizes the pilot of an aircraft to operate VFR while within Class D airspace when the visibility is
- A—less than 1 mile and the ceiling is less than 1,000 feet.
- B—at least 1 mile and the aircraft can remain clear of clouds.
- C—at least 3 miles and the aircraft can remain clear of clouds.

Answer B—Subject Matter Knowledge Code: B09.

- 2. High airspeeds, particularly in turbulent air, should be avoided primarily because of the possibility of
- A—an abrupt pitchup.
- B—retreating blade stall.
- C—a low-frequency vibration developing.

Answer B—Subject Matter Knowledge Code: H78.

- 3. What measurement can be used to determine the stability of the atmosphere?
- A—Atmospheric pressure.
- B—Actual lapse rate.
- C—Surface temperature.

Answer B—Subject Matter Knowledge Code: 125.

4. (Refer to appendix 2, figure 3, illustration 8.) The VOR receiver has the indications shown. What radial is the aircraft crossing?

A-030.

B-210.

C-300.

Answer A—Subject Matter Knowledge Code: H348.

5. VFR approaches to land at night should be accomplished

A—at a higher airspeed.

B—with a steeper descent.

C—the same as during daytime.

Answer C—Subject Matter Knowledge Code: H63.

PRIVATE PILOT—GLIDER (PGL)

- 1. The minimum allowable strength of a towline used for an aerotow of a glider having a certificated gross weight of 700 pounds is
- A—560 pounds.
- B-700 pounds.
- C—1,000 pounds.

Answer A—Subject Matter Knowledge Code: B12.

- 2. A sailplane has a best glide ratio of 23:1. How many feet will the glider lose in 8 nautical miles?
- A-1,840 feet.
- B—2,100 feet.
- C-2,750 feet.

Answer B—Subject Matter Knowledge Code: N27.

- 3. What cloud types would indicate convective turbulence?
- A—Cirrus clouds.
- B—Nimbostratus clouds.
- C—Towering cumulus clouds.

Answer C—Subject Matter Knowledge Code: I26.

- 4. When telephoning a weather briefing facility for preflight weather information, pilots should
- A—identify themselves as pilots.
- B—tell the number of hours they have flown within the preceding 90 days.
- C—state the number of occupants on board and the color of the aircraft.

Answer A—Subject Matter Knowledge Code: H526.

- 5. What minimum upward current must a glider encounter to maintain altitude?
- A—At least 2 feet per second.
- B—The same as the glider's sink rate.
- C—The same as the adjacent down currents.

Answer B—Subject Matter Knowledge Code: 135.

PRIVATE PILOT—BALLOON-HOT AIR (PBH)

- 1. Prior to becoming certified as a private pilot with a balloon rating, the pilot must have at least
- A—passed a third-class medical exam.
- B—obtained a statement from a designated medical examiner.
- C—made a statement certifying that he/she has no known medical deficiency that would make him/her unable to act as pilot.

Answer C—Subject Matter Knowledge Code: A23.

2. If ample propane is available, within which temperature range will propane vaporize sufficiently to provide enough pressure for burner operation during flight?

A—0 to 30 °F.

B—10 to 30 °F.

C-30 to 90 °F.

Answer C—Subject Matter Knowledge Code: 0220.

- 3. The conditions necessary for the formation of cumulonimbus clouds are a lifting action and
- A—unstable air containing an excess of condensation nuclei.
- B-unstable, moist air.
- C—either stable or unstable air.

Answer B—Subject Matter Knowledge Code: 130.

- 4. When telephoning a weather briefing facility for preflight weather information, pilots should state the
- A—full name and address of the pilot in command.
- B—intended route, destination, and type of aircraft.
- C—radio frequencies to be used.

Answer B—Subject Matter Knowledge Code: H320.

- 5. When telephoning a weather briefing facility for preflight weather information, pilots should state
- A—the full name and address of the formation commander.
- B—that they possess a current pilot certificate.
- C—whether they intend to fly VFR only.

Answer C—Subject Matter Knowledge Code: H05.

PRIVATE PILOT—BALLOON-GAS (PBG)

1. The person directly responsible for the pre-launch briefing of passengers for a flight is the

- A—safety officer.
- B—pilot in command.
- C—ground crewmember.

Answer B—Subject Matter Knowledge Code: B07.

2. What is the relationship of false lift with the wind?

- A—False lift increases as the wind accelerates the
- B—False lift does not exist if the surface winds are calm.
- C—False lift decreases as the wind accelerates the balloon.

Answer C—Subject Matter Knowledge Code: 030.

3. What conditions are necessary for the formation of thunderstorms?

- A—High humidity, lifting force, and unstable conditions.
- B—High humidity, high temperature, and cumulus clouds.
- C—Lifting force, moist air, and extensive cloud cover.

Answer A—Subject Matter Knowledge Code: 130.

4. When telephoning a weather briefing facility for preflight weather information, pilots should state

- A—the full name and address of the formation commander.
- B—that they possess a current pilot certificate.
- C—whether they intend to fly VFR only.

Answer C—Subject Matter Knowledge Code: H320.

5. The minimum size a launch site should be is at least

- A—twice the height of the balloon.
- B—100 feet for every 1 knot of wind.
- C—500 feet on the downwind side.

Answer B—Subject Matter Knowledge Code: 030.

PRIVATE PILOT—LIGHTER-THAN-AIR-AIRSHIP (PLA)

1. An aircraft's annual inspection was performed on July 12, this year. The next annual inspection will be due no later than

A—July 1, next year.

B—July 13, next year.

C—July 31, next year.

Answer C—Subject Matter Knowledge Code: B13.

2. Under which condition will an airship float in the air?

- A—When buoyant force equals horizontal equilibrium existing between propeller thrust and airship drag.
- B—When buoyant force is less than the difference between airship weight and the weight of the air volume being displaced.
- C—When buoyant force equals the difference between airship weight and the weight of the air volume being displaced.

Answer C—Subject Matter Knowledge Code: P01.

3. Ceiling is defined as the height above the Earth's surface of the

- A—lowest reported obscuration and the highest layer of clouds reported as overcast.
- B—lowest layer of clouds or obscuring phenomena reported as broken, overcast, and not classified as thin or partial.
- C—lowest layer of clouds reported as scattered, broken, or thin.

Answer B—Subject Matter Knowledge Code: 141.

4. When the course deviation indicator (CDI) needle is centered during an omnireceiver check using a VOR test signal (VOT), the omnibearing selector (OBS) and the TO/FROM indicator should read


- A—180° FROM, only if the pilot is due north of the VOT.
- B—0° TO or 180° FROM, regardless of the pilot's position from the VOT.
- C—0° FROM or 180° TO, regardless of the pilot's position from the VOT.

Answer C—Subject Matter Knowledge Code: J01.

5. Which takeoff procedure is considered to be most hazardous for an airship?

- A—Maintaining only 50 percent of the maximum permissible positive angle of inclination.
- B—Failing to apply full engine power properly on all takeoffs, regardless of wind.
- C—Maintaining a negative angle of inclination during takeoff after elevator response is adequate for controllability.

Answer C—Subject Matter Knowledge Code: P11.



LIST OF REFERENCE MATERIALS AND SUBJECT MATTER KNOWLEDGE CODES

The publications listed in the following pages contain study material you need to be familiar with when preparing for recreational pilot and private pilot knowledge tests. All of these publications can be purchased through U.S. Government Bookstores, commercial aviation supply houses, or industry organizations. The latest revision of the listed references should be requested. Additional study material is also available through these sources that may be helpful in preparing for recreational pilot and private pilot knowledge tests.

The subject matter knowledge codes refer to the specific reference for the knowledge standard. When reviewing results of your knowledge test, you should compare the subject matter knowledge code(s) on your Airman Test Report to the ones found below. This will be helpful for both review and preparation for the practical test.

Title 14 of the Code of Federal Regulations (14 CFR) part 1—Definitions and Abbreviations

A01 General Definitions

A02 Abbreviations and Symbols

14 CFR part 43—Maintenance, Preventive Maintenance, Rebuilding, and Alteration

A15 General

A16 Appendixes

14 CFR part 61—Certification: Pilots, Flight Instructors, and Ground Instructors

A20 General

A21 Aircraft Ratings and Pilot Authorizations

A22 Student Pilots

A23 Private Pilots

14 CFR part 71—Designation of Class A, Class B, Class C, Class D, and Class E Airspace Areas; Airways; Routes; and Reporting Points

A60 General—Class A Airspace

14 CFR part 91—General Operating and Flight Rules

B07 General

B08 Flight Rules—General

B09 Visual Flight Rules

B11 Equipment, Instrument, and Certification Requirements

B12 Special Flight Operations

B13 Maintenance, Preventive Maintenance, and Alterations

NTSB 830—Rules Pertaining to the Notification and Reporting of Aircraft Accidents or Incidents and Overdue Aircraft, and Preservation of Aircraft Wreckage, Mail, Cargo, and Records

G10 General

G11 Initial Notification of Aircraft Accidents, Incidents, and Overdue Aircraft

G12 Preservation of Aircraft Wreckage, Mail, Cargo, and Records

G13 Reporting of Aircraft Accidents, Incidents, and Overdue Aircraft

AC 61-23—Pilot's Handbook of Aeronautical Knowledge

H300 Forces Acting on the Airplane in Flight

H301 Turning Tendency (Torque Effect)

H302 Airplane Stability

H303 Loads and Load Factors

H304 Airplane Structure

H305 Flight Control Systems

H306 Electrical System

H307 Engine Operation

H308 Propeller

H309 Starting the Engine

H310 Exhaust Gas Temperature Gauge

H311 Aircraft Documents, Maintenance, and Inspections

H312 The Pitot-Static System and Associated Instruments

H313 Gyroscopic Flight Instruments

H314 Magnetic Compass

H315 Weight Control

H316 Balance, Stability, and Center of Gravity

H317 Airplane Performance

Appendix 1

H319 Service Outlets H320 Weather Briefings H321 Nature of the Atmosphere H322 The Cause of Atmospheric Circulation H323 Moisture and Temperature H324 Some Hazards of Helicopter Flight H75 Precautionary Measures an Conditions H80 Helicopter Flight Maneuvers H81 Confined Area, Pinnacle, and Operations	
H321 Nature of the Atmosphere H322 The Cause of Atmospheric Circulation H323 Moisture and Temperature Conditions H80 Helicopter Flight Maneuvers Confined Area, Pinnacle, and Operations	a Cittical
H321 Nature of the Atmosphere H322 The Cause of Atmospheric Circulation H323 Moisture and Temperature H80 Helicopter Flight Maneuvers Confined Area, Pinnacle, and Operations	
H322 The Cause of Atmospheric Circulation H323 Moisture and Temperature H81 Confined Area, Pinnacle, and Operations	
H323 Moisture and Temperature Operations	Ridgeline
~ p = =================================	C
H324 Air Masses and Fronts	
H325 Aviation Weather Reports, Forecasts, and Gyroplane Training Manual—Graves	Publishing
Weather Charts Co.	
H326 Types of Airports	
H327 Sources for Airport Data H95 General	
H328 Airport Markings and Signs	
H329 Airport Lighting Understanding the Gyroplane—The Ab	bott Co.
H330 Wind Direction Indicators	
H331 Radio Communications H650 Magic of Rotor Blades	
H332 Air Traffic Services H651 Behind the Power Curve	
H333 Wake Turbulence H652 Beating P.I.O.	
H334 Collision Avoidance	
H335 Controlled Airspace Gyroplane Flight Training Manual—	ean-Pierre
H336 Uncontrolled Airspace Harrison	
H337 Special Use Airspace	
H338 Other Airspace Areas H701 General Aerodynamics	
H339 Aeronautical Charts H702 Aerodynamics of Flight	
H340 Latitude and Longitude H704 Function of the Controls	
H341 Effect of Wind H709 Some Hazards of Gyroplane Fligh	nt
H342 Basic Calculations H710 Precautionary Measures an	
H343 Pilotage Conditions	. Cittieui
H344 Dead Reckoning H711 Gyroplane Flight Maneuvers	
H345 Flight Planning	
H346 Charting the Course AC 00-6—Aviation Weather	
H347 Filing a VFR Flight Plan	
H348 Radio Navigation I21 Temperature	
H349 Obtaining a Medical Certificate I22 Atmospheric Pressure and Altime	try
H350 Haalth Factors Affecting Pilot Performance 123 Willd)
H351 Environmental Factors which Affect Pilot Environmental Factors which Affect Pilot Environmental Factors which Affect Pilot Stable and Unstable Air	recipitation
Performance I26 Clouds	
I27 Air Masses and Fronts	
AC 61-21—Flight Training Handbook 128 Turbulence	
I29 Icing	
H50 Introduction to Flight Training I30 Thunderstorms	
H52 Introduction to the Basics of Flight I31 Common IFR Producers	
H54 Ground Operations I33 Arctic Weather	
H58 Landing Approaches and Landings H60 Proficiency Flight Maneuvers I35 Soaring Weather Glossary of Weather Terms	
H60 Proficiency Flight Maneuvers I36 Glossary of Weather Terms H63 Night Flying	
H66 Principles of Flight and Performance AC 00-45—Aviation Weather Services	
Characteristics AC 00-45—Aviation weather Services	
I40 The Aviation Weather Service Pro	
AC 61-13—Basic Helicopter Handbook I41 Surface Aviation Weather Report	
H70 General Aerodynamics I42 Pilot and Radar Reports and Satel Aviation Weather Forecasts	lite Pictures
1 13 I Triation vication of occasio	
TIGHT A 1 ' CITI' 1.	
H71 Aerodynamics of Flight I44 Surface Analysis Chart	
TIGHT A 1 ' CITI' 1.	

AIM –	-Aeronautical Information Manual	Flight Instructor Manual—Balloon Federation of		
		Ameri	ca	
J01	Air Navigation Radio Aids			
J03	Airport Lighting Aids	O10	Flight Instruction Aids	
J05	Airport Marking Aids and Signs	O11	Human Behavior and Pilot Proficiency	
J08	Controlled Airspace	O12	The Flight Check and the Designated Examiner	
J09	Special Use Airspace	012	The Fight Check and the Designated Examiner	
J10	Other Airspace Areas	Dallag	n Digast Polloon Fodovotion of America	
J11 J12	Service Available to Pilots	Danoo	n Digest—Balloon Federation of America	
J12	Radio Communications Phraseology and Techniques	0150	D-11 Th	
J13	Airport Operations	O150	Balloon—Theory and Practice	
J14	ATC Clearance/Separations	O155	Structure of the Modern Balloon	
J15	Preflight	O160	Lift-off to Landing	
J22	Emergency Services Available to Pilots	O165	Weather for the Balloonist	
J25	Meteorology	O170	Propane and Fuel Management	
J27	Wake Turbulence	O171	Chemical and Physical Properties	
J31	Fitness for Flight	O172	Tanks	
J33	Pilot Controller Glossary	O173	Burners	
		O174	Hoses	
Other 1	Documents	O175	Refueling	
		O176	Fuel Contamination	
J34	Airport/Facility Directory	O177	Heat Tapes (Coils)	
J37	Sectional Chart	O178	Nitrogen Pressurization	
A C 67	2—Medical Handbook for Pilots	O179	Repairs and Maintenance	
AC 07-	2—Medical Handbook for Fliots			
J52	Hypoxia	Power	line Excerpts—Balloon Federation of	
J53	Hyperventilation	Ameri	-	
J58	Carbon Monoxide	7 111101 1	Cu	
J60	Night Flight	O30	Expormts	
J61	Cockpit Lighting	030	Excerpts	
J62	Disorientation (Vertigo)	Dallas	n Cusund Sahaal Dallaan Bublishina Ca	
		Balloo	n Ground School—Balloon Publishing Co.	
Additio	onal Advisory Circulars	0220	Dalla an Onaudiana	
1.650	AC 00 2 A 1 ' C' 1 C' 11'	O220	Balloon Operations	
M52	AC 00-2, Advisory Circular Checklist	TT 7		
Coorin	g Flight Manual Lannagan Candargan Inc	How 1	To Fly A Balloon—Balloon Publishing Co.	
Soaring	g Flight Manual—Jeppesen-Sanderson, Inc.	00.50		
NOO	Callatana Assa Januaria	O250	Basic Terminology	
N20	Sailplane Aerodynamics	O251	History	
N21	Performance Considerations	O252	Physics	
N22	Flight Instruments	O253	Equipment	
N23	Weather for Soaring	O254	Checklists	
N24	Medical Factors	O255	Flight Planning	
N25	Flight Publications and Airspace	O256	Preflight Operations	
N26	Aeronautical Charts and Navigation	O257	The Standard Burn	
N27	Computations for Soaring	O258	Inflation	
N28	Personal Equipment	O259	Launch	
N29	Preflight and Ground Operations	O260	Level Flight	
N30	Aerotow Launch Procedures	O261	Ascents and Descents	
N31	Ground Launch Procedures	O262	Contour Flying	
N32	Basic Flight Maneuvers and Traffic	O263	Maneuvering	
N33	Soaring Techniques	O264	Approach to Landing	
N34	Cross-Country Soaring	O265	Landings	
- 10 1	cross country soming	0203	Landings	

Appendix 1

O266	Deflation
O267	The Chase
O268	Landowners Relations
O269	Recovery and Pack-up
O270	Propane: Management and Fueling
O271	Tethering
O272	Emergency Procedures
O273	Skill Development
O274	Crew
O275	What is a Good Instructor
O276	Regulations
O277	Maintenance
O278	Earning a Pilot Certificate
O279	Radio Communications
O280	Appendix 1: Glossary

Goodyear Airship Operations Manual

P01	Buoyancy
P03	Free Ballooning
P04	Aerostatics

V01

FAA Accident Prevention Program Bulletins

FAA-P-8740-2, Density Altitude

V02	FAA-P-8/40-5, Weight and Balance
V03	FAA-P-8740-12, Thunderstorms
V04	FAA-P-8740-19, Flying Light Twins Safely
V05	FAA-P-8740-23, Planning Your Takeoff
V06	FAA-P-8740-24, Tips on Winter Flying

V07	FAA-P-8740-25, Always Leave Yourself an
	Out
V08	FAA-P-8740-30, How to Obtain a Good
	Weather Briefing
V09	FAA-P-8740-40, Wind Shear
V10	FAA-P-8740-41, Medical Facts For Pilots
V11	FAA-P-8740-44, Impossible Turns
V12	FAA-P-8740-48, On Landings, Part I
V13	FAA-P-8740-49, On Landings, Part II
V14	FAA-P-8740-50, On Landings, Part III
V15	FAA-P-8740-51, How to Avoid a Midair
	Collision
V16	FAA-P-8740-52, The Silent Emergency

NOTE: AC 00-2, Advisory Circular Checklist, transmits the status of all FAA advisory circulars (AC's), as well as FAA internal publications and miscellaneous flight information, such as Aeronautical Information Manual, Airport/Facility Directory, practical test standards, knowledge test guides, and other material directly related to a certificate or rating. AC 00-2 is accessible through the Internet at http://www.faa.gov/abc/ac-chklst/actoc.htm, or you may obtain a free copy from:

U.S. Department of Transportation Subsequent Distribution Office, SVC-121.23 Ardmore East Business Center 3341 Q 75 Ave. Landover, MD 20785

COMPUTER TESTING DESIGNEES

The following is a list of the computer testing designees authorized to give FAA airman knowledge tests. This list should be helpful in case you choose to register for a test or simply want more information.

Computer Assisted Testing Service (CATS)

1849 Old Bayshore Highway Burlingame, CA 94010

Applicant inquiry and test registration: 1-800-947-4228

From outside the U.S. (650) 259-8550

Sylvan Prometric

1000 Lancaster Street Baltimore, MD 21202

Applicant inquiry and test registration: 1-800-274-1900, 1-800-967-1100, or 1-800-359-3278 From outside the U.S. registrants should contact the appropriate Regional Service Center (RSC):

 London, England RSC
 44-181-607-9090

 Paris, France RSC
 33-1-4289-3122

 Dusseldorf, Germany RSC
 49-2159-9233-50

 Tokyo, Japan RSC
 813-3269-9620


 Latin America RSC
 (612) 820-5200

LaserGrade Computer Testing

16209 S.E. McGillivray, Suite L Vancouver, WA 98683

Applicant inquiry and test registration: 1-800-211-2753 or 1-800-211-2754

From outside the U.S. (360) 896-9111






FIGURE 1.—Time Conversion Table.




FIGURE 2.—Gyroplane Rotor Blade Position.




FIGURE 3.—VOR.