

(f) DISCLOSURE.—The Secretary may make public, by the 10th day after an application is filed, information contained in the application or relevant to the application unless the information concerns or is related to a trade secret or other confidential information not relevant to the application.

(g) NOTICE OF DECISION.—The Secretary shall publish in the Federal Register a notice of each decision granting an exemption under this section and the reasons for granting it.

(h) PERMANENT LABEL REQUIREMENT.—The Secretary shall require a permanent label to be fixed to a motor vehicle granted an exemption under this section. The label shall either name or describe each motor vehicle safety standard prescribed under this chapter or bumper standard prescribed under chapter 325 of this title from which the vehicle is exempt. The Secretary may require that written notice of an exemption be delivered by appropriate means to the dealer and the first purchaser of the vehicle other than for resale.

(Pub. L. 103–272, §1(e), July 5, 1994, 108 Stat. 945; Pub. L. 105–277, div. A, §101(g) [title III, §351(a)], Oct. 21, 1998, 112 Stat. 2681–439, 2681–475.)

#### HISTORICAL AND REVISION NOTES

Revised Section	Source (U.S. Code)	Source (Statutes at Large)
30113(a) .....	15:1410(g).	Sept. 9, 1966, Pub. L. 89–563, 80 Stat. 718, §123; added Apr. 10, 1968, Pub. L. 90–283, 82 Stat. 72; restated Oct. 25, 1972, Pub. L. 92–548, §3, 86 Stat. 1159.
30113(b) .....	15:1410(a) (1st sentence), (c)(1) (23d–last words), (2) (23d–last words).	
30113(c) .....	15:1410(e).	
30113(d) .....	15:1410(d).	
30113(e) .....	15:1410(c)(1) (1st–22d words), (2) (1st–22d words).	
30113(f) .....	15:1410(f).	
30113(g) .....	15:1410(a) (last sentence).	
30113(h) .....	15:1410(b).	

In subsection (a), the words “the term” and “type of” are omitted as surplus. The words “when the vehicle is manufactured” are substituted for “at the time of manufacture” for consistency.

In subsection (b)(1), the words “Except as provided in subsection (d) of this section” are omitted as surplus. The words “to such extent” are omitted as being included in “on terms the Secretary considers appropriate”.

In subsection (b)(2), the words “The Secretary may begin a proceeding under this subsection . . . for an exemption or a renewal of an exemption” are added because of the restatement. The words “of the application” are added for clarity. The words “An application for an exemption or for a renewal of an exemption shall be filed” are added because of the restatement.

In subsection (b)(3)(A), the words “such temporary” and “the objectives of” are omitted as surplus.

In subsection (b)(3)(B)(i), the words “to a manufacturer that” are substituted for “such manufacturer . . . and that the manufacturer” to eliminate unnecessary words. The words “from which it requests to be exempted” are omitted as surplus.

In subsection (b)(3)(B)(ii), the words “from which an exemption is sought” are omitted as surplus.

In subsection (b)(3)(B)(iii), the words “lower the safety level” are substituted for “degrade the safety” for clarity.

In subsection (b)(3)(B)(iv), the word “requiring” is omitted as surplus.

In subsection (c), before clause (1), the words “the following information” are added for clarity. In clause (1), the word “describing” is substituted for “the basis of showing” to eliminate unnecessary words. The words “each motor vehicle safety standard prescribed under this chapter from which the manufacturer is requesting an exemption” are substituted for “the standards” for clarity. In clauses (2) and (3), the words “a record” are substituted for “documentation” for consistency in the revised title. In clause (2), the words “establishing that the safety level of the feature at least equals the safety level of the standard” are substituted for “establishing that the level of safety of the new safety feature is equivalent to or exceeds the level of safety established in the standard from which the exemption is sought” because of the restatement. In clause (3), the word “level” is added, and the words “lowered . . . by exemption from the standard” are substituted for “degraded”, for consistency in this section. In clause (4), the words “at least equal to” are substituted for “equivalent to or exceeding” for consistency.

In subsection (f), the text of 15:1410(f) (1st sentence) is omitted as executed. The words “under this section all” and “other information” are omitted as surplus. The words “to the application” are substituted for “thereto” for clarity. The words “business” and “for exemption” are omitted as surplus.

In subsection (g), the words “The Secretary” are added for clarity. The word “temporary” is omitted as surplus. The words “under this section” are added for clarity.

In subsection (h), the words “a . . . label to be fixed to a motor vehicle granted an exemption under this section” are substituted for “labeling of each exempted motor vehicle . . . and be affixed to such exempted vehicles” for clarity. The words “of such exempted motor vehicle in such manner as he deems” are omitted as surplus. The words “motor vehicle safety standard prescribed under this chapter” are substituted for “the standards” for clarity and consistency in this chapter.

#### Editorial Notes

##### AMENDMENTS

1998—Subsec. (b)(1). Pub. L. 105–277, §101(g) [title III, §351(a)(1)(A)], inserted “or passenger motor vehicles from a bumper standard prescribed under chapter 325 of this title,” after “a motor vehicle safety standard prescribed under this chapter”.

Subsec. (b)(3)(A). Pub. L. 105–277, §101(g) [title III, §351(a)(1)(B)], inserted “or chapter 325 of this title (as applicable)” after “this chapter”.

Subsec. (c)(1). Pub. L. 105–277, §101(g) [title III, §351(a)(2)], inserted “, or a bumper standard prescribed under chapter 325 of this title,” after “motor vehicle safety standard prescribed under this chapter”.

Subsec. (d). Pub. L. 105–277, §101(g) [title III, §351(a)(3)], inserted “(including an exemption under subsection (b)(3)(B)(i) relating to a bumper standard referred to in subsection (b)(1))” after “subsection (b)(3)(B)(i) of this section”.

Subsec. (h). Pub. L. 105–277, §101(g) [title III, §351(a)(4)], inserted “or bumper standard prescribed under chapter 325 of this title” after “each motor vehicle safety standard prescribed under this chapter”.

#### § 30114. Special exemptions

(A)<sup>1</sup> VEHICLES USED FOR PARTICULAR PURPOSES.<sup>2</sup> The Secretary of Transportation may exempt a motor vehicle or item of motor vehicle equipment from section 30112(a) of this title on terms the Secretary decides are necessary for research, investigations, demonstrations, training, competitive racing events, show, or display.

(b) EXEMPTION FOR LOW-VOLUME MANUFACTURERS.—

<sup>1</sup> So in original. Probably should be “(a)”.

<sup>2</sup> So in original. Probably should be followed by a dash.

(1) IN GENERAL.—The Secretary shall—

(A) exempt from section 30112(a) of this title not more than 325 replica motor vehicles per year that are manufactured or imported by a low-volume manufacturer; and

(B) except as provided in paragraph (4) of this subsection, limit any such exemption to the Federal Motor Vehicle Safety Standards applicable to motor vehicles and not motor vehicle equipment.

(2) REGISTRATION REQUIREMENT.—To qualify for an exemption under paragraph (1), a low-volume manufacturer shall register with the Secretary at such time, in such manner, and under such terms that the Secretary determines appropriate. The Secretary shall establish terms that ensure that no person may register as a low-volume manufacturer if the person is registered as an importer under section 30141 of this title.

(3) PERMANENT LABEL REQUIREMENT.—

(A) IN GENERAL.—The Secretary shall require a low-volume manufacturer to affix a permanent label to a motor vehicle exempted under paragraph (1) that identifies the specified standards and regulations for which such vehicle is exempt from section 30112(a), states that the vehicle is a replica, and designates the model year such vehicle replicates.

(B) WRITTEN NOTICE.—The Secretary may require a low-volume manufacturer of a motor vehicle exempted under paragraph (1) to deliver written notice of the exemption to—

- (i) the dealer; and
- (ii) the first purchaser of the motor vehicle, if the first purchaser is not an individual that purchases the motor vehicle for resale.

(C) REPORTING REQUIREMENT.—A low-volume manufacturer shall annually submit a report to the Secretary including the number and description of the motor vehicles exempted under paragraph (1) and a list of the exemptions described on the label affixed under subparagraph (A).

(4) EFFECT ON OTHER PROVISIONS.—Any motor vehicle exempted under this subsection shall also be exempted from sections 32304, 32502, and 32902 of this title and from section 3 of the Automobile Information Disclosure Act (15 U.S.C. 1232).

(5) LIMITATION AND PUBLIC NOTICE.—The Secretary shall have 90 days to review and approve or deny a registration submitted under paragraph (2). If the Secretary determines that any such registration submitted is incomplete, the Secretary shall have an additional 30 days for review. Any registration not approved or denied within 90 days after initial submission, or 120 days if the registration submitted is incomplete, shall be deemed approved. The Secretary shall have the authority to revoke an existing registration based on a failure to comply with requirements set forth in this subsection or a finding by the Secretary of a safety-related defect or unlawful conduct under this chapter that poses a significant safety risk. The registrant shall be

provided a reasonable opportunity to correct all deficiencies, if such are correctable based on the sole discretion of the Secretary. An exemption granted by the Secretary to a low-volume manufacturer under this subsection may not be transferred to any other person, and shall expire at the end of the calendar year for which it was granted with respect to any volume authorized by the exemption that was not applied by the low-volume manufacturer to vehicles built during that calendar year. The Secretary shall maintain an up-to-date list of registrants and a list of the make and model of motor vehicles exempted under paragraph (1) on at least an annual basis and publish such list in the Federal Register or on a website operated by the Secretary.

(6) LIMITATION OF LIABILITY FOR ORIGINAL MANUFACTURERS, LICENSORS OR OWNERS OF PRODUCT CONFIGURATION, TRADE DRESS, OR DESIGN PATENTS.—The original manufacturer, its successor or assignee, or current owner, who grants a license or otherwise transfers rights to a low-volume manufacturer shall incur no liability to any person or entity under Federal or State statute, regulation, local ordinance, or under any Federal or State common law for such license or assignment to a low-volume manufacturer.

(7) DEFINITIONS.—In this subsection:

(A) LOW-VOLUME MANUFACTURER.—The term “low-volume manufacturer” means a motor vehicle manufacturer, other than a person who is registered as an importer under section 30141 of this title, whose annual worldwide production, including by a parent or subsidiary of the manufacturer, if applicable, is not more than 5,000 motor vehicles.

(B) REPLICATOR MOTOR VEHICLE.—The term “replicator motor vehicle” means a motor vehicle produced by a low-volume manufacturer and that—

(i) is intended to resemble the body of another motor vehicle that was manufactured not less than 25 years before the manufacture of the replicator motor vehicle; and

(ii) is manufactured under a license for the product configuration, trade dress, trademark, or patent, for the motor vehicle that is intended to be replicated from the original manufacturer, its successors or assignees, or current owner of such product configuration, trade dress, trademark, or patent rights.

(8) CONSTRUCTION.—Except as provided in paragraphs (1) and (4), a registrant shall be considered a motor vehicle manufacturer for purposes of parts A and C of subtitle VI of this title. Nothing shall be construed to exempt a registrant from complying with the requirements under sections 30116 through 30120A of this title if the motor vehicle excepted under paragraph (1) contains a defect related to motor vehicle safety.

(9) STATE REGISTRATION.—Nothing in this subsection shall be construed to preempt, affect, or supersede any State titling or registration law or regulation for a replicator motor vehicle, or exempt a person from complying with such law or regulation.

(Pub. L. 103-272, §1(e), July 5, 1994, 108 Stat. 947; Pub. L. 105-178, title VII, §7107(a), June 9, 1998, 112 Stat. 469; Pub. L. 114-94, div. B, title XXIV, §24405(a), Dec. 4, 2015, 129 Stat. 1721.)

HISTORICAL AND REVISION NOTES

Revised Section	Source (U.S. Code)	Source (Statutes at Large)
30114 .....	15:1397(j).	Sept. 9, 1966, Pub. L. 89-563, 80 Stat. 718, §108(j); added Oct. 31, 1988, Pub. L. 100-562, §2(b), 102 Stat. 2824.

The word “conditions” is omitted as being included in “terms”, and the word “studies” is omitted as being included in “research”. The word “solely” is omitted as unnecessary.

Editorial Notes

AMENDMENTS

2015—Pub. L. 114-94 designated existing provisions as subsec. “(A)”, inserted heading, and added subsec. (b).

1998—Pub. L. 105-178 substituted “competitive racing events, show, or display” for “or competitive racing events”.

Statutory Notes and Related Subsidiaries

TRANSITION RULE

Pub. L. 105-178, title VII, §7107(b), June 9, 1998, 112 Stat. 469, provided that: “A person who is the owner of a motor vehicle located in the United States on the date of enactment of this Act [June 9, 1998] may seek an exemption under section 30114 of title 49, United States Code, as amended by subsection (a) of this section, for a period of 6 months after the date regulations of the Secretary of Transportation promulgated in response to such amendment take effect.”

§ 30115. Certification of compliance

(a) IN GENERAL.—A manufacturer or distributor of a motor vehicle or motor vehicle equipment shall certify to the distributor or dealer at delivery that the vehicle or equipment complies with applicable motor vehicle safety standards prescribed under this chapter. A person may not issue the certificate if, in exercising reasonable care, the person has reason to know the certificate is false or misleading in a material respect. Certification of a vehicle must be shown by a label or tag permanently fixed to the vehicle. Certification of equipment may be shown by a label or tag on the equipment or on the outside of the container in which the equipment is delivered.

(b) CERTIFICATION LABEL.—In the case of the certification label affixed by an intermediate or final stage manufacturer of a motor vehicle built in more than 1 stage, each intermediate or final stage manufacturer shall certify with respect to each applicable Federal motor vehicle safety standard—

- (1) that it has complied with the specifications set forth in the compliance documentation provided by the incomplete motor vehicle manufacturer in accordance with regulations prescribed by the Secretary; or
- (2) that it has elected to assume responsibility for compliance with that standard.

If the intermediate or final stage manufacturer elects to assume responsibility for compliance with the standard covered by the documentation

provided by an incomplete motor vehicle manufacturer, the intermediate or final stage manufacturer shall notify the incomplete motor vehicle manufacturer in writing within a reasonable time of affixing the certification label. A violation of this subsection shall not be subject to a civil penalty under section 30165.

(Pub. L. 103-272, §1(e), July 5, 1994, 108 Stat. 947; Pub. L. 106-414, §9, Nov. 1, 2000, 114 Stat. 1805.)

HISTORICAL AND REVISION NOTES

Revised Section	Source (U.S. Code)	Source (Statutes at Large)
30115 .....	15:1397(a)(1)(C), (E) (related to 15:1403).	Sept. 9, 1966, Pub. L. 89-563, §108(a)(1)(C), (E) (related to §114), 80 Stat. 722; Oct. 27, 1974, Pub. L. 93-492, §103(a)(1)(A), (2)(B), 88 Stat. 1477, 1478.
	15:1403.	Sept. 9, 1966, Pub. L. 89-563, §114, 80 Stat. 726.

The words “fail to issue a certificate required by section 1403 of this title” in 15:1397(a)(1)(C) and the text of 15:1397(a)(1)(E) (related to 15:1403) are omitted as surplus. The word “certify” is substituted for “furnish . . . the certification” in 15:1403 to eliminate unnecessary words. The words “the time of” and “of such vehicle or equipment by such manufacturer or distributor” are omitted as surplus. The words “prescribed under this chapter” are added for clarity. The word “reasonable” is substituted for “due” in 15:1397(a)(1)(C) for consistency in the revised title. The words “to the effect that a motor vehicle or item of motor vehicle equipment conforms to all applicable Federal motor vehicle safety standards” are omitted because of the restatement. The words “shown by” are substituted for “in the form of” in 15:1403 for clarity.

Editorial Notes

AMENDMENTS

2000—Pub. L. 106-414 designated existing provisions as subsec. (a), inserted heading, and added subsec. (b).

Statutory Notes and Related Subsidiaries

FOLLOW-UP REPORT

Pub. L. 106-414, §16, Nov. 1, 2000, 114 Stat. 1808, provided that, by one year after Nov. 1, 2000, the Secretary of Transportation would report to Congress on the implementation of the 2000 amendments.

§ 30116. Defects and noncompliance found before sale to purchaser

(a) ACTIONS REQUIRED OF MANUFACTURERS AND DISTRIBUTORS.—If, after a manufacturer or distributor sells a motor vehicle or motor vehicle equipment to a distributor or dealer and before the distributor or dealer sells the vehicle or equipment, it is decided that the vehicle or equipment contains a defect related to motor vehicle safety or does not comply with applicable motor vehicle safety standards prescribed under this chapter—

- (1) the manufacturer or distributor immediately shall repurchase the vehicle or equipment at the price paid by the distributor or dealer, plus transportation charges and reasonable reimbursement of at least one percent a month of the price paid prorated from the date of notice of noncompliance or defect to the date of repurchase; or
- (2) if a vehicle, the manufacturer or distributor immediately shall give to the dis-