

**§ 20152. Notification of grade crossing problems**

(a) IN GENERAL.—Not later than 18 months after the date of enactment of the Rail Safety Improvement Act of 2008, the Secretary of Transportation shall require each railroad carrier to—

(1) establish and maintain a toll-free telephone service for rights-of-way over which it dispatches trains, to directly receive calls reporting—

(A) malfunctions of signals, crossing gates, and other devices to promote safety at the grade crossing of railroad tracks on those rights-of-way and public or private roads;

(B) disabled vehicles blocking railroad tracks at such grade crossings;

(C) obstructions to the view of a pedestrian or a vehicle operator for a reasonable distance in either direction of a train's approach; or

(D) other safety information involving such grade crossings;

(2) upon receiving a report pursuant to paragraph (1)(A) or (B), immediately contact trains operating near the grade crossing to warn them of the malfunction or disabled vehicle;

(3) upon receiving a report pursuant to paragraph (1)(A) or (B), and after contacting trains pursuant to paragraph (2), contact, as necessary, appropriate public safety officials having jurisdiction over the grade crossing to provide them with the information necessary for them to direct traffic, assist in the removal of the disabled vehicle, or carry out other activities as appropriate;

(4) upon receiving a report pursuant to paragraph (1)(C) or (D), timely investigate the report, remove the obstruction if possible, or correct the unsafe circumstance; and

(5) ensure the placement at each grade crossing on rights-of-way that it owns of appropriately located signs, on which shall appear, at a minimum—

(A) a toll-free telephone number to be used for placing calls described in paragraph (1) to the railroad carrier dispatching trains on that right-of-way;

(B) an explanation of the purpose of that toll-free telephone number; and

(C) the grade crossing number assigned for that crossing by the National Highway-Rail Crossing Inventory established by the Department of Transportation.

(b) WAIVER.—The Secretary may waive the requirement that the telephone service be toll-free for Class II and Class III rail carriers if the Secretary determines that toll-free service would be cost prohibitive or unnecessary.

(Added Pub. L. 103-440, title III, §301(a), Nov. 2, 1994, 108 Stat. 4626; amended Pub. L. 104-287, §5(50), Oct. 11, 1996, 110 Stat. 3393; Pub. L. 110-432, div. A, title II, §205(a), Oct. 16, 2008, 122 Stat. 4872.)

**Editorial Notes**

## REFERENCES IN TEXT

The date of enactment of the Rail Safety Improvement Act of 2008, referred to in subsec. (a), is the date

of enactment of div. A of Pub. L. 110-432, which was approved Oct. 16, 2008.

## AMENDMENTS

2008—Pub. L. 110-432 amended section catchline and text generally. Prior to amendment, section related to a pilot program to demonstrate a system to provide emergency notification of grade crossing problems.

1996—Subsec. (b). Pub. L. 104-287 substituted “November 2, 1994” for “the date of enactment of this section” and “November 2, 1994, an evaluation” for “that date an evaluation”.

**§ 20153. Audible warnings at highway-rail grade crossings**

(a) DEFINITIONS.—As used in this section—

(1) the term “highway-rail grade crossing” includes any street or highway crossing over a line of railroad at grade;

(2) the term “locomotive horn” refers to a train-borne audible warning device meeting standards specified by the Secretary of Transportation; and

(3) the term “supplementary safety measure” refers to a safety system or procedure, provided by the appropriate traffic control authority or law enforcement authority responsible for safety at the highway-rail grade crossing, that is determined by the Secretary to be an effective substitute for the locomotive horn in the prevention of highway-rail casualties. A traffic control arrangement that prevents careless movement over the crossing (e.g., as where adequate median barriers prevent movement around crossing gates extending over the full width of the lanes in the particular direction of travel), and that conforms to standards prescribed by the Secretary under this subsection, shall be deemed to constitute a supplementary safety measure. The following do not, individually or in combination, constitute supplementary safety measures within the meaning of this subsection: standard traffic control devices or arrangements such as reflectorized crossbucks, stop signs, flashing lights, flashing lights with gates that do not completely block travel over the line of railroad, or traffic signals.

(b) REQUIREMENT.—The Secretary of Transportation shall prescribe regulations requiring that a locomotive horn shall be sounded while each train is approaching and entering upon each public highway-rail grade crossing.

(c) EXCEPTION.—(1) In issuing such regulations, the Secretary may except from the requirement to sound the locomotive horn any categories of rail operations or categories of highway-rail grade crossings (by train speed or other factors specified by regulation)—

(A) that the Secretary determines not to present a significant risk with respect to loss of life or serious personal injury;

(B) for which use of the locomotive horn as a warning measure is impractical; or

(C) for which, in the judgment of the Secretary, supplementary safety measures fully compensate for the absence of the warning provided by the locomotive horn.

(2) In order to provide for safety and the quiet of communities affected by train operations, the Secretary may specify in such regulations that